

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>AMD Ryzen Threadripper PRO 5995WX</u>	108,822	1
<u>AMD EPYC 7763</u>	88,338	2
<u>AMD EPYC 7J13</u>	86,006	3
<u>AMD EPYC 7713</u>	85,861	4
<u>AMD Ryzen Threadripper PRO 3995WX</u>	83,971	5
<u>AMD Ryzen Threadripper 3990X</u>	81,568	6
<u>AMD Ryzen Threadripper PRO 5975WX</u>	80,842	7
<u>AMD EPYC 7B13</u>	77,460	8
<u>AMD EPYC 7643</u>	76,455	9
<u>AMD EPYC 7702</u>	71,646	10
<u>AMD EPYC 7662</u>	71,576	11
<u>AMD EPYC 7742</u>	68,749	12
<u>AMD EPYC 75F3</u>	68,505	13
<u>AMD Ryzen Threadripper PRO 5965WX</u>	68,405	14
<u>AMD EPYC 7543P</u>	67,144	15
<u>AMD EPYC 7R32</u>	64,727	16
<u>AMD Ryzen Threadripper 3970X</u>	63,836	17
<u>AMD Ryzen Threadripper PRO 3975WX</u>	63,358	18
<u>Intel Xeon Platinum 8380 @ 2.30GHz</u>	62,317	19
<u>AMD EPYC 7702P</u>	61,689	20
<u>AMD EPYC 74F3</u>	60,948	21
<u>AMD EPYC 7513</u>	59,732	22
<u>AMD EPYC 7443P</u>	57,666	23
<u>AMD EPYC 7542</u>	56,728	24
<u>AMD EPYC 7543</u>	56,562	25

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>AMD EPYC 7502P</u>	48,760	36
<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	48,330	37
<u>AMD EPYC 7413</u>	46,295	38
<u>AMD Ryzen 9 5950X</u>	46,208	39
<u>AMD EPYC 73F3</u>	46,085	40
<u>AMD EPYC 7343</u>	45,882	41
<u>AMD EPYC 7713P</u>	45,860	42
<u>Intel Xeon Gold 6336Y @ 2.40GHz</u>	45,517	43
<u>Intel Core i9-12900KS</u>	44,171	44
<u>Intel Xeon Gold 6312U @ 2.40GHz</u>	43,745	45
<u>Intel Xeon Gold 6330 @ 2.00GHz</u>	43,056	46
<u>AMD EPYC 7601</u>	42,244	47
<u>AMD EPYC 7452</u>	41,871	48
<u>AMD EPYC 7402P</u>	41,741	49
<u>AMD Ryzen Threadripper PRO 5945WX</u>	41,578	50
<u>Apple M1 Ultra 20 Core</u>	41,457	51
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,434	52
<u>Intel Core i9-12900KF</u>	41,119	53
<u>Intel Core i9-12900K</u>	41,008	54
<u>AMD EPYC 7F52</u>	40,951	55
<u>AMD EPYC 7313P</u>	40,879	56
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794	57
<u>Intel Xeon W-3275M @ 2.50GHz</u>	40,767	58
<u>AMD EPYC 7313</u>	40,575	59
<u>AMD EPYC 7352</u>	40,472	60

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon Gold 6238R @ 2.20GHz</u>	37,511	72
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	37,264	73
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167	74
<u>Intel Core i9-12900F</u>	36,785	75
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	35,352	76
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,328	77
<u>Intel Core i9-12900T</u>	34,999	78
<u>AMD Ryzen 9 5900</u>	34,721	79
<u>Intel Core i7-12700KF</u>	34,101	80
<u>Intel Core i7-12700K</u>	34,059	81
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	82
<u>Intel Xeon D-2799 @ 2.40GHz</u>	33,792	83
<u>Intel Core i9-10980XE @ 3.00GHz</u>	33,458	84
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,425	85
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	33,370	86
<u>AMD EPYC 7302</u>	33,015	87
<u>AMD Ryzen 9 3900XT</u>	32,868	88
<u>AMD Ryzen 9 3900X</u>	32,757	89
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	32,616	90
<u>AMD EPYC 7302P</u>	32,480	91
<u>AMD Ryzen Threadripper 2990WX</u>	32,475	92
<u>Intel Xeon Gold 6252 @ 2.10GHz</u>	32,410	93
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	32,223	94
<u>Intel Core i7-12700F</u>	32,211	95
<u>Intel Core i9-9980XE @ 3.00GHz</u>	31,985	96

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon W-3245 @ 3.20GHz</u>	30,423	108
<u>AMD EPYC 7551P</u>	30,313	109
<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,220	110
<u>Intel Core i9-9990XE @ 4.00GHz</u>	30,162	111
<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105	112
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	30,103	113
<u>AMD Ryzen Threadripper 2950X</u>	29,972	114
<u>Intel Core i9-12900HK</u>	29,935	115
<u>AMD EPYC 7401P</u>	29,785	116
<u>Intel Core i9-7980XE @ 2.60GHz</u>	29,554	117
<u>Intel Core i9-12900H</u>	29,534	118
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356	119
<u>Intel Xeon W-2191B @ 2.30GHz</u>	29,049	120
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	28,962	121
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915	122
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	28,848	123
<u>Intel Core i9-10940X @ 3.30GHz</u>	28,619	124
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	28,580	125
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,411	126
<u>AMD Ryzen 7 5800X</u>	28,376	127
<u>ARM Neoverse-N1 64 Core 0 MHz</u>	28,079	128
<u>AMD Ryzen Threadripper 1950X</u>	28,041	129
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,904	130
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	27,617	131
<u>Intel Core i7-12700H</u>	27,581	132

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	144
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	26,657	145
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,508	146
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	26,485	147
<u>AMD Ryzen Threadripper 2990X</u>	26,469	148
<u>AMD EPYC 7272</u>	26,446	149
<u>Intel Xeon Gold 5318Y @ 2.10GHz</u>	26,400	150
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288	151
<u>Intel Xeon W-1390P @ 3.50GHz</u>	26,031	152
<u>Intel Xeon W-2265 @ 3.50GHz</u>	25,984	153
<u>Intel Xeon W-3235 @ 3.30GHz</u>	25,974	154
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875	155
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	25,740	156
<u>AMD Ryzen 7 5800</u>	25,599	157
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,550	158
<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	25,532	159
<u>AMD EPYC 7351P</u>	25,484	160
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,406	161
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396	162
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,357	163
<u>AMD Ryzen Threadripper 2920X</u>	25,263	164
<u>Intel Xeon W-1370P @ 3.60GHz</u>	25,202	165
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	25,191	166
<u>AMD Ryzen 7 PRO 5750G</u>	25,004	167
<u>AMD EPYC 7501</u>	24,925	168

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	24,234	180
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,177	181
<u>Intel Xeon W-1370 @ 2.90GHz</u>	23,908	182
<u>Intel Core i9-11900F @ 2.50GHz</u>	23,867	183
<u>Intel Xeon W-11955M @ 2.60GHz</u>	23,855	184
<u>AMD Ryzen 7 3800XT</u>	23,812	185
<u>Intel Core i9-10900K @ 3.70GHz</u>	23,779	186
<u>Intel Core i9-11980HK @ 2.60GHz</u>	23,655	187
<u>AMD Ryzen 7 6800H</u>	23,651	188
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	23,589	189
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	23,585	190
<u>Intel Core i5-12500H</u>	23,580	191
<u>AMD EPYC 7351</u>	23,566	192
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,515	193
<u>Intel Core i9-10900KF @ 3.70GHz</u>	23,514	194
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	23,512	195
<u>Intel Xeon E-2388G @ 3.20GHz</u>	23,501	196
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,432	197
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,292	198
<u>AMD Ryzen 7 3800X</u>	23,279	199
<u>AMD Ryzen 9 5980HX</u>	23,253	200
<u>Intel Xeon W-2175 @ 2.50GHz</u>	23,215	201
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179	202
<u>AMD Ryzen 9 5900HX</u>	23,162	203
<u>Intel Core i9-11900 @ 2.50GHz</u>	23,130	204

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,683	216
<u>Apple M1 Max 10 Core 3200 MHz</u>	22,587	217
<u>AMD Ryzen 7 5700GE</u>	22,566	218
<u>Intel Core i9-11950H @ 2.60GHz</u>	22,556	219
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,539	220
<u>AMD EPYC 7551</u>	22,440	221
<u>Apple M1 Pro 10 Core 3200 MHz</u>	22,345	222
<u>AMD Ryzen 7 PRO 5750GE</u>	22,317	223
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	22,298	224
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	22,291	225
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	22,266	226
<u>AMD Ryzen 9 5900HS</u>	22,238	227
<u>Intel Xeon Gold 6334 @ 3.60GHz</u>	22,160	228
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	22,117	229
<u>AMD Ryzen 5 5600X</u>	22,091	230
<u>AMD Ryzen Threadripper 1920</u>	22,066	231
<u>Intel Xeon W-1290E @ 3.50GHz</u>	22,066	232
<u>Intel Xeon W-2255 @ 3.70GHz</u>	21,981	233
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,868	234
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,807	235
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,803	236
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	21,755	237
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	21,545	238
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,494	239
<u>Intel Core i9-11900H @ 2.50GHz</u>	21,473	240

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	21,042	252
<u>Intel Core i7-1270P</u>	21,030	253
<u>Intel Xeon Silver 4310T @ 2.30GHz</u>	20,973	254
<u>AMD Ryzen 9 5900H</u>	20,960	255
<u>AMD Ryzen 7 5800HS Creator Edition</u>	20,948	256
<u>Intel Core i9-10900F @ 2.80GHz</u>	20,890	257
<u>AMD Ryzen 7 PRO 4700G</u>	20,848	258
<u>Intel Xeon E5-2697R v4 @ 2.30GHz</u>	20,843	259
<u>AMD EPYC 7262</u>	20,827	260
<u>Intel Xeon Gold 6130 @ 2.10GHz</u>	20,721	261
<u>AMD Ryzen 5 PRO 5650G</u>	20,720	262
<u>Intel Core i7-11700 @ 2.50GHz</u>	20,713	263
<u>AMD Ryzen 7 5800HS</u>	20,662	264
<u>Intel Core i9-10900E @ 2.80GHz</u>	20,658	265
<u>AMD Ryzen 7 PRO 4750G</u>	20,570	266
<u>Intel Xeon W-1290 @ 3.20GHz</u>	20,533	267
<u>Intel Xeon W-2150B @ 3.00GHz</u>	20,485	268
<u>AMD EPYC 7451</u>	20,471	269
<u>Intel Core i9-10900 @ 2.80GHz</u>	20,463	270
<u>Intel Xeon Gold 6244 @ 3.60GHz</u>	20,402	271
<u>AMD Ryzen 7 4700GE</u>	20,392	272
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	20,373	273
<u>AMD Ryzen 7 PRO 5875U</u>	20,369	274
<u>Intel Core i5-12500</u>	20,322	275
<u>Intel Core i9-11900T @ 1.50GHz</u>	20,225	276

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i5-11600KF @ 3.90GHz</u>	19,759	288
<u>Intel Core i5-12400F</u>	19,649	289
<u>Intel Core i5-12400</u>	19,634	290
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	19,551	291
<u>AMD EPYC 7252</u>	19,550	292
<u>Intel Core i9-9900KS @ 4.00GHz</u>	19,514	293
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	19,451	294
<u>Intel Xeon W-2245 @ 3.90GHz</u>	19,446	295
<u>AMD Ryzen 9 4900HS</u>	19,436	296
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	297
<u>Intel Core i7-7900X @ 3.30GHz</u>	19,358	298
<u>AMD Ryzen 9 4900H</u>	19,343	299
<u>Intel Core i7-10700K @ 3.80GHz</u>	19,283	300
<u>Intel Xeon W-1270P @ 3.80GHz</u>	19,245	301
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	19,238	302
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	19,223	303
<u>Intel Core i7-10700KF @ 3.80GHz</u>	19,144	304
<u>AMD Ryzen 7 4800H</u>	19,056	305
<u>Intel Core i7-12800H</u>	19,052	306
<u>Intel Core i5-1240P</u>	19,045	307
<u>Intel Xeon Silver 4309Y @ 2.80GHz</u>	19,010	308
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	309
<u>Intel Xeon E-2356G @ 3.20GHz</u>	18,912	310
<u>AMD Ryzen 7 4800HS</u>	18,882	311
<u>AMD Ryzen 5 5600GE</u>	18,879	312

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>AMD Ryzen 5 PRO 6650U</u>	18,649	324
<u>Intel Xeon W-1270E @ 3.40GHz</u>	18,635	325
<u>AMD Ryzen 7 PRO 4750GE</u>	18,531	326
<u>Intel Xeon Platinum P-8124 @ 3.00GHz</u>	18,416	327
<u>Intel Xeon W-1290T @ 1.90GHz</u>	18,409	328
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	18,385	329
<u>Intel Core i5-11600 @ 2.80GHz</u>	18,341	330
<u>Intel Core i9-9820X @ 3.30GHz</u>	18,288	331
<u>AMD Ryzen 5 3600X</u>	18,284	332
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,255	333
<u>Intel Xeon E7-8880 v3 @ 2.30GHz</u>	18,244	334
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,225	335
<u>AMD 4700S</u>	18,212	336
<u>AMD Ryzen 7 Extreme Edition</u>	18,209	337
<u>Intel Core i5-12600T</u>	18,202	338
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148	339
<u>Intel Xeon W-1270 @ 3.40GHz</u>	18,093	340
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	341
<u>AMD Ryzen 7 5825U</u>	18,062	342
<u>AMD Ryzen Embedded V2718</u>	17,972	343
<u>AMD Ryzen 5 PRO 3600</u>	17,900	344
<u>Intel Core i9-10900TE @ 1.80GHz</u>	17,888	345
<u>AMD Ryzen 5 3600</u>	17,821	346
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,795	347
<u>Intel Core i5-11500B @ 3.30GHz</u>	17,783	348

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	17,533	360
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,456	361
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430	362
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,388	363
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,313	364
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,283	365
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,243	366
<u>AMD Ryzen 7 PRO 2700X</u>	17,221	367
<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,220	368
<u>AMD Ryzen 5 5600H</u>	17,171	369
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,133	370
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,132	371
<u>AMD Ryzen 7 4800U</u>	17,073	372
<u>Intel Core i7-10700E @ 2.90GHz</u>	17,020	373
<u>AMD EPYC 7232P</u>	17,017	374
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,973	375
<u>AMD Ryzen Threadripper 1900X</u>	16,967	376
<u>Intel Core i7-10700 @ 2.90GHz</u>	16,963	377
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	16,936	378
<u>Intel Core i9-9900 @ 3.10GHz</u>	16,881	379
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	16,745	380
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,518	381
<u>AMD Ryzen 5 PRO 4400G</u>	16,456	382
<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	16,453	383
<u>AMD Ryzen 5 PRO 4650G</u>	16,427	384

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i5-11400H @ 2.70GHz</u>	16,089	396
<u>Intel Core i7-11600H @ 2.90GHz</u>	16,030	397
<u>Intel Xeon W-10885M @ 2.40GHz</u>	16,013	398
<u>AMD Ryzen 7 4850U Mobile</u>	15,920	399
<u>AMD Ryzen 5 PRO 5675U</u>	15,913	400
<u>Intel Xeon E-2336 @ 2.90GHz</u>	15,900	401
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816	402
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	15,801	403
<u>AMD Ryzen 5 PRO 4650GE</u>	15,712	404
<u>Intel Core i9-10885H @ 2.40GHz</u>	15,666	405
<u>AMD Ryzen 5 4600GE</u>	15,656	406
<u>AMD Ryzen 7 2700</u>	15,649	407
<u>AMD Ryzen 5 4600G</u>	15,577	408
<u>AMD Ryzen 7 PRO 1700X</u>	15,530	409
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,522	410
<u>AMD Ryzen 7 PRO 4750U</u>	15,515	411
<u>AMD Ryzen 7 1700X</u>	15,497	412
<u>Intel Core i7-10875H @ 2.30GHz</u>	15,439	413
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,429	414
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,420	415
<u>AMD Ryzen 5 PRO 5650U</u>	15,401	416
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397	417
<u>AMD Ryzen 5 5600U</u>	15,310	418
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,271	419
<u>Intel Core i7-11700T @ 1.40GHz</u>	15,271	420

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	15,038	432
<u>Intel Core i7-10870H @ 2.20GHz</u>	15,031	433
<u>Intel Xeon Silver 4210R @ 2.40GHz</u>	15,030	434
<u>AMD EPYC 7301</u>	14,991	435
<u>Intel Core i3-12300</u>	14,955	436
<u>AMD EPYC 7251</u>	14,935	437
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	14,931	438
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,924	439
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	14,917	440
<u>Intel Xeon E5-2658A v3 @ 2.20GHz</u>	14,879	441
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820	442
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	14,812	443
<u>AMD Ryzen 5 PRO 4400GE</u>	14,795	444
<u>AMD Ryzen 5 4600H</u>	14,736	445
<u>AMD Ryzen 5 4600HS</u>	14,735	446
<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	14,734	447
<u>Intel Core i9-9980HK @ 2.40GHz</u>	14,733	448
<u>Apple M1 8 Core 3200 MHz</u>	14,717	449
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,710	450
<u>AMD Ryzen 7 2700E</u>	14,657	451
<u>AMD Ryzen 7 1700</u>	14,634	452
<u>AMD Ryzen 7 PRO 1700</u>	14,590	453
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,575	454
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,560	455
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,551	456

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,291	468
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,285	469
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	14,273	470
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	471
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,252	472
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,230	473
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,206	474
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	14,120	475
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,112	476
<u>Intel Xeon E-2374G @ 3.70GHz</u>	14,086	477
<u>AMD Ryzen 5 2600X</u>	14,051	478
<u>Intel Xeon E-2246G @ 3.60GHz</u>	14,050	479
<u>Intel Core i9-9880H @ 2.30GHz</u>	13,987	480
<u>AMD Ryzen 3 PRO 5350G</u>	13,976	481
<u>AMD EPYC 3251</u>	13,965	482
<u>Intel Core i9-9900T @ 2.10GHz</u>	13,947	483
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,936	484
<u>Intel Core i5-10600 @ 3.30GHz</u>	13,928	485
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,909	486
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,853	487
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	13,846	488
<u>AMD Ryzen 3 5300GE</u>	13,843	489
<u>Intel Core i5-11500T @ 1.50GHz</u>	13,820	490
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,799	491
<u>AMD Ryzen 3 PRO 5350GE</u>	13,707	492

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,371	504
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,351	505
<u>AMD Ryzen 5 3500X</u>	13,340	507
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,340	506
<u>AMD Ryzen 5 PRO 2600</u>	13,250	508
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,214	509
<u>AMD Ryzen 5 2600</u>	13,195	510
<u>Intel Xeon E-2334 @ 3.40GHz</u>	13,189	511
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,188	512
<u>AMD Ryzen 5 5500U</u>	13,183	513
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	13,169	514
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,141	515
<u>AMD Ryzen 3 5300G</u>	13,139	516
<u>Intel Xeon W-10855M @ 2.80GHz</u>	13,136	517
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	13,107	518
<u>Intel Core i7-10700T @ 2.00GHz</u>	13,092	519
<u>Intel Core i7-8700 @ 3.20GHz</u>	13,051	520
<u>Intel Core i5-10500 @ 3.10GHz</u>	13,041	521
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969	522
<u>AMD Ryzen 5 1600X</u>	12,949	523
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	524
<u>AMD Ryzen 5 PRO 4650U</u>	12,890	525
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,864	526
<u>AMD Ryzen 5 3500</u>	12,837	527
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,816	528

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,361	540
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,360	541
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,354	542
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,323	543
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,320	544
<u>AMD Ryzen 5 1600</u>	12,315	545
<u>Intel Core i7-1265U</u>	12,281	546
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,222	547
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,177	548
<u>Intel Core i7-10850H @ 2.70GHz</u>	12,153	549
<u>Intel Core i7-11370H @ 3.30GHz</u>	12,121	550
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119	551
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,083	552
<u>AMD Ryzen 5 PRO 4500U</u>	12,049	553
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024	554
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	11,960	555
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	11,950	556
<u>Intel Core i5-1245U</u>	11,934	557
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,931	558
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	11,919	559
<u>Intel Core i7-9700E @ 2.60GHz</u>	11,905	560
<u>AMD Ryzen 3 5400U</u>	11,839	561
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,820	562
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,818	563
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777	564

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-9750HF @ 2.60GHz</u>	11,435	576
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,376	577
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,373	578
<u>Intel Core i3-11100B @ 3.60GHz</u>	11,357	579
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	11,344	580
<u>AMD Ryzen 3 4300GE</u>	11,332	581
<u>AMD Ryzen 3 PRO 4200G</u>	11,315	582
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,290	583
<u>AMD Ryzen 3 PRO 4350GE</u>	11,285	584
<u>ARM Neoverse-N1 16 Core 0 MHz</u>	11,281	585
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,227	586
<u>Intel Core i7-9750H @ 2.60GHz</u>	11,206	587
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,152	588
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,137	589
<u>Intel Core i5-1235U</u>	11,119	590
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,119	591
<u>Intel Core i7-1185G7E @ 2.80GHz</u>	11,114	592
<u>AMD Ryzen 5 4500U</u>	11,102	593
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	594
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	11,051	595
<u>Intel Core i5-11300H @ 3.10GHz</u>	11,025	596
<u>Intel Xeon E-2176M @ 2.70GHz</u>	10,995	597
<u>Intel Core i7-1185G7 @ 3.00GHz</u>	10,992	598
<u>AMD Ryzen 3 PRO 4200GE</u>	10,930	599
<u>Intel Xeon E-2126G @ 3.30GHz</u>	10,922	600

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i5-9600K @ 3.70GHz</u>	10,796	612
<u>AMD Ryzen 3 4300G</u>	10,792	613
<u>Intel Core i7-9700T @ 2.00GHz</u>	10,736	614
<u>Intel Core i5-11320H @ 3.20GHz</u>	10,694	615
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,681	616
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,596	617
<u>Intel Core i5-1155G7 @ 2.50GHz</u>	10,554	618
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,525	619
<u>Intel Xeon D-1581 @ 1.80GHz</u>	10,476	620
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,464	621
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	10,454	622
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,435	623
<u>Intel Core i5-1145G7 @ 2.60GHz</u>	10,424	624
<u>Intel Core i5-10500T @ 2.30GHz</u>	10,405	625
<u>AMD Ryzen 5 PRO 1600</u>	10,401	626
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,391	627
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,386	628
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,382	629
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,375	630
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372	631
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,369	632
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	633
<u>Intel Core i3-10325 @ 3.90GHz</u>	10,347	634
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,330	635
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,328	636

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i3-10320 @ 3.80GHz</u>	10,115	648
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	10,110	649
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	10,093	650
<u>Intel Core i7-8750H @ 2.20GHz</u>	10,088	651
<u>AMD Ryzen 3 5300U</u>	10,070	652
<u>Intel Core i5-10400T @ 2.00GHz</u>	10,045	653
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,032	654
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,028	655
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,989	656
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	657
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,932	658
<u>Intel Core i7-4960X @ 3.60GHz</u>	9,906	659
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,903	660
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,864	661
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,849	662
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	663
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,842	664
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,826	665
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,813	666
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,796	667
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,767	668
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	9,745	669
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,722	670
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,689	671
<u>AMD Ryzen 5 3350GE</u>	9,684	672

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,428	684
<u>AMD Ryzen 5 PRO 1500</u>	9,402	685
<u>AMD Ryzen 5 2500X</u>	9,384	686
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,377	687
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,374	688
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,353	689
<u>AMD Ryzen 5 3400G</u>	9,333	690
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,323	691
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,322	692
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320	693
<u>AMD Ryzen 5 PRO 3400G</u>	9,307	694
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,284	695
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	9,276	696
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	9,262	697
<u>Intel Xeon D-1567 @ 2.10GHz</u>	9,236	698
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,229	699
<u>Intel Xeon D-1587 @ 1.70GHz</u>	9,223	700
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,221	701
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,216	702
<u>Intel Core i5-9500TE @ 2.20GHz</u>	9,212	703
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,152	704
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	9,142	705
<u>Intel Core i3-10105F @ 3.70GHz</u>	9,140	706
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139	707
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,134	708

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i5-10400H @ 2.60GHz</u>	8,916	720
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	8,884	721
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882	722
<u>Intel Core i3-10100F @ 3.60GHz</u>	8,854	723
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,853	724
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,840	725
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,800	726
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,771	727
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,760	728
<u>Intel Core i7-8559U @ 2.70GHz</u>	8,745	729
<u>Intel Xeon E-2134 @ 3.50GHz</u>	8,741	730
<u>AMD Ryzen 5 2400G</u>	8,728	731
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,689	732
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,686	733
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684	734
<u>Intel Core i7-1065G7 @ 1.30GHz</u>	8,674	735
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,639	736
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,630	737
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,611	738
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,606	739
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,596	740
<u>Apple A14 Bionic</u>	8,543	741
<u>Intel Core i7-8569U @ 2.80GHz</u>	8,523	742
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,489	743
<u>AMD Ryzen Embedded V1807B</u>	8,488	744

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,388	756
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,373	757
<u>AMD Ryzen 5 PRO 2400G</u>	8,368	758
<u>Intel Core i7-10810U @ 1.10GHz</u>	8,353	759
<u>AMD Opteron 6386 SE</u>	8,320	760
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,320	761
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,317	762
<u>AMD Ryzen 7 3750H</u>	8,276	763
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,274	764
<u>AMD Ryzen 5 PRO 3400GE</u>	8,269	765
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,255	766
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,254	767
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,241	768
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,240	769
<u>Intel Core i5-1035G4 @ 1.10GHz</u>	8,235	770
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,229	771
<u>Intel Core i5-8600T @ 2.30GHz</u>	8,227	772
<u>Intel Core i7-8557U @ 1.70GHz</u>	8,225	773
<u>AMD Ryzen Embedded V1756B</u>	8,215	774
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,184	775
<u>Intel Xeon E-2276ME @ 2.80GHz</u>	8,167	776
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136	777
<u>AMD Ryzen 5 2400GE</u>	8,134	778
<u>Intel Core i5-8259U @ 2.30GHz</u>	8,128	779
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,109	780

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,990	791
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,947	793
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938	794
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,930	795
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,901	796
<u>Intel Xeon E3-1230 v5 @ 3.40GHz</u>	7,880	797
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,854	798
<u>Intel Core i3-10105T @ 3.00GHz</u>	7,850	799
<u>AMD Ryzen 5 3580U</u>	7,845	800
<u>AMD Ryzen 5 2600H</u>	7,836	801
<u>Intel Core i5-9400T @ 1.80GHz</u>	7,818	802
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,801	804
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,801	803
<u>AMD Ryzen 5 1400</u>	7,789	805
<u>Intel Core i3-10300T @ 3.00GHz</u>	7,780	806
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	7,757	807
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,741	809
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,741	808
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	7,731	810
<u>AMD Ryzen 3 PRO 1300</u>	7,717	811
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,714	812
<u>AMD Athlon Gold PRO 3150G</u>	7,702	813
<u>Intel Core i5-8500T @ 2.10GHz</u>	7,696	815
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,696	816
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,696	814

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,579	828
<u>AMD Ryzen 3 4300U</u>	7,567	829
<u>AMD Ryzen 3 2300X</u>	7,566	830
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,549	831
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,545	832
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,543	833
<u>AMD Ryzen 5 PRO 2400GE</u>	7,529	834
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,518	835
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,501	836
<u>Intel Xeon E5-2637 v3 @ 3.50GHz</u>	7,485	837
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,475	838
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,470	839
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,456	840
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,453	841
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,447	842
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,445	843
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,440	844
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,437	845
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,435	846
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418	847
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,416	848
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,410	849
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,406	850
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,385	851
<u>AMD Ryzen 7 PRO 2700U</u>	7,372	852

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,260	864
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,256	865
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,245	866
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,234	867
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	868
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,223	869
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,218	870
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,213	871
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,210	872
<u>AMD Ryzen 3 3200G</u>	7,189	873
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181	874
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176	875
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175	876
<u>Intel Core i7-990X @ 3.47GHz</u>	7,148	877
<u>AMD Ryzen 7 3700C</u>	7,145	879
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,145	878
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,143	880
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,123	881
<u>Intel Xeon D-1557 @ 1.50GHz</u>	7,118	882
<u>AMD Ryzen 5 3500U</u>	7,098	883
<u>Intel Xeon X5679 @ 3.20GHz</u>	7,095	884
<u>AMD Athlon Gold PRO 3150GE</u>	7,093	885
<u>Intel Core i7-4771 @ 3.50GHz</u>	7,089	886
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	7,082	887
<u>Intel Core i7-995X @ 3.60GHz</u>	7,079	888

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-980 @ 3.33GHz</u>	7,018	900
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,012	901
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,008	902
<u>AMD Athlon Gold 3150G</u>	7,002	903
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	6,999	904
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,989	905
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,987	906
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	907
<u>Intel Xeon E-2124 @ 3.30GHz</u>	6,966	908
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,956	909
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954	910
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,949	911
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,939	912
<u>AMD Ryzen 5 PRO 3500U</u>	6,937	913
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	6,927	914
<u>AMD Opteron 6287 SE</u>	6,925	915
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	6,924	916
<u>AMD Ryzen 3 1300X</u>	6,922	917
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,917	918
<u>Intel Core i7-6820HK @ 2.70GHz</u>	6,906	919
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	6,897	920
<u>Intel Pentium Gold G7400</u>	6,890	921
<u>AMD Ryzen 5 PRO 2500U</u>	6,889	922
<u>AMD Ryzen 7 2700U</u>	6,882	923
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,876	924

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-980X @ 3.33GHz</u>	6,808	935
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,801	937
<u>AMD Ryzen Embedded V1605B</u>	6,795	938
<u>AMD Ryzen 3 2200G</u>	6,782	939
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,779	940
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774	941
<u>Intel Pentium Gold 8505</u>	6,771	942
<u>AMD FX-9590 Eight-Core</u>	6,766	944
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,766	943
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,753	945
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,750	946
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,734	947
<u>AMD Ryzen 3 PRO 2200G</u>	6,703	948
<u>Intel Core i5-7640X @ 4.00GHz</u>	6,675	949
<u>Intel Core i5-10310U @ 1.70GHz</u>	6,651	950
<u>AMD Opteron 6380</u>	6,645	951
<u>AMD Ryzen Embedded R2314</u>	6,643	952
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,622	953
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	6,613	954
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,610	955
<u>Intel Core i7-1180G7 @ 1.30GHz</u>	6,607	956
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,601	957
<u>MT6891Z/CZA</u>	6,596	958
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,591	959
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,566	960

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450	972
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,431	973
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,429	974
<u>Odin based on Qualcomm Technologies, Inc SM8350</u>	6,428	975
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,420	976
<u>MT6893Z_C/CZA</u>	6,418	977
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	978
<u>Intel Core i5-10210U @ 1.60GHz</u>	6,410	979
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,403	980
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,400	981
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,395	982
<u>AMD Opteron 6282 SE</u>	6,385	983
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,380	984
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,378	985
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,370	986
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,358	987
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,354	988
<u>AMD Ryzen 3 PRO 1200</u>	6,347	989
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	6,333	990
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,321	991
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	6,312	992
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,309	993
<u>AMD Ryzen 3 1200</u>	6,306	994
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,305	995
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,302	996

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Xeon W-2104 @ 3.20GHz</u>	6,202	1008
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,189	1009
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	1010
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	6,173	1011
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,169	1012
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	6,164	1013
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,162	1014
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,162	1015
<u>AMD Ryzen 3 PRO 3300U</u>	6,144	1016
<u>Qualcomm Technologies, Inc SM8350AC</u>	6,139	1017
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,138	1018
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,136	1019
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,131	1020
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,128	1021
<u>AMD FX-8370 Eight-Core</u>	6,126	1022
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,105	1023
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,104	1024
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,101	1025
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,090	1026
<u>Intel Core i7-5675C @ 3.10GHz</u>	6,089	1027
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,088	1028
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,081	1029
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,079	1030
<u>Intel Core i5-7600T @ 2.80GHz</u>	6,074	1031
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,073	1032

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	6,023	1044
<u>vendor Kirin990</u>	5,998	1049
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,988	1046
<u>Intel Xeon E3-1265L v3 @ 2.50GHz</u>	5,987	1047
<u>Intel Core i7-3840QM @ 2.80GHz</u>	5,977	1048
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	5,970	1049
<u>AMD FX-8350 Eight-Core</u>	5,968	1050
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	5,956	1051
<u>Intel Core i7-8550U @ 1.80GHz</u>	5,955	1052
<u>Intel Core i5-8250U @ 1.60GHz</u>	5,935	1053
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	5,929	1054
<u>Intel Xeon D-1528 @ 1.90GHz</u>	5,910	1059
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,905	1056
<u>AMD Ryzen 3 3350U</u>	5,904	1057
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	5,903	1058
<u>AMD Ryzen 3 PRO 2200GE</u>	5,897	1059
<u>AMD Opteron 6378</u>	5,889	1060
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,876	1061
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,870	1062
<u>AMD Ryzen 3 3300U</u>	5,867	1063
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,863	1064
<u>MT6893Z/CZA</u>	5,863	1069
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,842	1066
<u>vendor Kirin985</u>	5,834	1067
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,827	1068

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Snapdragon 8cx Gen 2 @ 3.1</u>	5,734	1086
<u>Qualcomm Technologies, Inc SM8250 AC</u>	5,724	1087
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711	1088
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,707	1089
<u>SM8350</u>	5,707	1089
<u>MT6893Z D/CZA</u>	5,701	1089
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,700	1089
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	5,690	1087
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682	1088
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,671	1089
<u>MT6883Z/CZA</u>	5,665	1090
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,657	1090
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,655	1092
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,655	1093
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,654	1094
<u>AMD Opteron 6238</u>	5,625	1099
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	1096
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,615	1097
<u>MT6891</u>	5,611	1098
<u>Intel Core i7-2700K @ 3.50GHz</u>	5,602	1099
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,599	1100
<u>Intel Core i5-5675R @ 3.10GHz</u>	5,581	1100
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,573	1102
<u>AMD Opteron 6376</u>	5,572	1103
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,570	1104

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Ryzen 3 2300U</u>	5,507	1116
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,505	1117
<u>vendor Kirin820</u>	5,502	1118
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,500	1119
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,498	1120
<u>AMD Ryzen Embedded V1404I</u>	5,491	1121
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,459	1122
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440	1123
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,439	1124
<u>ARM Cortex-A72 16 Core 0 MHz</u>	5,435	1125
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,427	1126
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,427	1127
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,419	1128
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,414	1129
<u>AMD FX-8320 Eight-Core</u>	5,409	1130
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,396	1131
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,386	1132
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,380	1133
<u>MT6893Z_A/CZA</u>	5,375	1134
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,372	1135
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,368	1137
<u>Intel Pentium Gold 7505 @ 2.00GHz</u>	5,368	1136
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,362	1138
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,351	1139
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,344	1140

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,279	1152
<u>vendor Kirin9000</u>	5,276	1153
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,273	1154
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,273	1154
<u>Intel Xeon X5687 @ 3.60GHz</u>	5,272	1156
<u>Qualcomm Technologies, Inc KONA</u>	5,270	1157
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,257	1158
<u>AMD Opteron 6328</u>	5,246	1159
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,245	1160
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241	1161
<u>AMD Opteron 6272</u>	5,240	1162
<u>AMD FX-8370E Eight-Core</u>	5,235	1163
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233	1164
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,228	1165
<u>AMD FX-8300 Eight-Core</u>	5,225	1166
<u>Microsoft SQ2 @ 3.15 GHz</u>	5,199	1167
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,198	1168
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,188	1169
<u>Qualcomm Technologies, Inc SDM778G</u>	5,186	1170
<u>lisa based Qualcomm Technologies, Inc. SM7325</u>	5,181	1171
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,167	1172
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,165	1173
<u>AMD FX-8150 Eight-Core</u>	5,158	1174
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,147	1175
<u>AMD FX-8310 Eight-Core</u>	5,145	1176

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,098	1188
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,093	1189
<u>Hisilicon Kirin9000</u>	5,083	1190
<u>Intel Core i7-10510Y @ 1.20GHz</u>	5,076	1191
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,070	1192
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,063	1193
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	5,042	1194
<u>06/8c</u>	5,040	1195
<u>Intel Core i7-4765T @ 2.00GHz</u>	5,036	1196
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034	1197
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	5,032	1198
<u>Intel Core i7-8665UE @ 1.70GHz</u>	5,017	1199
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	5,016	1200
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013	1201
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	4,989	1202
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	4,988	1203
<u>AMD FX-8320E Eight-Core</u>	4,972	1204
<u>Intel Xeon E5645 @ 2.40GHz</u>	4,955	1205
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,950	1206
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941	1207
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,935	1208
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929	1209
<u>Samsung Exynos 2100</u>	4,920	1210
<u>Intel Core i5-4670S @ 3.10GHz</u>	4,919	1211
<u>vendor Kirin980</u>	4,912	1212

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,831	1224
<u>MT6877V/TZA</u>	4,824	1225
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,819	1226
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,812	1227
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,796	1228
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,784	1229
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,778	1230
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,776	1231
<u>Intel Core i7-3610QE @ 2.30GHz</u>	4,767	1232
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	4,764	1233
<u>ARM Neoverse-N1 6 Core 0 MHz</u>	4,756	1234
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,756	1235
<u>AMD Opteron 6220</u>	4,753	1236
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	4,752	1237
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,745	1238
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742	1239
<u>vendor Kirin9000E</u>	4,728	1240
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	4,725	1241
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,720	1242
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,711	1243
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,710	1244
<u>Apple A12 Bionic</u>	4,703	1246
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,703	1245
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,699	1247
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1248

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,607	1260
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,603	1260
<u>Qualcomm Snapdragon 8350</u>	4,599	1260
<u>Intel Core i5-6442EQ @ 1.90GHz</u>	4,598	1260
<u>Qualcomm Technologies, Inc SM6375</u>	4,597	1260
<u>Mars based on Qualcomm Technologies, Inc SM8350</u>	4,592	1260
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,591	1260
<u>AMD Ryzen Embedded V1500B</u>	4,588	1260
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,585	1260
<u>AMD FX-8120 Eight-Core</u>	4,578	1260
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,575	1270
<u>AMD Athlon 240GE</u>	4,551	1270
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,551	1270
<u>MT6893</u>	4,551	1270
<u>AMD Athlon Silver 3050GE</u>	4,545	1270
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,537	1270
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,527	1270
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,524	1270
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,522	1270
<u>Renoir based on Qualcomm Technologies, Inc SM7350</u>	4,513	1270
<u>AMD Opteron 4280</u>	4,504	1280
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501	1280
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,497	1280
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,493	1280
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,489	1280

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MT6889Z/CZA</u>	4,416	1296
<u>vendor Kirin810</u>	4,415	1297
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,396	1298
<u>MT6875</u>	4,393	1299
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,386	1300
<u>AMD Opteron 4386</u>	4,378	1301
<u>Intel Pentium Gold G6505 @ 4.20GHz</u>	4,378	1302
<u>Intel Core i3-8121U @ 2.20GHz</u>	4,376	1303
<u>Intel Core i3-6320 @ 3.90GHz</u>	4,372	1304
<u>Microsoft ARM SQ1 @ 3.0 GHz</u>	4,371	1305
<u>AMD Athlon 300GE</u>	4,366	1306
<u>AMD FX-6130 Six-Core</u>	4,353	1307
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,353	1308
<u>Intel Core i5-3470S @ 2.90GHz</u>	4,351	1309
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,347	1310
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,344	1311
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,343	1312
<u>Hisilicon Kirin990</u>	4,328	1313
<u>Intel Core i5-6400T @ 2.20GHz</u>	4,302	1314
<u>Intel Core i3-8109U @ 3.00GHz</u>	4,301	1315
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,288	1316
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,285	1317
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281	1318
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,277	1319
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,264	1320

CPU Name	CPU Mark (higher is better)	Ran (low
<u>MT6877V/ZA</u>	4,216	133%
<u>Hisilicon Kirin980</u>	4,195	133%
<u>AMD Ryzen 3 PRO 2100GE</u>	4,187	133%
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,181	133%
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,177	133%
<u>Intel Pentium J6426 @ 2.00GHz</u>	4,173	133%
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,170	133%
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,168	134%
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,168	133%
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,165	134%
<u>Hisilicon Kirin985</u>	4,162	134%
<u>Intel Celeron N5105 @ 2.00GHz</u>	4,161	134%
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,160	134%
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,159	134%
<u>AMD FX-6300 Six-Core</u>	4,154	134%
<u>Intel Atom x6425E @ 2.00GHz</u>	4,153	134%
<u>Intel Core i5-7287U @ 3.30GHz</u>	4,149	134%
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,147	134%
<u>AMD Athlon PRO 200GE</u>	4,139	135%
<u>AMD Athlon 200GE</u>	4,134	135%
<u>AMD Opteron 3380</u>	4,134	135%
<u>Intel Core i3-8145UE @ 2.20GHz</u>	4,133	135%
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,128	135%
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,123	135%
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,105	135%

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	4,041	1368
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,040	1369
<u>Intel Core i5-7360U @ 2.30GHz</u>	4,036	1370
<u>AMD Athlon Gold 3150U</u>	4,034	1371
<u>Intel Xeon E5640 @ 2.67GHz</u>	4,018	1372
<u>AMD Opteron 6212</u>	4,007	1374
<u>Intel Core i3-10110U @ 2.10GHz</u>	4,007	1375
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005	1375
<u>AMD FX-6200 Six-Core</u>	3,993	1376
<u>AMD Ryzen 3 3250U</u>	3,986	1377
<u>AMD Athlon 300U</u>	3,978	1378
<u>Intel Core i5-2450P @ 3.20GHz</u>	3,974	1379
<u>AMD Opteron 3365</u>	3,973	1380
<u>Intel Core i5-4590T @ 2.00GHz</u>	3,972	1381
<u>AMD Ryzen Embedded R1505G</u>	3,966	1382
<u>AMD Opteron 4334</u>	3,949	1383
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928	1384
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,925	1385
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,925	1386
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,911	1387
<u>MT6833P</u>	3,907	1388
<u>AMD Opteron 4332 HE</u>	3,906	1390
<u>ARM Cortex-A72 8 Core 0 MHz</u>	3,906	1389
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,895	1391
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,891	1392

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,841	1404
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,837	1409
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	3,816	1406
<u>Intel Core i7-6567U @ 3.30GHz</u>	3,812	1407
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,810	1409
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,810	1408
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,807	1410
<u>MT6781</u>	3,805	1417
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,802	1412
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,801	1413
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797	1414
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,787	1415
<u>AMD Athlon X4 845</u>	3,784	1416
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,777	1417
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	3,769	1418
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,766	1419
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760	1420
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,755	1427
<u>Intel Core i5-3335S @ 2.70GHz</u>	3,754	1422
<u>AMD PRO A10-8850B</u>	3,752	1424
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,752	1425
<u>MediaTek MT6873</u>	3,752	1425
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,746	1426
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,746	1427
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,730	1429

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,672	1440
<u>AMD A9-9820</u>	3,662	1440
<u>Snapdragon 8cx @ 2.84 GHz</u>	3,655	1440
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,653	1440
<u>AMD Phenom II X6 1090T</u>	3,650	1440
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,647	1440
<u>AMD PRO A10-9700</u>	3,644	1440
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,641	1440
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,630	1440
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,627	1440
<u>DG1301SML87HY</u>	3,624	1450
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,619	1450
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,610	1450
<u>AMD Athlon X4 950</u>	3,608	1450
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,605	1450
<u>Intel Pentium Gold G5600T @ 3.30GHz</u>	3,601	1450
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,600	1450
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,589	1450
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,588	1450
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,579	1450
<u>MT6853V/ZA</u>	3,577	1460
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,569	1460
<u>AMD A8-7680</u>	3,565	1460
<u>AMD Opteron 6176 SE</u>	3,564	1460
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,554	1460

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,495	1476
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,493	1477
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,491	1478
<u>AMD Opteron 4365 EE</u>	3,485	1479
<u>AMD Opteron 6164 HE</u>	3,478	1480
<u>AMD A10-7890K</u>	3,477	1481
<u>Samsung Exynos 9820</u>	3,477	1482
<u>AMD A10-7870K</u>	3,474	1483
<u>Intel Core i5-6267U @ 2.90GHz</u>	3,472	1484
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,466	1485
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,459	1486
<u>AMD A10 PRO-7850B APU</u>	3,458	1487
<u>Qualcomm Technologies, Inc KHAJE</u>	3,458	1488
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,455	1489
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,448	1490
<u>AMD A12-9800</u>	3,447	1491
<u>AMD A12-9800E</u>	3,447	1492
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,447	1493
<u>Intel Celeron G6900</u>	3,446	1494
<u>Samsung Exynos 9825</u>	3,437	1495
<u>AMD PRO A10-8770</u>	3,434	1496
<u>AMD Athlon X4 860K</u>	3,431	1497
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	1498
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,428	1499
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426	1500

CPU Name	CPU Mark (higher is better)	Ran (low
<u>MT6833</u>	3,381	1514
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,378	1514
<u>AMD Opteron X3421 APU</u>	3,375	1514
<u>Intel Core i7-975 @ 3.33GHz</u>	3,370	1514
<u>AMD FX-B4150 Quad-Core</u>	3,369	1516
<u>AMD A10-7850K APU</u>	3,359	1517
<u>MT6781V/CD</u>	3,356	1518
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,355	1519
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,354	1520
<u>AMD PRO A8-9600</u>	3,347	1521
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,343	1522
<u>AMD Phenom II X6 1405T</u>	3,335	1523
<u>AMD A10-7860K</u>	3,333	1524
<u>MT6853V/TNZA</u>	3,332	1525
<u>AMD FX-4150 Quad-Core</u>	3,327	1526
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,326	1527
<u>Intel Xeon D-1520 @ 2.20GHz</u>	3,324	1528
<u>MT6785</u>	3,323	1529
<u>AMD A10-8750</u>	3,320	1530
<u>AMD Phenom II X6 1065T</u>	3,320	1531
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	1532
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,303	1533
<u>AMD Embedded R-Series RX-421BD</u>	3,302	1534
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298	1535
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,291	1536

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD FX-4350 Quad-Core</u>	3,261	1548
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,260	1549
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,259	1550
<u>AMD Ryzen Embedded V1202B</u>	3,253	1551
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,251	1552
<u>MT6833V/NZA</u>	3,251	1553
<u>AMD FX-4330</u>	3,248	1554
<u>Intel Core i7-960 @ 3.20GHz</u>	3,245	1555
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244	1556
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	1557
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,240	1558
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,239	1559
<u>Qualcomm Technologies, Inc SM7225</u>	3,237	1560
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,234	1561
<u>Intel Xeon L5638 @ 2.00GHz</u>	3,225	1562
<u>Qualcomm Technologies, Inc SM7250</u>	3,225	1563
<u>AMD A8-7670K</u>	3,224	1564
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221	1565
<u>MediaTek MT6853T</u>	3,217	1566
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,216	1567
<u>AMD A8-7600 APU</u>	3,212	1568
<u>Intel Core i5-4330M @ 2.80GHz</u>	3,208	1569
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,207	1570
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,194	1571
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,193	1572

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,170	1584
<u>MT8786V/CA</u>	3,168	1589
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,165	1586
<u>Intel Core i3-4360T @ 3.20GHz</u>	3,164	1587
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,162	1588
<u>MediaTek MT6785V/CD</u>	3,162	1589
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,160	1590
<u>AMD A10-6800K APU</u>	3,158	1597
<u>Intel Atom C3858 @ 2.00GHz</u>	3,154	1592
<u>AMD A10-7700K APU</u>	3,153	1593
<u>Intel Core i7-950 @ 3.07GHz</u>	3,152	1594
<u>Intel Core i3-10100Y @ 1.30GHz</u>	3,151	1595
<u>Qualcomm Technologies, Inc SDM730G AIE</u>	3,148	1596
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,145	1597
<u>AMD A10-7800 APU</u>	3,142	1598
<u>AMD Opteron X3418 APU</u>	3,137	1599
<u>AMD FX-4200 Quad-Core</u>	3,134	1607
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,134	1600
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,130	1603
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,130	1602
<u>AMD A10-6790K APU</u>	3,124	1604
<u>Intel Core i7-875K @ 2.93GHz</u>	3,119	1606
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,119	1605
<u>AMD PRO A10-8770E</u>	3,117	1607
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,113	1608

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i5-4308U @ 2.80GHz</u>	3,075	1620
<u>MT6853V/NZA</u>	3,072	1620
<u>Intel Core i7-870 @ 2.93GHz</u>	3,069	1620
<u>AMD Athlon Silver 3050U</u>	3,067	1620
<u>Intel Core i7-940 @ 2.93GHz</u>	3,066	1620
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,066	1620
<u>Qualcomm Technologies, Inc SDM720G</u>	3,065	1620
<u>AMD Opteron 2435</u>	3,061	1620
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061	1620
<u>MediaTek MT6785V/CC</u>	3,050	1620
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,045	1630
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041	1630
<u>Intel Core i5-5257U @ 2.70GHz</u>	3,039	1630
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,039	1630
<u>AMD Phenom II X6 1045T</u>	3,034	1630
<u>Intel Core i5-6200U @ 2.30GHz</u>	3,029	1630
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,026	1630
<u>Intel Core i5-4300M @ 2.60GHz</u>	3,024	1630
<u>AMD A8-7650K</u>	3,013	1630
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,007	1630
<u>Intel Core i5-3380M @ 2.90GHz</u>	3,006	1640
<u>SMDK4x12</u>	3,006	1640
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,002	1640
<u>Intel Celeron J4125 @ 2.00GHz</u>	2,997	1640
<u>Qualcomm Technologies, Inc SM7125</u>	2,996	1640

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD A8-6600K APU</u>	2,977	1656
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,958	1657
<u>Intel Core i7-4558U @ 2.80GHz</u>	2,956	1658
<u>Qualcomm Technologies, Inc SM7150</u>	2,952	1659
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	1660
<u>AMD A10-9700E</u>	2,947	1661
<u>AMD Phenom II X6 1035T</u>	2,947	1662
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,945	1663
<u>Intel Xeon L5630 @ 2.13GHz</u>	2,943	1664
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,942	1665
<u>AMD A10-5800K APU</u>	2,941	1666
<u>AMD Athlon X4 760K Quad Core</u>	2,941	1666
<u>Intel Celeron G5925 @ 3.60GHz</u>	2,939	1668
<u>AMD FX-4300 Quad-Core</u>	2,937	1669
<u>AMD Opteron 2431</u>	2,936	1670
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,935	1671
<u>AMD Opteron 6128 HE</u>	2,932	1672
<u>Intel Core i7-880 @ 3.07GHz</u>	2,920	1673
<u>AMD Athlon Silver 3050e</u>	2,918	1674
<u>Intel Core i5-4210H @ 2.90GHz</u>	2,918	1674
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,918	1675
<u>AMD Ryzen 3 3250C</u>	2,917	1676
<u>Intel Celeron J4105 @ 1.50GHz</u>	2,911	1678
<u>Intel Pentium G4560T @ 2.90GHz</u>	2,909	1679
<u>HiSilicon Kirin 970</u>	2,908	1680

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i3-4350T @ 3.10GHz</u>	2,888	169%
<u>Qualcomm Technologies, Inc SDMMAGPIE</u>	2,887	169%
<u>Intel Core i7-860 @ 2.80GHz</u>	2,886	169%
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,877	169%
<u>Intel Core i7-930 @ 2.80GHz</u>	2,876	169%
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,874	169%
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	169%
<u>AMD Opteron 4184</u>	2,872	169%
<u>Intel Pentium Silver N6000 @ 1.10GHz</u>	2,869	170%
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,867	170%
<u>MT6833V/PNZA</u>	2,865	170%
<u>AMD FX-7600P APU</u>	2,856	170%
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,846	170%
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,833	170%
<u>AMD Phenom II X4 980</u>	2,829	170%
<u>AMD Opteron 6128</u>	2,826	170%
<u>AMD Opteron 3350 HE</u>	2,825	170%
<u>AMD A10-6800B APU</u>	2,824	170%
<u>AMD A8-6500 APU</u>	2,820	171%
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,818	171%
<u>Intel Celeron G5905 @ 3.50GHz</u>	2,815	171%
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,814	171%
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,809	171%
<u>Samsung Exynos 8895</u>	2,802	171%
<u>AMD FX-8800P</u>	2,801	171%

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD A8 PRO-7600B APU</u>	2,776	1728
<u>Intel Atom C2750 @ 2.40GHz</u>	2,775	1729
<u>AMD A8-8650</u>	2,774	1730
<u>Rockchip RK3399</u>	2,764	1731
<u>Intel Core 860 @ 2.80GHz</u>	2,754	1732
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,751	1733
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,741	1734
<u>Intel Core i7-920 @ 2.67GHz</u>	2,740	1736
<u>MediaTek MT6779V/CE</u>	2,740	1735
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,739	1735
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,738	1738
<u>AMD A10-5700 APU</u>	2,735	1739
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,734	1740
<u>AMD FX-4130 Quad-Core</u>	2,730	1741
<u>AMD PRO A12-9800B</u>	2,729	1743
<u>AMD RX-427BB</u>	2,729	1742
<u>AMD RX-425BB</u>	2,724	1743
<u>ARM D2000/8 8 Core 2300 MHz</u>	2,724	1744
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,721	1746
<u>AMD 3015e</u>	2,720	1745
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,718	1748
<u>AMD A6-9400</u>	2,717	1749
<u>Intel Celeron G4950 @ 3.30GHz</u>	2,714	1750
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,709	1751
<u>AMD A8-5500B APU</u>	2,707	1752

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Athlon X4 740 Quad Core</u>	2,655	1764
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650	1766
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,650	1764
<u>Intel Celeron G5900T @ 3.20GHz</u>	2,648	1761
<u>AMD Phenom II X4 970</u>	2,644	1768
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,643	1769
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,641	1770
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,636	1771
<u>AMD FirePro A320 APU</u>	2,634	1773
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,634	1772
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,632	1774
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,631	1774
<u>Qualcomm Technologies, Inc SM6150</u>	2,628	1776
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,623	1771
<u>AMD PRO A12-8800B</u>	2,622	1778
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,617	1779
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,614	1780
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,612	1781
<u>AMD A12-9720P</u>	2,608	1782
<u>Intel Core i5-680 @ 3.60GHz</u>	2,603	1783
<u>AMD Athlon II X4 559</u>	2,602	1784
<u>AMD PRO A10-9700B</u>	2,602	1784
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,598	1786
<u>-1-Unisoc</u>	2,596	1781
<u>Intel Core i5-760 @ 2.80GHz</u>	2,596	1788

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD FX-4100 Quad-Core</u>	2,566	1806
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,563	1807
<u>Hisilicon Kirin970</u>	2,559	1808
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,553	1809
<u>AMD Phenom II X4 965</u>	2,547	1809
<u>AMD Phenom II X4 975</u>	2,544	1809
<u>AMD Phenom II X4 B99</u>	2,536	1806
<u>Apple A9X</u>	2,536	1807
<u>Qualcomm Technologies, Inc MSM8998</u>	2,533	1808
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,530	1809
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,522	1810
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,521	1811
<u>Qualcomm Technologies, Inc SM4350</u>	2,520	1812
<u>AMD A10-9620P</u>	2,518	1814
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,518	1815
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,515	1815
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,512	1816
<u>Intel Core i5-670 @ 3.47GHz</u>	2,511	1817
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,508	1818
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,502	1819
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,500	1820
<u>AMD Phenom II X4 B97</u>	2,498	1821
<u>AMD Phenom II X4 850</u>	2,496	1822
<u>AMD 3020e</u>	2,495	1823
<u>Intel Core i5-750 @ 2.67GHz</u>	2,495	1824

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Unisoc T610</u>	2,464	1836
<u>Intel Core i5-661 @ 3.33GHz</u>	2,462	1837
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459	1838
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,455	1839
<u>AMD Phenom II X4 B60</u>	2,449	1840
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,449	1841
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,449	1842
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,448	1843
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,447	1844
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446	1845
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,446	1846
<u>AMD Athlon II X4 650</u>	2,440	1847
<u>Snapdragon 850 @ 2.96 GHz</u>	2,437	1848
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,434	1849
<u>MediaTek MT6779V/CU</u>	2,429	1850
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428	1851
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,427	1852
<u>AMD Phenom II X4 955</u>	2,426	1853
<u>Intel Core i7-860S @ 2.53GHz</u>	2,424	1854
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,423	1855
<u>AMD A12-9700P</u>	2,422	1856
<u>AMD Athlon II X4 553</u>	2,418	1857
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,418	1858
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,416	1859
<u>Qualcomm Technologies, Inc SM6115</u>	2,416	1860

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,399	187%
<u>T618</u>	2,393	187%
<u>AMD PRO A12-8830B</u>	2,392	187%
<u>AMD PRO A10-8730B</u>	2,388	187%
<u>AMD PRO A8-9600B</u>	2,388	187%
<u>AArch64 rev 1 (aarch64)</u>	2,385	187%
<u>Unisoc ums512</u>	2,384	187%
<u>AMD Opteron 4170 HE</u>	2,382	187%
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,380	188%
<u>AMD Phenom II X4 977</u>	2,377	188%
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,374	188%
<u>MediaTek MT6779V/CV</u>	2,372	188%
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,369	188%
<u>Intel Celeron N4505 @ 2.00GHz</u>	2,367	188%
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,367	188%
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,367	188%
<u>Apple A8X</u>	2,364	188%
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,364	188%
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,363	189%
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,362	189%
<u>AMD Phenom II X4 840</u>	2,355	189%
<u>Intel Core i5-660 @ 3.33GHz</u>	2,355	189%
<u>MT6769V/CT</u>	2,355	189%
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,354	189%
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349	189%

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Qualcomm Technologies, Inc SDA660</u>	2,323	1908
<u>Hisilicon Kirin710</u>	2,319	1909
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,312	1910
<u>AMD A10-6700T APU</u>	2,311	1912
<u>MediaTek MT6771V/C</u>	2,311	1917
<u>AMD Athlon II X4 555</u>	2,310	1916
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,310	1914
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,310	1915
<u>Qualcomm Technologies, Inc SDM710</u>	2,310	1919
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,308	1917
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307	1918
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,305	1919
<u>AMD Phenom II X4 B70</u>	2,303	1920
<u>Samsung Exynos 8890</u>	2,300	1927
<u>AMD Athlon II X4 645</u>	2,298	1925
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,298	1926
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,293	1929
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,293	1924
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,290	1926
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,286	1927
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,284	1928
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284	1929
<u>AMD Opteron 3260 HE</u>	2,283	1937
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,283	1936
<u>MediaTek MT6769Z</u>	2,280	1932

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,267	1944
<u>MediaTek MT6769T</u>	2,267	1944
<u>MediaTek MT6771V/WT</u>	2,266	1944
<u>AMD FX-9800P</u>	2,262	1944
<u>AMD PRO A10-8700B</u>	2,262	1944
<u>AMD Phenom II X4 945</u>	2,261	1944
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,260	1950
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,255	1950
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,253	1950
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,252	1950
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,252	1950
<u>AMD Phenom II X4 840T</u>	2,245	1950
<u>AMD A8-3850 APU</u>	2,244	1950
<u>Qualcomm Technologies, Inc BENGALP</u>	2,241	1950
<u>AMD A8-8600P</u>	2,240	1950
<u>AMD Phenom II X4 B40</u>	2,238	1950
<u>AMD Phenom II X4 B50</u>	2,237	1960
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,235	1960
<u>Qualcomm Technologies, Inc BENGAL</u>	2,232	1960
<u>Qualcomm Technologies, Inc SDM670</u>	2,232	1960
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229	1960
<u>AMD Phenom II X4 940</u>	2,228	1960
<u>MT6969T</u>	2,228	1960
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,226	1960
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,226	1960

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Celeron N6211 @ 1.20GHz</u>	2,207	1986
<u>AMD Phenom II X4 973</u>	2,204	1987
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,203	1988
<u>Unisoc T700</u>	2,203	1989
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,199	1990
<u>AMD Phenom II X4 960T</u>	2,196	1991
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,194	1992
<u>Intel Core i3-21050 @ 3.10GHz</u>	2,193	1993
<u>MediaTek MT6769V/WB</u>	2,192	1994
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,191	1995
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,191	1996
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,191	1997
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,190	1998
<u>AMD Athlon II X4 638 Quad-Core</u>	2,183	1999
<u>MT6765H</u>	2,183	1999
<u>MT6769V/CZ</u>	2,177	1999
<u>Intel Atom C2750 @ 2.41GHz</u>	2,174	1999
<u>AMD Phenom II X4 925</u>	2,173	1999
<u>AMD Athlon II X4 640</u>	2,171	1999
<u>AMD A8-3820 APU</u>	2,165	2000
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,165	1999
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,163	2000
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,163	2000
<u>Unisoc T618</u>	2,162	2000
<u>AMD PRO A8-8600B</u>	2,160	2000

CPU Name	CPU Mark (higher is better)	Ran (low
<u>MediaTek MT6771V/W</u>	2,133	2016
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,131	2015
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,131	2018
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,129	2015
<u>MediaTek MT6763V/CE</u>	2,129	2020
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,125	2020
<u>Unisoc ums9230</u>	2,122	2022
<u>AMD Athlon X4 640</u>	2,115	2020
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,112	2022
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,109	2020
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,109	2021
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,109	2021
<u>AMD Phenom II X4 B25</u>	2,108	2021
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,107	2021
<u>AMD A10-7400P</u>	2,106	2030
<u>AMD Phenom II X4 820</u>	2,105	2030
<u>AMD Phenom II X4 B93</u>	2,104	2030
<u>MediaTek MT6797X</u>	2,104	2030
<u>Intel Atom E3950 @ 1.60GHz</u>	2,101	2030
<u>AMD Athlon II X4 635</u>	2,100	2030
<u>AMD 3015Ce</u>	2,096	2030
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,095	2030
<u>Intel Core i5-2415M @ 2.30GHz</u>	2,094	2030
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,094	2040
<u>Qualcomm Technologies, Inc SM6125</u>	2,094	2038

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Athlon II X4 655</u>	2,078	205%
<u>AMD Opteron 2384</u>	2,074	205%
<u>Intel Core M-5Y71 @ 1.20GHz</u>	2,069	205%
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,067	205%
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,067	205%
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,064	205%
<u>AMD Opteron 3250 HE</u>	2,061	205%
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,060	206%
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,060	205%
<u>AMD Opteron 4162 EE</u>	2,058	206%
<u>MediaTek MT6771V/WM</u>	2,057	206%
<u>Intel Atom C2758 @ 2.40GHz</u>	2,056	206%
<u>AMD A6-3670 APU</u>	2,055	206%
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,052	206%
<u>Apple A9</u>	2,051	206%
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,050	206%
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,049	206%
<u>AMD Phenom II X4 910e</u>	2,044	206%
<u>Intel Core i7-640M @ 2.80GHz</u>	2,042	207%
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,041	207%
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,040	207%
<u>AMD A6-3650 APU</u>	2,037	207%
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,035	207%
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034	207%
<u>Intel Atom T5700 @ 1.70GHz</u>	2,030	207%

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i7-2655LE @ 2.20GHz</u>	1,999	2089
<u>Intel Core i7-620M @ 2.67GHz</u>	1,999	2088
<u>AMD Opteron 2427</u>	1,995	2090
<u>Intel Core i7-2677M @ 1.80GHz</u>	1,993	2091
<u>HiSilicon Kirin 950</u>	1,991	2092
<u>Intel Pentium G3420 @ 3.20GHz</u>	1,990	2093
<u>AMD Athlon X4 750 Quad Core</u>	1,986	2096
<u>Intel Core i3-2130 @ 3.40GHz</u>	1,986	2094
<u>Intel Xeon X3320 @ 2.50GHz</u>	1,986	2095
<u>AMD A10-5757M APU</u>	1,985	2097
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,981	2098
<u>Qualcomm Technologies, Inc SDM662</u>	1,980	2099
<u>Intel Xeon X5355 @ 2.66GHz</u>	1,979	2100
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,974	2101
<u>AMD Athlon II X4 615e</u>	1,967	2103
<u>Intel Core i5-3317U @ 1.70GHz</u>	1,967	2102
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,967	2104
<u>Intel Core2 Quad Q9300 @ 2.50GHz</u>	1,962	2105
<u>MT8788</u>	1,961	2106
<u>Intel Atom E3940 @ 1.60GHz</u>	1,960	2107
<u>Intel Core i5-2410M @ 2.30GHz</u>	1,960	2108
<u>AMD Athlon II X4 605e</u>	1,957	2109
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953	2110
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,949	2111
<u>Intel Core i3-4120U @ 2.00GHz</u>	1,948	2112

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Pentium G3250 @ 3.20GHz</u>	1,928	2126
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,928	2124
<u>Intel Xeon X3330 @ 2.66GHz</u>	1,928	2124
<u>Intel Celeron G1850 @ 2.90GHz</u>	1,926	2127
<u>Samsung Exynos 9610</u>	1,925	2128
<u>AMD Athlon II X3 460</u>	1,924	2130
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,924	2129
<u>AMD A10-4600M APU</u>	1,923	2132
<u>AMD Athlon 5370 APU</u>	1,923	2134
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,923	2135
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,923	2137
<u>AMD Athlon II X4 620</u>	1,921	2136
<u>Intel Xeon E5420 @ 2.50GHz</u>	1,921	2134
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,921	2137
<u>Qualcomm Technologies, Inc SM4250</u>	1,920	2138
<u>AMD Opteron 3320 EE</u>	1,918	2139
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,918	2140
<u>Intel Core i5-580M @ 2.67GHz</u>	1,914	2147
<u>Intel Pentium G3420T @ 2.70GHz</u>	1,912	2145
<u>Qualcomm Technologies, Inc MSM8976SG</u>	1,912	2142
<u>AMD Opteron X2170 APU</u>	1,911	2144
<u>AMD A10 PRO-7350B APU</u>	1,910	2144
<u>Samsung Exynos 9611</u>	1,908	2146
<u>Intel Core i5-3439Y @ 1.50GHz</u>	1,907	2147
<u>Intel Core i5-4422E @ 1.80GHz</u>	1,907	2148

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	2160
<u>AMD PRO A6-8550B</u>	1,885	2162
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,885	2163
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	2165
<u>Intel Core i7-3555LE @ 2.50GHz</u>	1,880	2164
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,876	2169
<u>AMD PRO A6-9500</u>	1,875	2166
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,874	2167
<u>AMD Athlon II X4 610e</u>	1,871	2168
<u>Intel Core i3-2105 @ 3.10GHz</u>	1,871	2169
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,870	2170
<u>AMD A6-9500</u>	1,864	2171
<u>AMD Opteron 2378</u>	1,864	2172
<u>Qualcomm Technologies, Inc SDM460</u>	1,861	2173
<u>AMD A8-5550M APU</u>	1,858	2174
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,858	2175
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,853	2176
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,853	2176
<u>ARM Cortex-A53 6 Core 1896 MHz</u>	1,851	2179
<u>Intel Pentium 1403 @ 2.60GHz</u>	1,851	2178
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,850	2180
<u>AMD Phenom II X4 810</u>	1,849	2181
<u>Intel Core i3-4100E @ 2.40GHz</u>	1,848	2182
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,845	2183
<u>Intel Core2 Extreme Q9300 @ 2.53GHz</u>	1,845	2184

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>SAMSUNG Exynos7420</u>	1,824	2196
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823	2197
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,822	2198
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,819	2200
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,819	2199
<u>Intel Core i7-610E @ 2.53GHz</u>	1,818	2202
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,818	2207
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,817	2205
<u>AMD A8-6500T APU</u>	1,816	2204
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,814	2209
<u>AMD Athlon X4 620</u>	1,810	2206
<u>Qualcomm Technologies, Inc SDM632</u>	1,809	2207
<u>AMD Athlon II X3 445</u>	1,808	2208
<u>AMD Phenom 9750 Quad-Core</u>	1,804	2209
<u>AMD A8-7410 APU</u>	1,801	2210
<u>AMD A6-7470K</u>	1,799	2217
<u>AMD Opteron 1381</u>	1,797	2214
<u>AMD Phenom II X940 Quad-Core</u>	1,797	2215
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,797	2216
<u>AMD GX-420MC SOC</u>	1,796	2219
<u>AMD Athlon X4 530</u>	1,786	2216
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784	2218
<u>Snapdragon 835</u>	1,784	2217
<u>AMD Athlon X3 455</u>	1,783	2219
<u>AMD Athlon X3 435</u>	1,781	2220

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Athlon II X3 450</u>	1,763	223%
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,761	223%
<u>AMD A10-4657M APU</u>	1,759	223%
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,758	223%
<u>Intel Atom C3538 @ 2.10GHz</u>	1,756	223%
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,756	223%
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,755	223%
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755	223%
<u>AMD A10-5745M APU</u>	1,753	224%
<u>Intel Core i5-540M @ 2.53GHz</u>	1,749	224%
<u>MT6765</u>	1,748	224%
<u>MT6797M</u>	1,745	224%
<u>HP Hexa-Core 2.0GHz</u>	1,741	224%
<u>MediaTek MT8768WT</u>	1,739	224%
<u>AMD Athlon 5350 APU</u>	1,737	224%
<u>AMD A6-7310 APU</u>	1,736	224%
<u>AMD Phenom 9600B Quad-Core</u>	1,736	224%
<u>AMD GX-424CC SOC</u>	1,735	224%
<u>AMD Opteron 2356</u>	1,733	225%
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,732	225%
<u>AArch64 rev 4 (aarch64)</u>	1,729	225%
<u>MT6752</u>	1,728	225%
<u>Intel Pentium G3250T @ 2.80GHz</u>	1,726	225%
<u>MediaTek MT8768CT</u>	1,724	225%
<u>MediaTek MT6797T</u>	1,723	225%

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD PRO A4-3350B APU</u>	1,702	2268
<u>AMD Phenom 9650 Quad-Core</u>	1,699	2269
<u>AMD Phenom FX-5200 Quad-Core</u>	1,699	2270
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,697	2271
<u>Intel Core i3-560 @ 3.33GHz</u>	1,696	2272
<u>Intel Atom x6211E @ 1.20GHz</u>	1,695	2273
<u>Intel Celeron 4305U @ 2.20GHz</u>	1,694	2274
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,692	2275
<u>Intel Pentium G2100T @ 2.60GHz</u>	1,691	2276
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,688	2277
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,687	2278
<u>AMD A4-6250J APU</u>	1,685	2279
<u>Intel Core i5-520M @ 2.40GHz</u>	1,684	2280
<u>AMD Phenom 9850 Quad-Core</u>	1,680	2281
<u>AMD PRO A6-7350B</u>	1,679	2282
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,678	2283
<u>AMD A9-9430</u>	1,676	2284
<u>MT6765V/WB</u>	1,676	2284
<u>Intel Celeron 6305E @ 1.80GHz</u>	1,675	2286
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,674	2287
<u>AMD Athlon II X3 435</u>	1,670	2288
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,670	2289
<u>AMD Phenom II X920 Quad-Core</u>	1,669	2290
<u>AMD A6-6310 APU</u>	1,666	2291
<u>MediaTek MT6765V/CA</u>	1,665	2292

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD A6-5200 APU</u>	1,649	2306
<u>AMD Phenom X4 Quad-Core GP-9600</u>	1,649	2304
<u>Qualcomm Technologies, Inc MSM8953</u>	1,649	2306
<u>MT6757W</u>	1,648	2307
<u>AMD Phenom II N970 Quad-Core</u>	1,647	2308
<u>AMD A8-7100 APU</u>	1,644	2309
<u>Intel Core i3-4010U @ 1.70GHz</u>	1,643	2310
<u>AMD A6 PRO-7400B</u>	1,641	2315
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,641	2312
<u>Rockchip RK</u>	1,641	2314
<u>AMD A10-4655M APU</u>	1,637	2314
<u>Samsung Exynos 7904</u>	1,637	2315
<u>AMD Phenom 9550 Quad-Core</u>	1,636	2316
<u>AMD Opteron 2373 EE</u>	1,635	2318
<u>Nvidia Tegra T210</u>	1,635	2317
<u>Intel Core i3-2100T @ 2.50GHz</u>	1,634	2320
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,634	2319
<u>Snapdragon 888</u>	1,630	2321
<u>AMD Embedded R-Series RX-216GD</u>	1,628	2322
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,623	2323
<u>AMD A8-4500M APU</u>	1,622	2324
<u>AMD Opteron 1354</u>	1,620	2325
<u>AMD Phenom 9600 Quad-Core</u>	1,619	2327
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,619	2326
<u>AMD A6-6400B APU</u>	1,616	2329

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,600	2340
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599	2341
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,599	2342
<u>MT6755V/W</u>	1,596	2343
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591	2344
<u>Qualcomm MSM8953</u>	1,589	2345
<u>Intel Core i3-550 @ 3.20GHz</u>	1,588	2346
<u>AMD A6-7400K APU</u>	1,587	2347
<u>ARM Neoverse-N1 2 Core 0 MHz</u>	1,583	2348
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,581	2349
<u>AMD A8-3550MX APU</u>	1,579	2350
<u>ARM phytium FT1500a 4 Core 2000 MHz</u>	1,579	2351
<u>AMD Athlon II X3 425</u>	1,576	2352
<u>Intel Celeron G1840T @ 2.50GHz</u>	1,576	2353
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,574	2354
<u>MediaTek MT6757CD</u>	1,572	2355
<u>AMD A8-3530MX APU</u>	1,570	2356
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,569	2357
<u>AMD Phenom X2 Dual-Core GE-5060</u>	1,566	2358
<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,566	2359
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,564	2360
<u>AMD A4-6320 APU</u>	1,563	2361
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,561	2362
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,560	2363
<u>AMD Phenom II N930 Quad-Core</u>	1,558	2364

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,541	2376
<u>AMD A6-6420K APU</u>	1,538	2377
<u>AMD Phenom II N950 Quad-Core</u>	1,538	2378
<u>AMD Phenom II X3 B73</u>	1,538	2379
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,537	2380
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,535	2381
<u>AMD A9-9425</u>	1,531	2382
<u>Apple A8</u>	1,531	2383
<u>Qualcomm MSM8996PRO-AB</u>	1,530	2384
<u>AMD E2-7110 APU</u>	1,529	2385
<u>Intel Xeon E5504 @ 2.00GHz</u>	1,529	2386
<u>Qualcomm Technologies, Inc APQ8096</u>	1,529	2387
<u>AMD Opteron X3216 APU</u>	1,525	2388
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524	2389
<u>AMD Phenom 9750B Quad-Core</u>	1,520	2390
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,518	2391
<u>AMD Athlon X3 425</u>	1,516	2392
<u>AMD A9-9420</u>	1,515	2393
<u>Intel Core i3-540 @ 3.07GHz</u>	1,515	2394
<u>Qualcomm Technologies, Inc MSM8976</u>	1,513	2395
<u>AMD Phenom 9500 Quad-Core</u>	1,512	2396
<u>AMD Opteron 2354</u>	1,509	2397
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,507	2398
<u>AMD Phenom II X4 900e</u>	1,505	2399
<u>AMD A9-9410</u>	1,504	2400

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>AMD Phenom II X3 B75</u>	1,485	241%
<u>MediaTek MT8768WA</u>	1,482	241%
<u>AMD A4 PRO-7300B APU</u>	1,481	241%
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,480	241%
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,479	241%
<u>MediaTek MT6757V</u>	1,479	241%
<u>AMD A4-6210 APU</u>	1,478	241%
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,478	241%
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475	242%
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,472	242%
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,469	242%
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469	242%
<u>AMD A6-8500P</u>	1,466	242%
<u>AMD Phenom II X3 720</u>	1,466	242%
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,466	242%
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,465	242%
<u>AMD Opteron 1352</u>	1,464	242%
<u>AMD A8-3510MX APU</u>	1,457	242%
<u>MT6763V/CT</u>	1,457	243%
<u>AMD Phenom 9450e Quad-Core</u>	1,455	243%
<u>MediaTek MT6763V/V</u>	1,454	243%
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,451	243%
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	243%
<u>AMD A6-6400K APU</u>	1,450	243%
<u>Intel Core i3-530 @ 2.93GHz</u>	1,449	243%

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Phenom II X3 700e</u>	1,430	2448
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,429	2449
<u>AMD A6-5400B APU</u>	1,428	2450
<u>AMD Phenom II X2 560</u>	1,426	2452
<u>Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</u>	1,426	2453
<u>AMD Phenom II X3 740</u>	1,424	2455
<u>MediaTek MT6762V/WD</u>	1,424	2456
<u>ASUS Tinker Board 2/2S</u>	1,423	2458
<u>Intel Atom C2550 @ 2.40GHz</u>	1,422	2459
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,422	2460
<u>Hisilicon Kirin 930</u>	1,415	2458
<u>AMD Phenom 9150e Quad-Core</u>	1,414	2460
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,414	2459
<u>AMD Phenom II P960 Quad-Core</u>	1,412	2461
<u>Intel Atom C2558 @ 2.40GHz</u>	1,410	2462
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,409	2463
<u>MediaTek MT6762V/WR</u>	1,409	2464
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	1,408	2465
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	2466
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	2467
<u>AMD Phenom II X2 565</u>	1,405	2468
<u>MT6755V/B</u>	1,404	2469
<u>MediaTek MT6765G</u>	1,402	2470
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,401	2471
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,399	2472

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MT8176</u>	1,380	2484
<u>Intel Pentium G850 @ 2.90GHz</u>	1,373	2489
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,368	2486
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362	2487
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,361	2488
<u>AMD Phenom II X2 570</u>	1,360	2489
<u>AMD Athlon II X2 280</u>	1,355	2490
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,354	2491
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353	2492
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,353	2493
<u>Intel Pentium G645 @ 2.90GHz</u>	1,353	2494
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,350	2495
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,349	2496
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,348	2497
<u>AMD A4-5100 APU</u>	1,346	2499
<u>AMD A4-5300 APU</u>	1,346	2498
<u>AMD A10 Micro-6700T APU</u>	1,345	2500
<u>Qualcomm Technologies, Inc MSM8956</u>	1,345	2501
<u>AMD Phenom 8750 Triple-Core</u>	1,343	2502
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,341	2503
<u>AMD PRO A6-9500B</u>	1,340	2505
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,340	2506
<u>MediaTek MT6762V/CB</u>	1,340	2504
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	2507
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	2508

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Athlon II X3 400e</u>	1,320	252
<u>Samsung Exynos 7884</u>	1,320	252
<u>AMD Phenom II P940 Quad-Core</u>	1,319	252
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,318	252
<u>MT6750V/C</u>	1,318	252
<u>AMD Opteron 2393 SE</u>	1,317	252
<u>AMD Athlon X2 340 Dual Core</u>	1,315	252
<u>MT6763V/WT</u>	1,313	252
<u>ARM Cortex-A57 4 Core 2091 MHz</u>	1,311	252
<u>ARM Cortex-A73 6 Core 1992 MHz</u>	1,311	252
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,309	253
<u>Intel Core i5-480M @ 2.67GHz</u>	1,309	253
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,309	253
<u>AMD A8-3500M APU</u>	1,308	253
<u>AMD Phenom II X2 555</u>	1,308	253
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,308	253
<u>AMD A8-4555M APU</u>	1,307	253
<u>Qualcomm MSM8996</u>	1,307	253
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306	253
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,303	253
<u>Qualcomm Technologies, Inc MSM8996</u>	1,302	254
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,297	254
<u>Unisoc SC9863a</u>	1,297	254
<u>Qualcomm Technologies, Inc SDM439</u>	1,295	254
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,293	254

CPU Name	CPU Mark (higher is better)	Ran (low)
<u>MT6755</u>	1,278	2558
<u>Intel Pentium G630 @ 2.70GHz</u>	1,277	2557
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,275	2558
<u>AMD A6-5400K APU</u>	1,273	2559
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,272	2560
<u>AMD Embedded G-Series GX-224IJ Radeon R4E</u>	1,271	2567
<u>Intel Pentium G640 @ 2.80GHz</u>	1,270	2562
<u>Intel Celeron G555 @ 2.70GHz</u>	1,268	2563
<u>Intel Celeron 3865U @ 1.80GHz</u>	1,266	2564
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,265	2561
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,263	2566
<u>AMD A6-3420M APU</u>	1,262	2567
<u>AMD Phenom II X620 Dual-Core</u>	1,262	2568
<u>AMD A6-5357M APU</u>	1,260	2569
<u>AMD A6-9210</u>	1,260	2570
<u>Intel Core i3-330E @ 2.13GHz</u>	1,260	2577
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,259	2572
<u>AMD Phenom II N850 Triple-Core</u>	1,253	2573
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,252	2574
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,248	2571
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,246	2576
<u>Intel Atom C3338 @ 1.50GHz</u>	1,245	2577
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	2578
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,240	2579
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,238	2587

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,229	259
<u>MT6755M</u>	1,229	259
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,228	259
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,227	259
<u>AMD A6-3400M APU</u>	1,226	259
<u>AMD A4-4020 APU</u>	1,225	259
<u>AMD Athlon II X2 B26</u>	1,224	259
<u>AMD Phenom II X3 705e</u>	1,222	259
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,221	260
<u>AMD A4-5300B APU</u>	1,220	260
<u>MT6755V/BM</u>	1,219	260
<u>AMD R-272F APU</u>	1,215	260
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,215	260
<u>AMD Phenom 8450 Triple-Core</u>	1,214	260
<u>AMD Phenom II P860 Triple-Core</u>	1,214	260
<u>AMD A4-9125</u>	1,211	260
<u>Intel Pentium G620 @ 2.60GHz</u>	1,211	260
<u>AMD Phenom 8600 Triple-Core</u>	1,210	261
<u>Intel Core i5-430M @ 2.27GHz</u>	1,210	260
<u>Intel Core i5-450M @ 2.40GHz</u>	1,206	261
<u>AMD Phenom 8650 Triple-Core</u>	1,205	261
<u>Qualcomm Technologies, Inc SDM450</u>	1,205	261
<u>Intel Celeron G550 @ 2.60GHz</u>	1,200	261
<u>AMD A6-3410MX APU</u>	1,199	261
<u>AMD Opteron 2222</u>	1,198	261

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,188	2625
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,187	2629
<u>AMD R-460L APU</u>	1,183	2630
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,182	2631
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,179	2632
<u>Intel Core i3-390M @ 2.67GHz</u>	1,178	2633
<u>AMD Athlon II X2 B28</u>	1,177	2634
<u>Intel Pentium G840 @ 2.80GHz</u>	1,175	2635
<u>Intel Celeron G540T @ 2.10GHz</u>	1,174	2636
<u>ARM Cortex-A57 4 Core 1734 MHz</u>	1,172	2637
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,172	2638
<u>Intel Xeon Gold 6133 @ 2.50GHz</u>	1,172	2639
<u>MT6755V/CM</u>	1,172	2640
<u>AMD Phenom II X2 550</u>	1,169	2642
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,169	2643
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,168	2645
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,166	2646
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,166	2647
<u>AMD Phenom II X640 Dual-Core</u>	1,165	2648
<u>Intel Core i3-380M @ 2.53GHz</u>	1,165	2649
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,165	2649
<u>Intel Pentium G645T @ 2.50GHz</u>	1,164	2649
<u>AMD Phenom II X2 511</u>	1,163	2650
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,163	2651
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,161	2652

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Phenom II X2 B55</u>	1,151	2664
<u>MediaTek MT6753T</u>	1,149	2669
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,148	2666
<u>AMD A6 Micro-6500T APU</u>	1,146	2667
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,144	2668
<u>AMD A6-5350M APU</u>	1,142	2671
<u>AMD Phenom 8850 Triple-Core</u>	1,142	2670
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,142	2669
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,140	2672
<u>AMD Phenom II N870 Triple-Core</u>	1,139	2679
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,139	2673
<u>Intel Pentium G640T @ 2.40GHz</u>	1,139	2674
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,138	2677
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,138	2676
<u>AMD Phenom II N830 Triple-Core</u>	1,137	2679
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,137	2678
<u>AMD A9-9420e</u>	1,135	2680
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,135	2681
<u>AMD Phenom 8450e Triple-Core</u>	1,134	2682
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,134	2683
<u>AMD A8-7050</u>	1,129	2684
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,128	2685
<u>AMD Phenom II X2 B53</u>	1,126	2687
<u>Intel Core i3-370M @ 2.40GHz</u>	1,126	2686
<u>AMD E2-3800 APU</u>	1,124	2688

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MediaTek MT6762G</u>	1,111	2706
<u>Intel Celeron G540 @ 2.50GHz</u>	1,110	2707
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,109	2708
<u>AMD Phenom II X2 545</u>	1,107	2709
<u>AMD Opteron 2220</u>	1,106	2710
<u>AMD Athlon II X2 210e</u>	1,105	2711
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102	2712
<u>ARM Cortex-A72 6 Core 1416 MHz</u>	1,101	2713
<u>AMD Phenom II X2 B57</u>	1,099	2714
<u>Intel Celeron G530 @ 2.40GHz</u>	1,096	2715
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096	2716
<u>AMD A4-3420 APU</u>	1,094	2717
<u>AMD PRO A4-4350B</u>	1,093	2718
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,093	2719
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	2720
<u>Intel Pentium B970 @ 2.30GHz</u>	1,091	2721
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,090	2722
<u>AMD Opteron 1222</u>	1,089	2723
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,088	2724
<u>MT6795</u>	1,088	2725
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086	2726
<u>15/70</u>	1,085	2727
<u>Qualcomm MSM 8939 HUAWEI TEXAS-A1</u>	1,085	2728
<u>AMD Phenom 8250e Triple-Core</u>	1,084	2729
<u>AMD Athlon II X2 250</u>	1,083	2730

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MT6755BM</u>	1,070	2738
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,069	2738
<u>AMD Phenom II P820 Triple-Core</u>	1,068	2739
<u>MediaTek MT6750V/WT</u>	1,068	2738
<u>AMD GX-412HC</u>	1,065	2740
<u>AMD Phenom II N660 Dual-Core</u>	1,065	2740
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,065	2740
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,064	2740
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063	2740
<u>Intel Core i3-350M @ 2.27GHz</u>	1,063	2740
<u>AMD A6-9200</u>	1,062	2740
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,061	2740
<u>AMD Athlon II X2 4400e</u>	1,059	2748
<u>Rockchip RK3566 BOX DEMO V10 ANDROID Board</u>	1,058	2749
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,057	2750
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056	2750
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056	2750
<u>MT6592T</u>	1,056	2750
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,052	2750
<u>AMD A4-3400 APU</u>	1,051	2750
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,051	2750
<u>AMD Athlon II X2 235e</u>	1,049	2750
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,046	2758
<u>MT8783</u>	1,039	2759
<u>AMD GX-222GC SOC</u>	1,038	2760

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD A6-4400M APU</u>	1,026	2775
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,026	2775
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,025	2774
<u>AMD Athlon II X2 220</u>	1,024	2775
<u>AMD Athlon II X2 245</u>	1,022	2776
<u>ARM Cortex-A57 8 Core 1500 MHz</u>	1,022	2775
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,018	2778
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,017	2780
<u>Qualcomm Technologies, Inc MSM8937</u>	1,017	2779
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,016	2781
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,016	2782
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,016	2783
<u>AMD Athlon X2 240e</u>	1,015	2784
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	2785
<u>Qualcomm MSM8939</u>	1,013	2786
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	1,012	2788
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,012	2789
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,012	2789
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	2790
<u>AMD A6-7000</u>	1,010	2793
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010	2793
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,010	2794
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,010	2794
<u>MT8168B</u>	1,008	2796
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	1,008	2796

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Athlon X2 250</u>	993	2808
<u>AMD E2-9010</u>	991	2810
<u>Intel Celeron 2981U @ 1.60GHz</u>	991	2809
<u>AMD Athlon II X2 4300e</u>	990	2811
<u>AMD Phenom II N620 Dual-Core</u>	990	2812
<u>Nvidia Tegra T132</u>	990	2812
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987	2814
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	985	2815
<u>ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</u>	984	2816
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	981	2818
<u>MT6755V/WM</u>	981	2817
<u>AMD Athlon II X2 240e</u>	980	2820
<u>Intel Pentium B950 @ 2.10GHz</u>	980	2819
<u>AMD Opteron 1218 HE</u>	979	2822
<u>MT8768WD</u>	979	2821
<u>MediaTek MT6750</u>	977	2823
<u>AMD Phenom X3 8550</u>	976	2824
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	2824
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	976	2825
<u>tn8</u>	976	2826
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	973	2828
<u>Qualcomm MSM8937</u>	973	2829
<u>AMD Athlon 64 FX-74</u>	972	2830
<u>AMD A4-3300 APU</u>	971	2832
<u>AMD A4-4300M APU</u>	971	2831

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Unisoc ums312</u>	958	2844
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	957	2849
<u>AMD Opteron 285</u>	956	2846
<u>MT6750V/CS</u>	955	2847
<u>AMD R-260H APU</u>	954	2848
<u>AMD E2-3200 APU</u>	953	2849
<u>AMD Athlon II X2 215</u>	952	2850
<u>AMD Opteron 290</u>	952	2851
<u>AMD Athlon 7750 Dual-Core</u>	951	2852
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	950	2853
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	948	2854
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	947	2855
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	944	2856
<u>AMD Athlon 64 FX-62 Dual Core</u>	943	2857
<u>Intel Celeron J1850 @ 1.99GHz</u>	942	2858
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	940	2861
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	940	2859
<u>Octa Core</u>	940	2860
<u>Intel Xeon 3060 @ 2.40GHz</u>	939	2862
<u>AMD Athlon X2 255</u>	938	2863
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	938	2864
<u>AMD A6-9220e</u>	937	2865
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	937	2866
<u>Intel Pentium E5400 @ 2.70GHz</u>	936	2867
<u>AMD Athlon II X2 240</u>	935	2869

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MediaTek MT6753</u>	916	2886
<u>AMD Turion II Dual-Core Mobile M540</u>	912	2887
<u>Intel Xeon 5148 @ 2.33GHz</u>	912	2887
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	911	2887
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	911	2887
<u>AMD Opteron 1218</u>	910	2889
<u>Intel Pentium B960 @ 2.20GHz</u>	910	2889
<u>AMD Opteron 2220 SE</u>	909	2889
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	909	2889
<u>Rockchip RK3566 RK817 TABLET LP4X Board</u>	909	2889
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	906	2890
<u>Intel Pentium E5300 @ 2.60GHz</u>	904	2891
<u>Intel Core i5-520UM @ 1.07GHz</u>	902	2892
<u>Qualcomm Technologies, Inc MSM8940</u>	902	2892
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	901	2894
<u>Intel Xeon 3.73GHz</u>	901	2895
<u>AMD A4-9120e</u>	899	2896
<u>AMD Athlon II N370 Dual-Core</u>	899	2897
<u>Qualcomm Technologies, Inc SDM429</u>	897	2898
<u>Intel Pentium G620T @ 2.20GHz</u>	896	2899
<u>MediaTek MT8166B</u>	896	2900
<u>AMD A4-9120C</u>	894	2901
<u>Intel Core i3-2375M @ 1.50GHz</u>	894	2902
<u>UGOOS UT8 Board</u>	894	2902
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	892	2904

CPU Name	CPU Mark (higher is better)	Ran (low
<u>AMD Turion II N550 Dual-Core</u>	877	2916
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	876	2915
<u>Athlon 64 Dual Core 5600+</u>	875	2918
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	875	2919
<u>AMD Athlon 5200 Dual-Core</u>	869	2920
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	868	2921
<u>AMD Athlon II X2 4450e</u>	867	2925
<u>Intel Pentium E5200 @ 2.50GHz</u>	867	2924
<u>Intel Xeon 3065 @ 2.33GHz</u>	867	2925
<u>Intel Celeron P4600 @ 2.00GHz</u>	862	2925
<u>AMD Turion 64 X2 Mobile TL-68</u>	861	2926
<u>Intel Celeron E3200 @ 2.40GHz</u>	860	2927
<u>AMD Athlon 7550 Dual-Core</u>	859	2928
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	2931
<u>MT6762V/CR</u>	857	2929
<u>MT8161AA</u>	857	2930
<u>AMD Turion II N530 Dual-Core</u>	855	2932
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	851	2934
<u>SAMSUNG Exynos7580</u>	851	2935
<u>Athlon 64 Dual Core 5000+</u>	850	2935
<u>Intel Pentium P6100 @ 2.00GHz</u>	850	2936
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	2937
<u>Intel Pentium P6200 @ 2.13GHz</u>	847	2938
<u>MT6761V/CBB</u>	846	2939
<u>Intel Core i3-2377M @ 1.50GHz</u>	845	2941

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Core i5-430UM @ 1.20GHz</u>	836	295%
<u>AMD Athlon 5000 Dual-Core</u>	835	295%
<u>AMD Athlon Dual Core 5000B</u>	835	295%
<u>Intel Celeron 2955U @ 1.40GHz</u>	835	295%
<u>Intel Pentium B940 @ 2.00GHz</u>	835	295%
<u>BCM2711</u>	834	295%
<u>Intel Pentium P6300 @ 2.27GHz</u>	834	295%
<u>AMD E2-9000e</u>	832	295%
<u>Intel Core i3-2367M @ 1.40GHz</u>	832	296%
<u>AMD Turion II Dual-Core Mobile M520</u>	830	296%
<u>Intel Celeron E3400 @ 2.60GHz</u>	829	296%
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	829	296%
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	827	296%
<u>AMD Athlon Dual Core 5400B</u>	826	296%
<u>AMD Sempron X2 180</u>	826	296%
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	825	296%
<u>Intel Core i3-2357M @ 1.30GHz</u>	824	296%
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	823	296%
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	823	297%
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823	297%
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	822	297%
<u>Intel Atom Z3580 @ 1.33GHz</u>	820	297%
<u>DO-Regular</u>	819	297%
<u>Qualcomm Technologies, Inc MSM8939</u>	819	297%
<u>AMD A4-4355M APU</u>	818	297%

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Atom Z3735G @ 1.33GHz</u>	806	2988
<u>Qualcomm MSM8994</u>	805	2989
<u>Intel Xeon E5503 @ 2.00GHz</u>	804	2990
<u>Qualcomm Technologies, Inc MSM8952</u>	804	2991
<u>AMD Athlon64 X2 Dual Core 4600+</u>	803	2992
<u>MT8161A</u>	800	2993
<u>Intel Celeron 1007U @ 1.50GHz</u>	798	2994
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	797	2995
<u>AMD Athlon Dual Core 5200B</u>	796	2996
<u>hi6210sft</u>	796	2997
<u>AMD A6-4455M APU</u>	795	2998
<u>Intel Xeon 5130 @ 2.00GHz</u>	795	3000
<u>Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</u>	795	2998
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	3001
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	793	3002
<u>Intel Pentium E2220 @ 2.40GHz</u>	793	3003
<u>ARM Neoverse-N1 1 Core 0 MHz</u>	791	3004
<u>Intel Pentium T4500 @ 2.30GHz</u>	791	3005
<u>AMD Turion II P520 Dual-Core</u>	790	3006
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	3007
<u>AMD Athlon 7450 Dual-Core</u>	789	3010
<u>Intel Celeron B820 @ 1.70GHz</u>	789	3011
<u>Intel Pentium 997 @ 1.60GHz</u>	789	3008
<u>Intel Xeon 3040 @ 1.86GHz</u>	789	3009
<u>MT6761V/CD</u>	784	3012

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MT6761V/WAB</u>	769	3025
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	768	3025
<u>AMD Athlon II N350 Dual-Core</u>	767	3026
<u>AMD Opteron 280</u>	765	3028
<u>Intel Pentium P6000 @ 1.87GHz</u>	765	3027
<u>Intel Xeon 5120 @ 1.86GHz</u>	763	3029
<u>AMD GX-217GA SOC</u>	762	3030
<u>Intel Pentium T4400 @ 2.20GHz</u>	762	3031
<u>AMD Opteron 270</u>	761	3032
<u>Intel Atom Z3735D @ 1.33GHz</u>	761	3033
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	761	3034
<u>rockchip,rk3328</u>	761	3035
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	760	3036
<u>AMD Turion II Dual-Core Mobile M500</u>	760	3037
<u>MT6797D</u>	758	3038
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	756	3039
<u>Intel Core i5-470UM @ 1.33GHz</u>	755	3040
<u>AMD GX-218GL SOC</u>	754	3041
<u>Intel Atom Z3775 @ 1.46GHz</u>	754	3042
<u>AMD A4-5150M APU</u>	753	3043
<u>AMD A4-3330MX APU</u>	752	3044
<u>Intel Pentium E2200 @ 2.20GHz</u>	752	3045
<u>Rockchip RK3566 EVB1 DDR4 V10 Board</u>	751	3046
<u>AMD Athlon Dual Core 5050e</u>	748	3049
<u>Dual-Core AMD Opteron 1220 SE</u>	748	3048

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Intel Atom Z3770 @ 1.46GHz</u>	738	3059
<u>AMD Athlon Dual Core 5600B</u>	737	3067
<u>Athlon 64 Dual Core 3800+</u>	736	3063
<u>MT8696</u>	736	3062
<u>AC8257V/WAB</u>	735	3064
<u>AMD Athlon Dual Core 4850e</u>	735	3069
<u>Qualcomm APQ 8084 (Flattened Device Tree)</u>	734	3066
<u>Spreadtrum SC9853I-IA</u>	734	3067
<u>Intel Celeron 2961Y @ 1.10GHz</u>	732	3068
<u>Rockchip RK3368</u>	731	3069
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	730	3070
<u>AMD A4-3305M APU</u>	727	3079
<u>AMD Athlon Dual Core 4850B</u>	727	3072
<u>AMD Opteron 1216 HE</u>	727	3074
<u>Intel Celeron 887 @ 1.50GHz</u>	727	3073
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	727	3077
<u>AMD E2-3000 APU</u>	726	3075
<u>ARM Cortex-A72 4 Core 2000 MHz</u>	726	3076
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	723	3078
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	722	3079
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	719	3080
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	718	3087
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	718	3082
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	716	3083
<u>Intel Pentium T4200 @ 2.00GHz</u>	715	3084

CPU Name	CPU Mark (higher is better)	Ran (low
<u>MT8735T</u>	704	3095
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	702	3098
<u>Intel Pentium E2210 @ 2.20GHz</u>	702	3097
<u>MT5893</u>	702	3099
<u>Intel Core i3-380UM @ 1.33GHz</u>	699	3100
<u>AMD Athlon Dual Core 4450e</u>	698	3107
<u>MediaTek MT6761V/WE</u>	698	3102
<u>AMD Opteron 1214</u>	696	3105
<u>AMD Opteron 185</u>	695	3104
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695	3109
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	693	3106
<u>MT6738</u>	692	3107
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	691	3110
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691	3108
<u>Intel Celeron G470 @ 2.00GHz</u>	691	3109
<u>Intel Atom Z3560 @ 1.83GHz</u>	690	3111
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689	3113
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	3112
<u>AMD Athlon X2 Dual Core BE-2400</u>	688	3114
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	688	3115
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	687	3116
<u>AMD Athlon Dual Core 4450B</u>	684	3118
<u>AMD Turion II Neo K685 Dual-Core</u>	684	3117
<u>AMD A4-3300M APU</u>	683	3119
<u>AMD Opteron 175</u>	682	3120

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Athlon Dual Core 4050e</u>	670	313%
<u>Intel Celeron J3060 @ 1.60GHz</u>	668	313%
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	667	313%
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	666	313%
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	666	313%
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	666	313%
<u>AMD Athlon II N330 Dual-Core</u>	665	313%
<u>AMD E2-3000M APU</u>	665	313%
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	664	314%
<u>AMD Athlon II X2 260u</u>	663	314%
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	661	314%
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	661	314%
<u>Intel Celeron N3060 @ 1.60GHz</u>	661	314%
<u>AMD Turion Dual-Core RM-75</u>	659	314%
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	657	314%
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	654	314%
<u>ARM Cortex-A72 4 Core 2100 MHz</u>	653	314%
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652	314%
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	651	315%
<u>Intel Atom Z3740 @ 1.33GHz</u>	651	315%
<u>AMD Turion Dual-Core RM-72</u>	649	315%
<u>Intel Celeron B800 @ 1.50GHz</u>	649	315%
<u>Intel Celeron E1500 @ 2.20GHz</u>	649	315%
<u>AMD Opteron 170</u>	648	315%
<u>M7221</u>	646	315%

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	638	3168
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	635	3170
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	635	3170
<u>Intel Pentium 2129Y @ 1.10GHz</u>	635	3169
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	634	3172
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	632	3173
<u>AMD Athlon II Dual-Core M300</u>	631	3174
<u>AMD Turion 64 X2 Mobile TL-66</u>	627	3176
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	627	3175
<u>Intel Pentium 967 @ 1.30GHz</u>	626	3175
<u>ARM Cortex-A72 2 Core 0 MHz</u>	625	3178
<u>Intel Atom C2358 @ 1.74GHz</u>	625	3180
<u>Qualcomm MSM8974PRO-AB</u>	625	3179
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	624	3181
<u>Intel Pentium U5600 @ 1.33GHz</u>	624	3182
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	623	3183
<u>AMD Athlon 64 X2 QL-64</u>	622	3184
<u>Intel Pentium 957 @ 1.20GHz</u>	622	3185
<u>Intel Atom Z3745 @ 1.33GHz</u>	621	3186
<u>AMD GX-212JC SOC</u>	619	3187
<u>MT6795MM</u>	618	3188
<u>AMD Athlon Dual Core 4050e</u>	616	3189
<u>Intel Atom Z3740D @ 1.33GHz</u>	614	3190
<u>MediaTek MT6761V/WBB</u>	613	3191
<u>Generic DT based system</u>	612	3192

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Rockchip (Device Tree)</u>	598	3205
<u>AMD E1-2500 APU</u>	597	3205
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	597	3206
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	596	3207
<u>Intel Atom S1260 @ 2.00GHz</u>	596	3209
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	596	3208
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	3210
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	3211
<u>AMD Opteron 1212</u>	593	3212
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	592	3213
<u>AMD Athlon X2 Dual Core BE-2350</u>	591	3214
<u>AMD Turion 64 X2 Mobile TL-60</u>	591	3215
<u>Intel Celeron N3050 @ 1.60GHz</u>	591	3216
<u>AMD Turion II Neo N40L Dual-Core</u>	589	3217
<u>AMD Turion Dual-Core RM-74</u>	588	3218
<u>Qualcomm MSM8974PRO-AA</u>	587	3219
<u>Intel Atom Z3745D @ 1.33GHz</u>	585	3220
<u>Intel Atom C2338 @ 1.74GHz</u>	584	3221
<u>Intel Celeron 847E @ 1.10GHz</u>	584	3222
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	584	3223
<u>Intel Celeron J1800 @ 2.41GHz</u>	583	3224
<u>AMD Athlon 64 X2 QL-67</u>	582	3225
<u>AMD E1-7010 APU</u>	582	3226
<u>Intel Celeron N2840 @ 2.16GHz</u>	582	3226
<u>Intel Xeon MV 3.20GHz</u>	582	3228

CPU Name	CPU Mark (higher is better)	Ran (low
<u>MediaTek MT6737T</u>	568	3246
<u>AMD Athlon 64 X2 3800+</u>	566	3246
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree</u>	566	3246
<u>AMD Turion II Neo K625 Dual-Core</u>	565	3246
<u>AMD Athlon X2 Dual Core 6850e</u>	564	3246
<u>AMD Sempron Dual Core 2200</u>	563	3246
<u>Intel Celeron 867 @ 1.30GHz</u>	562	3246
<u>AMD Sempron 2650 APU</u>	561	3246
<u>AMD Turion Dual-Core RM-70</u>	561	3246
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	561	3246
<u>Intel Celeron U3600 @ 1.20GHz</u>	560	3256
<u>Qualcomm Technologies, Inc MSM8929</u>	560	3256
<u>AMD E1-6015 APU</u>	558	3256
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	558	3256
<u>Intel Atom Z3735E @ 1.33GHz</u>	557	3256
<u>AMD Sempron Dual Core 2300</u>	555	3256
<u>Qualcomm APQ8084</u>	555	3256
<u>AMD Athlon 64 X2 QL-62</u>	553	3256
<u>Intel Pentium E2140 @ 1.60GHz</u>	549	3256
<u>Intel Celeron @ 1.30GHz</u>	548	3256
<u>Intel T1500 @ 1.86GHz</u>	548	3266
<u>Intel Pentium T2390 @ 1.86GHz</u>	547	3266
<u>MediaTek MT6762V/CN</u>	546	3266
<u>Intel Pentium T2330 @ 1.60GHz</u>	545	3266
<u>MediaTek MT8163</u>	545	3266

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Celeron N2808 @ 1.58GHz</u>	532	3276
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	3278
<u>AMD Opteron 165</u>	531	3279
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	531	3277
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	530	3280
<u>MT6739CH</u>	530	3281
<u>AMD Athlon Neo X2 Dual Core L335</u>	529	3282
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	3283
<u>MT8735A</u>	527	3284
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	525	3285
<u>AMD E1-6010 APU</u>	522	3286
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	521	3287
<u>MT6592</u>	521	3288
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	519	3290
<u>Intel Celeron T1600 @ 1.66GHz</u>	519	3289
<u>AMD Athlon 64 FX-57</u>	517	3291
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516	3293
<u>Intel T2050 @ 2.00GHz</u>	516	3292
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	515	3294
<u>Intel Pentium T2310 @ 1.46GHz</u>	515	3295
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	513	3296
<u>Intel Atom D2701 @ 2.13GHz</u>	511	3297
<u>Intel Core2 Duo SU9400 @ 1.40GHz</u>	509	3298
<u>Rockchip RK3288 (Flattened Device Tree)</u>	508	3299
<u>AMD Sempron 145</u>	505	3300

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>MT8735</u>	495	3315
<u>Intel Celeron G460 @ 1.80GHz</u>	494	3315
<u>Intel Pentium D 830 @ 3.00GHz</u>	494	3314
<u>Intel Atom D2700 @ 2.13GHz</u>	492	3316
<u>Intel Celeron E1200 @ 1.60GHz</u>	492	3315
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	489	3318
<u>rockchip,rk3368</u>	489	3317
<u>Intel Atom Z3770D @ 1.49GHz</u>	488	3319
<u>Intel Celeron N2815 @ 1.86GHz</u>	486	3320
<u>Intel Celeron N3010 @ 1.04GHz</u>	486	3321
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	485	3322
<u>AMD Athlon 64 3100+</u>	484	3323
<u>Intel Core i3-330UM @ 1.20GHz</u>	484	3324
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	483	3325
<u>Intel Celeron G465 @ 1.90GHz</u>	480	3326
<u>Intel Celeron N2806 @ 1.60GHz</u>	479	3327
<u>AMD Athlon II Neo N36L Dual-Core</u>	478	3328
<u>AMD E-350D APU</u>	478	3328
<u>AMD Turion 64 X2 Mobile TL-58</u>	478	3330
<u>Intel Xeon 3.20GHz</u>	478	3329
<u>MT8167A</u>	478	3331
<u>AMD Athlon Neo X2 Dual Core L325</u>	476	3334
<u>Intel Pentium SU4100 @ 1.30GHz</u>	476	3335
<u>Intel T1400 @ 1.73GHz</u>	475	3335
<u>AMD E1-2200 APU</u>	474	3336

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>ARM Cortex-A53 4 Core 1392 MHz</u>	459	3348
<u>AMD Opteron 154</u>	457	3350
<u>Unisoc SC9832e</u>	457	3349
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456	3352
<u>Qualcomm Technologies, Inc MSM8917</u>	456	3351
<u>AMD Turion 64 X2 Mobile TL-56</u>	453	3353
<u>QCT APQ8064 DEB</u>	453	3354
<u>AMD Opteron 254</u>	451	3355
<u>Intel Celeron N2807 @ 1.58GHz</u>	450	3356
<u>Intel Core Duo T2600 @ 2.16GHz</u>	450	3356
<u>MT8167D</u>	450	3358
<u>QCT APQ8064 FLO</u>	449	3359
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	448	3360
<u>Intel Celeron 450 @ 2.20GHz</u>	445	3362
<u>Intel Celeron SU2300 @ 1.20GHz</u>	445	3361
<u>Intel Celeron 925 @ 2.30GHz</u>	444	3363
<u>SAMSUNG JF</u>	443	3364
<u>AMD G-T56E</u>	442	3365
<u>AMD E2-1800 APU</u>	441	3366
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	438	3367
<u>AMD Turion 64 X2 Mobile TL-50</u>	436	3369
<u>Qualcomm Technologies, Inc MSM8920</u>	436	3368
<u>Qualcomm Technologies, Inc QM215</u>	435	3370
<u>MT8161P</u>	434	3371
<u>Intel Atom D2560 @ 2.00GHz</u>	433	3372

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Pentium D 915 @ 2.80GHz</u>	423	3384
<u>AMD E-450 APU</u>	422	3385
<u>AMD Athlon LE-1620</u>	421	3386
<u>Intel Celeron N2810 @ 2.00GHz</u>	420	3387
<u>AMD Athlon LE-1660</u>	416	3388
<u>AMD G-T48E</u>	416	3389
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415	3390
<u>AMD E-350</u>	414	3391
<u>AMD Athlon 1640B</u>	412	3392
<u>AMD Athlon LE-1600</u>	412	3393
<u>AMD E1-2100 APU</u>	410	3394
<u>MediaTek MT6739WW</u>	409	3395
<u>Intel Atom D2550 @ 1.86GHz</u>	408	3396
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408	3397
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	405	3398
<u>MT8735P</u>	405	3399
<u>AMD Athlon 64 FX-55</u>	404	3400
<u>Intel Atom D510 @ 1.66GHz</u>	404	3401
<u>Intel Celeron 900 @ 2.20GHz</u>	404	3402
<u>Intel Core Duo L2500 @ 1.83GHz</u>	404	3403
<u>Intel Core Duo T2450 @ 2.00GHz</u>	404	3404
<u>Intel Xeon 3.60GHz</u>	403	3405
<u>AMD E-350 APU</u>	401	3406
<u>AMD Geode NX 2400+</u>	400	3407
<u>AMD Sempron LE-1300</u>	400	3408

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	393	3418
<u>AMD Opteron 148</u>	392	3427
<u>Intel Celeron 807 @ 1.50GHz</u>	392	3428
<u>AMD A4-1200 APU</u>	391	3429
<u>AMD E1-1500 APU</u>	390	3429
<u>AMD Athlon II Neo K325 Dual-Core</u>	387	3426
<u>Intel Core Duo L2300 @ 1.50GHz</u>	387	3429
<u>Intel Atom E3825 @ 1.33GHz</u>	385	3428
<u>Intel Pentium 4 3.73GHz</u>	385	3427
<u>AMD Turion 64 Mobile ML-44</u>	384	3430
<u>AMD Turion 64 X2 Mobile TL-52</u>	384	3429
<u>Intel Core Duo T2350 @ 1.86GHz</u>	384	3437
<u>Intel Pentium T2130 @ 1.86GHz</u>	382	3438
<u>QCT APQ8064 AWIFI</u>	382	3439
<u>Qualcomm Technologies, Inc MSM8916</u>	382	3439
<u>AMD Athlon X2 Dual Core L310</u>	379	3436
<u>AMD V140</u>	379	3439
<u>AMD Athlon 64 3300+</u>	375	3438
<u>AMD Athlon 64 3400+</u>	375	3437
<u>Intel Xeon 3.40GHz</u>	375	3439
<u>ARM Cortex-A53 4 Core 0 MHz</u>	374	3440
<u>Intel Pentium D 805 @ 2.66GHz</u>	374	3447
<u>AMD E1-1200 APU</u>	372	3449
<u>ARM Cortex-A53 4 Core 1400 MHz</u>	372	3449
<u>Intel Celeron D 360 @ 3.46GHz</u>	372	3449

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Athlon II 170u</u>	357	3457
<u>AMD Athlon X2 Dual Core 3250e</u>	357	3456
<u>Manta</u>	356	3459
<u>MediaTek MT6739WA</u>	356	3460
<u>Mobile AMD Athlon 64 3700+</u>	356	3458
<u>Qualcomm Technologies, Inc QCM2150</u>	356	3461
<u>MediaTek MT6737M</u>	355	3462
<u>ARM Cortex-A7 4 Core 1300 MHz</u>	354	3463
<u>AMD Sempron LE-1200</u>	349	3464
<u>Intel Core Duo T2400 @ 1.83GHz</u>	349	3464
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348	3465
<u>Intel Pentium T2080 @ 1.73GHz</u>	348	3466
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	347	3468
<u>Intel Core Duo T2250 @ 1.73GHz</u>	347	3469
<u>AMD Opteron 146</u>	346	3471
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	346	3470
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	345	3472
<u>Intel Celeron 570 @ 2.26GHz</u>	344	3474
<u>Mobile Intel Pentium 4 3.33GHz</u>	344	3473
<u>Qualcomm Technologies, Inc APQ8016</u>	343	3475
<u>Intel 2.80GHz</u>	341	3476
<u>AMD Athlon 64 3200+</u>	340	3478
<u>AMD Athlon 64 4000+</u>	340	3477
<u>AMD Athlon TF-36</u>	338	3479
<u>AMD Sempron M100</u>	338	3480

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Mobile AMD Athlon 64 3400+</u>	333	3497
<u>MediaTek MT8167B</u>	332	3494
<u>Qualcomm MSM8228</u>	332	3493
<u>Intel Core Duo T2300 @ 1.66GHz</u>	330	3496
<u>Intel Pentium T2060 @ 1.60GHz</u>	330	3495
<u>MT8765WB</u>	328	3497
<u>Intel Pentium 4 3.20GHz</u>	326	3499
<u>Mobile AMD Athlon 64 3200+</u>	326	3498
<u>MT6735P</u>	326	3500
<u>Unisoc SC7731e</u>	324	3507
<u>ARM Cortex-A53 4 Core 1200 MHz</u>	323	3503
<u>Intel Atom N2600 @ 1.60GHz</u>	323	3502
<u>Mobile AMD Sempron 3400+</u>	321	3504
<u>Intel Core Duo T2050 @ 1.60GHz</u>	320	3505
<u>Rockchip RK3328</u>	319	3506
<u>AMD Opteron 144</u>	316	3507
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	316	3508
<u>AMD Sempron 3300+</u>	315	3513
<u>AMD Sempron LE-1100</u>	315	3509
<u>AMD Turion 64 Mobile MT-37</u>	315	3517
<u>Intel Pentium 4 3.60GHz</u>	315	3512
<u>VIA Eden X2 U4200 @ 1.0+ GHz</u>	315	3510
<u>Intel Celeron D 420 @ 1.60GHz</u>	313	3514
<u>Intel Pentium 4 3.00GHz</u>	313	3517
<u>Intel Pentium 4 3.80GHz</u>	313	3516

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Sempron LE-1250</u>	301	3529
<u>Intel Celeron 550 @ 2.00GHz</u>	301	3528
<u>AMD C-70 APU</u>	300	3537
<u>Qualcomm MSM8926</u>	300	3530
<u>AMD Athlon II Neo K145</u>	298	3534
<u>AMD Sempron 3100+</u>	298	3535
<u>Intel Atom Z2760 @ 1.80GHz</u>	298	3532
<u>AMD Athlon 64 2800+</u>	295	3536
<u>Intel Pentium 4 3.46GHz</u>	295	3539
<u>MediaTek MT8735B</u>	294	3539
<u>Mobile AMD Sempron 3300+</u>	294	3538
<u>Qualcomm MSM8626</u>	294	3537
<u>Intel Celeron 430 @ 1.80GHz</u>	293	3540
<u>Intel Pentium 4 3.40GHz</u>	293	3547
<u>AMD Athlon 64 3800+</u>	292	3545
<u>AMD G-T40N</u>	292	3542
<u>AMD Sempron 3400+</u>	292	3544
<u>Intel Pentium M 2.10GHz</u>	292	3546
<u>Qualcomm Technologies, Inc MSM8216</u>	292	3549
<u>AMD Athlon 2800+</u>	291	3548
<u>Qualcomm APQ8026</u>	291	3547
<u>AMD C-60</u>	290	3549
<u>Mobile AMD Sempron 3500+</u>	290	3550
<u>AMD G-T40E</u>	289	3557
<u>AMD Sempron 3200+</u>	288	3555

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Turion 64 Mobile MT-34</u>	279	3564
<u>VIA Nano L2100@1800MHz</u>	279	3565
<u>AMD Turion 64 Mobile ML-30</u>	277	3569
<u>AMD Turion 64 Mobile ML-34</u>	277	3570
<u>Mobile AMD Sempron 3100+</u>	277	3567
<u>Rockchip RK3326</u>	277	3568
<u>Spreadtrum SC7731e</u>	277	3566
<u>AMD Athlon XP 2900+</u>	276	3571
<u>Intel Atom D2500 @ 1.86GHz</u>	275	3572
<u>AMD Athlon 2650e</u>	274	3573
<u>AMD Athlon TF-20</u>	272	3574
<u>Intel Pentium M 2.13GHz</u>	271	3575
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270	3576
<u>Intel Pentium M 2.00GHz</u>	270	3578
<u>VIA Nano U2250 (1.6GHz Capable)</u>	270	3577
<u>Mobile AMD Sempron 3000+</u>	269	3579
<u>AMD Sempron 3000+</u>	268	3582
<u>Intel Celeron 530 @ 1.73GHz</u>	268	3580
<u>Intel Celeron 743 @ 1.30GHz</u>	268	3581
<u>AMD Sempron 210U</u>	267	3583
<u>Intel Celeron 3.20GHz</u>	267	3584
<u>Intel Celeron M 723 @ 1.20GHz</u>	267	3585
<u>Qualcomm Technologies, Inc MSM8909</u>	267	3586
<u>Intel Atom N550 @ 1.50GHz</u>	265	3588
<u>Qualcomm MSM8226</u>	265	3587

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>AMD Turion 64 Mobile ML-28</u>	254	3606
<u>VIA Nano L2007@1600MHz</u>	254	3607
<u>AMD Sempron 2600+</u>	253	3608
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	3609
<u>Intel Celeron M 1.70GHz</u>	252	3610
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252	3611
<u>msm8960dt</u>	252	3612
<u>AMD Sempron LE-1150</u>	251	3613
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	3614
<u>Intel Pentium 4 3.06GHz</u>	249	3615
<u>AMD GX-210JA SOC</u>	248	3616
<u>AMD Sempron M120</u>	247	3617
<u>SAMSUNG SERRANO</u>	247	3618
<u>AMD Turion 64 Mobile MT-30</u>	246	3619
<u>Mobile AMD Sempron 3200+</u>	245	3620
<u>ARM Cortex-A7 4 Core 900 MHz</u>	244	3621
<u>AMD Athlon 64 2600+</u>	243	3622
<u>AMD Athlon XP2400+</u>	243	3623
<u>AMD Sempron 2800+</u>	243	3624
<u>AMD Athlon XP 2600+</u>	242	3625
<u>Intel Celeron 807UE @ 1.00GHz</u>	241	3626
<u>Mobile AMD Athlon 2500+</u>	241	3627
<u>Mobile AMD Athlon XP-M 2600+</u>	241	3628
<u>Intel Pentium M 1.50GHz</u>	240	3629
<u>Intel Pentium M 1.70GHz</u>	239	3630

CPU Name	CPU Mark (higher is better)	Ran (low
<u>Rockchip RK3229</u>	234	3638
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	3635
<u>Mobile AMD Athlon 4 2400+</u>	233	3638
<u>AMD Sempron 3500+</u>	232	3641
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	3639
<u>Mobile Intel Pentium 4 3.20GHz</u>	232	3640
<u>AMD Athlon XP 2500+</u>	231	3642
<u>Intel Celeron 2.93GHz</u>	230	3645
<u>Intel Celeron M 450 @ 2.00GHz</u>	230	3644
<u>Intel Pentium M 1.60GHz</u>	229	3649
<u>Intel Pentium M 2.26GHz</u>	227	3646
<u>Mobile AMD Athlon XP-M 2500+</u>	226	3647
<u>Intel Pentium M 1.40GHz</u>	225	3649
<u>Mobile AMD Athlon XP-M 2400+</u>	225	3648
<u>Intel Atom N470 @ 1.83GHz</u>	224	3650
<u>Intel Atom D425 @ 1.80GHz</u>	222	3651
<u>Intel Celeron M 360 1.40GHz</u>	221	3652
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220	3653
<u>Mobile Intel Pentium 4 3.06GHz</u>	220	3654
<u>Intel Celeron M 1500MHz</u>	217	3659
<u>Intel Celeron M 1.50GHz</u>	216	3656
<u>Intel Celeron M 520 @ 1.60GHz</u>	215	3657
<u>Intel Pentium 4 2.60GHz</u>	215	3658
<u>AMD Athlon XP 2200+</u>	214	3659
<u>Intel Celeron 723 @ 1.20GHz</u>	213	3660

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Mobile Intel Pentium 4 2.80GHz</u>	205	3670
<u>AMD Athlon XP 1900+</u>	203	3671
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	202	3672
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199	3676
<u>Intel Pentium M 1.20GHz</u>	199	3679
<u>VIA Nano U2500@1200MHz</u>	199	3679
<u>AMD Athlon L110</u>	197	3680
<u>Intel Celeron M 1300MHz</u>	197	3679
<u>Intel Pentium M 1300MHz</u>	197	3678
<u>Intel Pentium M 1.30GHz</u>	196	3681
<u>Mobile AMD Athlon XP-M 2000+</u>	196	3682
<u>AMD Athlon XP 1800+</u>	195	3683
<u>AMD Athlon XP 2000+</u>	195	3684
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	3686
<u>Intel Pentium III 1400S @ 1400MHz</u>	194	3689
<u>Intel Pentium III 1400 @ 1400MHz</u>	193	3688
<u>Intel Pentium M 1600MHz</u>	193	3689
<u>Mobile AMD Athlon XP-M 1800+</u>	193	3689
<u>Mobile AMD Athlon MP-M 2400+</u>	192	3690
<u>AMD Athlon 1500+</u>	191	3691
<u>Intel Celeron 2.80GHz</u>	190	3693
<u>Intel Celeron M 1.60GHz</u>	190	3692
<u>Intel Atom N2100 @ 1.60GHz</u>	188	3694
<u>Intel Pentium M 1500MHz</u>	188	3695
<u>AMD Sempron 2200+</u>	184	3699

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Atom N475 @ 1.83GHz</u>	179	3705
<u>VIA Nano U2250@1300+MHz</u>	179	3708
<u>AMD C-30</u>	178	3710
<u>AMD G-T52R</u>	177	3711
<u>Intel Atom D410 @ 1.66GHz</u>	177	3712
<u>Intel Atom N450 @ 1.66GHz</u>	177	3713
<u>AMD Athlon XP 1700+</u>	176	3714
<u>Intel Atom N270 @ 1.60GHz</u>	175	3715
<u>Intel Atom N280 @ 1.66GHz</u>	175	3716
<u>AMD Athlon XP 1600+</u>	174	3717
<u>Intel Celeron 215 @ 1.33GHz</u>	174	3718
<u>Mobile AMD Athlon MP-M 1800+</u>	173	3719
<u>Intel Celeron M 430 @ 1.73GHz</u>	169	3721
<u>Intel Celeron M 440 @ 1.86GHz</u>	169	3720
<u>Mobile AMD Athlon XP-M 1600+</u>	169	3722
<u>AMD Athlon XP 1500+</u>	167	3723
<u>Intel Celeron 2.13GHz</u>	166	3724
<u>VIA Nano L2207@1600MHz</u>	165	3725
<u>Intel Celeron 2.50GHz</u>	164	3726
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164	3729
<u>Intel Pentium III Mobile 1133MHz</u>	164	3730
<u>Intel XEON 2.20GHz</u>	164	3728
<u>Mobile AMD Sempron 2100+</u>	164	3728
<u>Intel Pentium 4 2.53GHz</u>	162	3731
<u>Intel Pentium 4 2.50GHz</u>	160	3733

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Celeron 2.66GHz</u>	154	3748
<u>Intel Pentium 4 3.83GHz</u>	154	3748
<u>Mobile Intel Celeron 2.40GHz</u>	154	3748
<u>Intel Atom N435 @ 1.33GHz</u>	153	3748
<u>Intel Xeon 2.00GHz</u>	152	3748
<u>Intel Pentium 4 2.26GHz</u>	151	3749
<u>Intel Pentium 4 2.93GHz</u>	150	3750
<u>VIA C7-D 1800MHz</u>	150	3750
<u>Intel Celeron M 1.00GHz</u>	149	3752
<u>Intel Celeron 2.30GHz</u>	148	3753
<u>Mobile Intel Celeron 2.20GHz</u>	147	3754
<u>Mobile Intel Pentium III - M 1200MHz</u>	146	3755
<u>VIA C7-M 6300MHz</u>	145	3756
<u>Intel Celeron 2.40GHz</u>	143	3759
<u>Intel Celeron 2.60GHz</u>	143	3758
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	143	3758
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142	3760
<u>Intel Pentium M 900MHz</u>	141	3760
<u>Intel Celeron 1000MHz</u>	139	3763
<u>Intel Celeron 2.20GHz</u>	139	3763
<u>Intel Celeron M 420 @ 1.60GHz</u>	139	3764
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	139	3764
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	138	3766
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136	3768
<u>VIA Esther 1500MHz</u>	135	3768

CPU Name	CPU Mark (higher is better)	Rank (low is better)
<u>Intel Celeron M 900MHz</u>	123	3780
<u>Intel Atom Z520 @ 1.33GHz</u>	122	3781
<u>Mobile Intel Celeron 1.80GHz</u>	121	3782
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	121	3783
<u>AMD G-T40R</u>	120	3784
<u>Intel Pentium III Mobile 800MHz</u>	119	3785
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	119	3786
<u>Mobile Intel Celeron 1.70GHz</u>	118	3787
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116	3788
<u>VIA C7-M 1600MHz</u>	116	3789
<u>Intel Pentium 4 1.80GHz</u>	115	3790
<u>Intel Pentium 4 1800MHz</u>	114	3791
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114	3792
<u>Intel Celeron 1100MHz</u>	113	3793
<u>VIA C7-M 1200MHz</u>	112	3794
<u>Intel Celeron B710 @ 1.60GHz</u>	106	3795
<u>Intel Pentium 4 1.90GHz</u>	104	3796
<u>Intel Celeron 1.70GHz</u>	101	3798
<u>VIA Nehemiah</u>	101	3799
<u>Intel Pentium 4 1700MHz</u>	100	3799
<u>Intel Pentium III Mobile 866MHz</u>	99	3800
<u>Intel Celeron 1.80GHz</u>	96	3801
<u>VIA Esther 1000MHz</u>	95	3802
<u>ARM Cortex-A7 2 Core 960 MHz</u>	93	3803
<u>VIA Eden 1200MHz</u>	93	3804