


Przekroje poprzeczne

Zakład Inżynierii Komunikacyjnej Andrzej Piasecki ul. Kopernika 5/71, 88-100 Inowrocław		
Obiekt	Przebudowa drogi w Niszczewicach Droga wewnętrzna zlokalizowana na działce nr 241 obr. Niszczewice gm. Złotniki Kujawskie.	
Tytuł opracowania:	Przekroje poprzeczne	
Projektant mgr inż. Andrzej Piasecki <small>uprawnienia budowlane numer KUP/0117/PWOD/11 do projektowania i kierowania robotami budowlanymi bez ograniczeń w specjalności drogowej</small>	Branża	Drogowa
	Skala	1:100
Sprawdzający mgr inż. Rafał Młynarczyk <small>uprawnienia budowlane numer KUP/0114/POOD/14 do projektowania bez ograniczeń w specjalności drogowej</small>	Nr rysunku	5
	Data	07.2019


Pik = 0+000,00
Skala 1:100/100



P.P. = 94,00

RZĘDNE PROJ.		97,56	97,45	97,50		97,55		97,51	97,46	97,45	
RZĘDNE KONS.		97,30	97,35	97,00		97,05		97,01	97,36	97,31	
RZĘDNE TEREN	97,58	97,56				97,55		97,52			97,24
ODLEGŁOŚCI	-5,00	-3,95	-3,41	-3,25	-2,65	0,00		1,74	1,90	2,50	5,00

Pik = 0+025,00
Skala 1:100/100




P.P. = 94,00

RZĘDNE PROJ.		97,34	97,44	97,49		97,54		97,50	97,45	97,43	
RZĘDNE KONS.		97,29	97,34	96,99		97,04		97,00	97,35	97,30	
RZĘDNE TEREN	97,28	97,27		97,42		97,49		97,52		97,43	97,32
ODLEGŁOŚCI	-5,00	-3,93	-3,40	-3,25	-2,78	0,00		1,52	1,90	2,50	5,00

Pik = 0+028,00
Skala 1:100/100


P.P. = 94,00



RZĘDNE PROJ.			97,41 97,45 97,50	97,54	97,50 97,45 97,43		
RZĘDNE KONS.			97,30 97,35 97,00	97,04	97,00 97,35 97,30		
RZĘDNE TEREN	97,37	97,25	97,41	97,49	97,53	97,43	97,32
ODLEGŁOŚCI	-5,00	-3,74	-2,70 -2,56 -2,50 -1,90	0,00	1,45 1,90 2,50 2,53 2,55		5,00


Pik = 0+050,00
Skala 1:100/100

P.P. = 94,00



RZĘDNE PROJ.			97,42 97,45 97,49	97,53	97,49 97,45 97,38		
RZĘDNE KONS.			97,30 97,34 96,99	97,03	96,99 97,34 97,30		
RZĘDNE TEREN	97,32	97,29	97,42	97,45	97,46	97,39	97,29
ODLEGŁOŚCI	-5,00	-4,04	-2,91 -2,53 -2,50 -1,90	0,00	1,29 1,90 2,38 2,50 2,60		5,00


Pik = 0+075,00
Skala 1:100/100



P.P. = 94,00

RZĘDNE PROJ.			97,31 97,44	97,48		97,52		97,48	97,44 97,22		
RZĘDNE KONS.			97,29	97,33 96,98		97,02		96,98 97,33	97,29		
RZĘDNE TEREN	97,14 97,17		97,31			97,29		97,27	97,23		97,17 97,16
ODLEGŁOŚCI	-5,00 -4,38		-2,79 -2,69 -2,50	-1,90		0,00		1,39 1,90 2,50 2,51 2,82			4,68 5,00


Pik = 0+100,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.			97,26 97,43	97,47		97,51		97,47	97,43 97,03		
RZĘDNE KONS.			97,28	97,32 96,97		97,01		96,97 97,32	97,28		
RZĘDNE TEREN	97,20 97,20		97,26			97,21		97,19	97,08		96,90
ODLEGŁOŚCI	-5,00 -4,72		-2,82 -2,75 -2,50	-1,90		0,00		1,35 1,90 2,32 2,50 3,10			5,00


Pik = 0+125,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.			97,24 97,42	97,47		97,50		97,47 97,32	97,42	96,96	
RZĘDNE KONS.			97,27	97,32 96,97		97,00		96,97 97,32	97,27		
RZĘDNE TEREN	97,13		97,23	97,25		97,20		97,18	96,99		96,87
ODLEGŁOŚCI	-5,00	-3,31	-2,77 -2,50 -2,24 -1,90			0,00		1,48 1,90 2,49 2,50	3,19		5,00


Pik = 0+150,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.			97,35 97,41	97,46		97,49		97,46 97,31	97,41	97,06	
RZĘDNE KONS.			97,26	97,31 96,96		96,99		96,96 97,31	97,26		
RZĘDNE TEREN	97,49			97,30		97,25		97,22	97,07		96,99
ODLEGŁOŚCI	-5,00	-2,58 -2,50 -1,90 -1,67				0,00		1,87 1,90 2,50 2,81 3,02			5,00


Pik = 0+175,00
Skala 1:100/100



P.P. = 94,00

RZĘDNE PROJ.		97,17	97,40	97,45		97,49		97,45	97,40	97,21				
RZĘDNE KONS.			97,25	97,30	96,85		96,89		96,95	97,30	97,25			
RZĘDNE TEREN	97,10		97,19		97,28		97,26			97,24	97,19	97,12		
ODLEGŁOŚCI	-5,00	-2,84	-2,50	-2,32	-1,90	-1,32	0,00		1,90	2,39	2,50	2,78	3,11	5,00


Pik = 0+200,00
Skala 1:100/100



P.P. = 94,00

RZĘDNE PROJ.			97,30	97,35		97,39		97,35	97,30	97,15	
RZĘDNE KONS.			97,15	97,20	96,85		96,89		96,85	97,20	97,15
RZĘDNE TEREN	97,51	97,61		97,19		97,17		97,16		97,13	97,08
ODLEGŁOŚCI	-5,00	-3,68	-2,51	-2,11	-1,90	-1,16	0,00		1,90	2,50	2,75
										2,77	3,52
											5,00


Pik = 0+225,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.		96,90	97,09	97,13		97,17		97,13	97,09	96,88	
RZĘDNE KONS.			96,94	96,98	96,63	96,67		96,63	96,98	96,94	
RZĘDNE TEREN	96,90		96,90		96,92	96,90			96,89	96,78	97,02
ODLEGŁOŚCI	-5,00	-2,78	-2,50	-2,47	-1,90	-0,90	0,00	1,90	2,50	2,70	2,81


Pik = 0+250,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.		96,75	96,92	96,97		97,00		96,97	96,92	96,64	
RZĘDNE KONS.			96,77	96,82	96,47	96,50		96,47	96,82	96,77	
RZĘDNE TEREN	96,76	96,72			96,81	96,78		96,72		96,59	96,54
ODLEGŁOŚCI	-5,00	-3,71	-2,75	-2,50	-1,90	-0,98	0,00	1,90	2,01	2,50	2,92


Pik = 0+275,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.			96,68 96,85	96,90		96,94		96,90	96,85 96,66		
RZĘDNE KONS.			96,70	96,75 96,40		96,44		96,40 96,75	96,70		
RZĘDNE TEREN	96,64	96,64			96,75	96,72			96,68	96,61	96,59
ODLEGŁOŚCI	-5,00	-3,63	-2,75 -2,50	-1,90	-1,46	0,00		1,90	2,42 2,50 2,80	3,51	5,00


Pik = 0+300,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.			96,73 96,88	96,93		96,97		96,93	96,88 96,69		
RZĘDNE KONS.			96,73	96,78 96,43		96,47		96,43 96,78	96,73		
RZĘDNE TEREN	96,73	96,72			96,79	96,77			96,75	96,60	96,58
ODLEGŁOŚCI	-5,00	-2,98 -2,73 -2,50	-1,90	-1,45	0,00			1,90	2,32 2,50 2,80	3,44	5,00


Pik = 0+325,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.		96,82	96,93	96,98		97,02		96,98	96,93	96,89
RZĘDNE KONS.		96,78	96,83	96,48		96,52		96,48	96,83	96,78
RZĘDNE TEREN	96,74			96,85	96,87	96,87			96,88	96,92
ODLEGŁOŚCI	-5,00	-2,67	-2,50	-1,90	-1,64	-1,09	0,00	1,90	2,36	2,50
									2,56	3,20
										5,00


Pik = 0+350,00
Skala 1:100/100



P.P. = 93,00

RZĘDNE PROJ.		96,74	96,91	96,96		97,00		96,96	96,91	96,83	
RZĘDNE KONS.			96,76	96,81	96,46		96,50		96,46	96,81	96,76
RZĘDNE TEREN	96,88		96,73		96,79	96,84			96,83		96,83
ODLEGŁOŚCI	-5,00	-3,06	-2,76	-2,50	-1,90	-1,26	0,00	1,90	2,50	2,62	5,00


Pik = 0+375,00
Skala 1:100/100



P.P. = 92,00

RZĘDNE PROJ.			95,97	96,04	96,08		96,12		96,08	96,04	96,00	
RZĘDNE KONS.			95,89	95,93	95,58		95,62		95,58	95,93	95,89	
RZĘDNE TEREN	96,00	95,99				95,94	95,95			95,99		96,09
ODLEGŁOŚCI	-5,00	-3,42	-2,59	-2,50	-1,90	-0,92	0,00		1,90	2,28	2,50	2,55


Pik = 0+400,00
Skala 1:100/100



P.P. = 91,00

RZĘDNE PROJ.			94,71	94,94	94,98		95,02		94,98	94,94	94,75	
RZĘDNE KONS.			94,79	94,83	94,48		94,52		94,48	94,83	94,79	
RZĘDNE TEREN	94,70	94,68				94,76	94,75		94,73		94,76	94,71
ODLEGŁOŚCI	-5,00	-4,12	-2,84	-2,50	-1,90	-0,88	0,00		1,90	1,98	2,50	2,78


Pik = 0+425,00
Skala 1:100/100



P.P. = 90,00

RZĘDNE PROJ.		93,76	94,00	94,05		94,09		94,05	94,00	93,68	
RZĘDNE KONS.			93,85	93,90	93,55		93,59		93,55	93,90	93,85
RZĘDNE TEREN	93,74		93,76			93,79		93,78		93,68	
ODLEGŁOŚCI	-5,00	-2,86	-2,83	-2,50	-1,90	-0,75	0,00	1,90	2,04	2,50	2,83

Pik = 0+450,00
Skala 1:100/100



P.P. = 89,00

RZĘDNE PROJ.		92,97	93,28	93,33		93,36		93,33	93,28	93,02	
RZĘDNE KONS.			93,13	93,18	92,83		92,86		92,83	93,18	93,13
RZĘDNE TEREN	92,92		92,97			93,12		93,11		92,97	
ODLEGŁOŚCI	-5,00	-2,97	-2,81	-2,50	-1,90	-0,56	0,00	1,90	2,06	2,50	2,89

Skala 1:100/100

A technical drawing of a roof structure, likely a cross-section. The drawing shows a series of vertical lines representing structural elements. A blue line highlights a specific section of the roof, indicating a transition or a specific material layer. The drawing is a line sketch with no shading.


[illegible]

Skala 1:100/100

Technical drawing of a roof structure showing a cross-section. The drawing includes a blue line representing the roof profile and a yellow line representing the internal structure. The roof is supported by a series of vertical columns. The drawing is labeled with '1' and '2' at the bottom, indicating different sections or components.

[illegible]


Pik = 0+525,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		91,91	92,33	92,38		92,42		92,38	92,33	92,31	
RZĘDNE KONS.			92,18	92,23	91,88	91,92		91,88	92,23	92,18	
RZĘDNE TEREN	91,79		91,93			92,24	92,26		92,31	92,31	92,29
ODLEGŁOŚCI	-5,00	-3,15	-2,88	-2,50	-1,90	-0,99	0,00	1,90	2,07	2,50	5,00


Pik = 0+553,68
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.			92,04	92,23	92,27		92,31		92,27	92,23	92,18
RZĘDNE KONS.			92,08	92,12	91,77		91,81		91,77	92,12	92,08
RZĘDNE TEREN	91,94	91,97			92,11		92,14		92,17		92,22
ODLEGŁOŚCI	-5,00	-3,67	-2,78	-2,50	-1,90	-1,88	0,00	1,73	1,90	2,50	5,00


Pik = 0+556,68
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		91,98		92,30		92,26	
		92,19				92,21	
		92,24				92,17	
RZĘDNE KONS.		92,04		91,80		91,76	
		92,09				92,11	
		91,74				92,06	
RZĘDNE TEREN	91,95	91,97		92,13		92,15	
			92,09				92,23
							92,19
							92,19
ODLEGŁOŚCI	-5,00	-3,76	-2,65	-1,98	0,00	1,70	4,66
		-3,57				1,90	4,75
		-3,25				2,50	5,00
						2,56	


Pik = 0+575,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		9167	9201	9206	9211	9207	9202	9190
RZĘDNE KONS.			9186	9191 9156	9161	9157 9192	9187	
RZĘDNE TEREN	9165	9167		9177	9185	9185		9196 9191
ODLEGŁOŚCI	-5,00	-3,76 -3,69 -3,25	-2,65 -2,25		0,00	1,28 1,90	2,50 2,68	4,22 5,00


Pik = 0+581,68
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		9153	9190	9195		9200		9197	9192	9173	
RZĘDNE KONS.			9175	9180	9145	9150		9147	9182	9177	
RZĘDNE TEREN	9151	9153		9163		9169	9169			9175	9174
ODLEGŁOŚCI	-5,00	-3,81	-3,61	-3,25	-2,65	-2,33	0,00	0,91	1,90	2,50	2,79


Pik = 0+584,68
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		9151	9186	9191		9195		9191	9186	9165	
RZĘDNE KONS.			9171	9176	9141	9145		9141	9176	9171	
RZĘDNE TEREN	9144	9147		9157		9157	9158			9169	9167
ODLEGŁOŚCI	-5,00	-3,56	-3,02	-2,50	-2,36	-1,90	0,00	0,66	1,90	2,50	2,82


Pik = 0+600,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.				9108				9151		9156			9160				9156		9151	9131			
RZĘDNE KONS.								9136		9141			9110				9106	9141	9136				
RZĘDNE TEREN		9118		9097				9120					9120	9119						9137			
ODLEGŁOŚCI		-5,00		-3,83		-3,15		-2,50	-2,39	-1,90			0,00	0,63			1,90	2,50	2,80		3,82		5,00

Pik = 0+625,00
Skala 1:100/100




P.P. = 87,00

RZĘDNE PROJ.				90,85	91,12	91,17		91,20		91,17	91,12	90,87	
RZĘDNE KONS.				90,97	91,02	90,67		90,70		90,67	91,02	90,97	
RZĘDNE TEREN	90,88	90,80		90,91			90,90	90,90	90,83			90,94	
ODLEGŁOŚCI	-5,00	-3,38	-2,91	-2,50	-2,26	-1,90	0,00	0,51	1,73	1,90	2,50	2,88	5,00

Pik = 0+650,00
Skala 1:100/100


P.P. = 88,00



RZĘDNE PROJ.		91,16	91,30	91,34		91,38		91,34	91,30	91,17	
RZĘDNE KONS.			91,15	91,19	90,84	90,88		90,84	91,19	91,15	
RZĘDNE TEREN	91,15	91,18	91,14			91,15	91,15	91,16			91,18
ODLEGŁOŚCI	-5,00	-3,16	-2,70	-2,50	-2,28	0,00	0,56	1,62	1,90	2,50	5,00


Pik = 0+675,00
Skala 1:100/100

P.P. = 88,00



RZĘDNE PROJ.		91,28	91,41	91,46		91,50		91,46	91,41	91,34	
RZĘDNE KONS.			91,26	91,31	90,96	91,00		90,96	91,31	91,26	
RZĘDNE TEREN	91,27	91,28	91,28			91,28	91,28	91,33			91,36
ODLEGŁOŚCI	-5,00	-3,28	-2,70	-2,50	-2,15	0,00	0,68	1,55	1,90	2,50	5,00


Pik = 0+700,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.			91,16	91,39	91,44		91,47		91,44	91,39	91,10	
RZĘDNE KONS.			91,24	91,29	90,94		90,97		90,94	91,29	91,24	
RZĘDNE TEREN	91,05	91,13	91,18				91,21	91,23	91,11			91,07
ODLEGŁOŚCI	-5,00	-3,60	-2,84	-2,50	-2,21	-1,90	0,00	0,99	1,90	2,50	2,94	5,00


Pik = 0+725,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.			91,13	91,37	91,41		91,45		91,41	91,37	91,10	
RZĘDNE KONS.			91,22	91,26	90,91		90,95		90,91	91,26	91,22	
RZĘDNE TEREN	91,04	91,12	91,14				91,16	91,16	91,10			91,09
ODLEGŁOŚCI	-5,00	-3,47	-2,85	-2,50	-2,21	-1,90	0,00	1,12	1,90	2,50	2,90	5,00


Pik = 0+750,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		91,31	91,33	91,57		91,61		91,57	91,53	91,30	
RZĘDNE KONS.			91,38	91,42	91,07	91,11		91,07	91,42	91,38	
RZĘDNE TEREN	91,21		91,29		91,37	91,37		91,32	91,32		91,26
ODLEGŁOŚCI	-5,00	-3,19	-2,82	-2,50	-1,92	0,00		1,79	1,90	2,50	5,00


Pik = 0+775,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.		91,84	92,10	92,15		92,18		92,15	92,10	91,86	
RZĘDNE KONS.			91,95	92,00	91,85	91,88		91,85	92,00	91,95	
RZĘDNE TEREN	91,75		91,85		91,88	91,89	91,89	91,86			91,85
ODLEGŁOŚCI	-5,00	-2,89	-2,66	-2,50	-1,90	0,00	0,78	1,84	1,90	2,50	5,00


Pik = 0+800,00
Skala 1:100/100



P.P. = 89,00

RZĘDNE PROJ.		92,54	92,82	92,87		92,91		92,87	92,82	92,69
RZĘDNE KONS.			92,67	92,72	92,57		92,41	92,37	92,72	92,67
RZĘDNE TEREN	92,48	92,53		92,60		92,61	92,61		92,69	
ODLEGŁOŚCI	-5,00	-3,01 -2,93	-2,50	-2,14	-1,90	0,00	0,85	1,90 2,02	2,50	2,70
										5,00


Pik = 0+825,00
Skala 1:100/100



P.P. = 90,00

RZĘDNE PROJ.			93,30	93,51	93,56		93,60		93,56	93,51	93,43		
RZĘDNE KONS.				93,36	93,41	93,06	93,10		93,06	93,41	93,36		
RZĘDNE TEREN	93,31	93,34	93,28				93,31	93,32	93,44		93,42		
ODLEGŁOŚCI	-5,00	-3,37	-2,82	-2,58	-2,50	-1,90	0,00	0,49	1,62	1,90	2,50	2,62	5,00


Pik = 0+850,00
Skala 1:100/100



P.P. = 90,00

RZĘDNE PROJ.			93,66	93,88	93,93		93,97		93,93	93,88	93,71	
RZĘDNE KONS.			93,73	93,78	93,43		93,47		93,43	93,78	93,73	
RZĘDNE TEREN	93,66	93,73	93,64				93,66	93,67			93,71	93,86
ODLEGŁOŚCI	-5,00	-3,35	-2,84	-2,72	-2,50	-1,90	0,00	0,54	1,90	2,50	2,76	2,80

Pik = 0+875,00
Skala 1:100/100




P.P. = 90,00

RZĘDNE PROJ.			93,72	93,86	93,91		93,95		93,91	93,86	93,73	
RZĘDNE KONS.			93,71	93,76	93,41		93,45		93,41	93,76	93,71	
RZĘDNE TEREN	93,78	93,81	93,72				93,72	93,70			93,74	93,70
ODLEGŁOŚCI	-5,00	-3,50	-2,71	-2,69	-2,50	-1,90	0,00	0,60	1,90	2,50	2,69	3,00

Pik = 0+900,00
Skala 1:100/100


P.P. = 90,00



RZĘDNE PROJ.			93,57	93,63	93,68		93,71		93,68	93,63	93,52		
RZĘDNE KONS.			93,48	93,53	93,18		93,21		93,18	93,53	93,48		
RZĘDNE TEREN	93,54	93,61	93,56				93,52	93,52	93,51			93,55	
ODLEGŁOŚCI	-5,00	-3,50	-2,59	-2,50	-2,47	-1,90	0,00	0,74	1,76	1,90	2,50	2,66	5,00


Pik = 0+925,00
Skala 1:100/100

P.P. = 90,00



RZĘDNE PROJ.			93,32	93,40	93,45		93,48		93,45	93,40	93,14		
RZĘDNE KONS.			93,25	93,30	92,95		92,98		92,95	93,30	93,25		
RZĘDNE TEREN	93,32	93,33		93,32			93,32	93,32	93,14			93,14	
ODLEGŁOŚCI	-5,00	-4,37	-2,61	-2,50	-2,20	-1,90	0,00	0,75	1,90	2,11	2,50	2,89	5,00


Pik = 0+950,00
Skala 1:100/100



P.P. = 89,00

RZĘDNE PROJ.			93,10 93,17			93,21		93,25			93,21	93,17 92,98
RZĘDNE KONS.			93,02		93,06 92,71			92,75			92,71 93,06	93,02
RZĘDNE TEREN	93,00	93,00			93,13			93,12		93,11	92,98	
ODLEGŁOŚCI	-5,00	-4,42	-2,60 -2,50 -2,01 -1,90					0,00		0,86	1,90 2,14 2,50 2,78	5,00


Pik = 0+975,00
Skala 1:100/100



P.P. = 89,00

RZĘDNE PROJ.			92,78 92,90		92,99		92,95 92,90 92,72
RZĘDNE KONS.			92,75 92,80 92,45		92,49		92,45 92,80 92,75
RZĘDNE TEREN	92,70	92,72	92,87		92,85		92,75 92,73
ODLEGŁOŚCI	-5,00	-3,18 -2,68 -2,50	-1,97 -1,90		0,00		1,88 1,90 1,22 2,50 2,77
							5,00


Pik = 1+000,00
Skala 1:100/100



P.P. = 89,00

RZĘDNE PROJ.			92,48 92,54	92,58		92,62		92,58	92,54 92,35	
RZĘDNE KONS.			92,39 92,43	92,08		92,12		92,08 92,43	92,39	
RZĘDNE TEREN	92,42	92,44	92,50			92,46	92,45	92,36		92,30
ODLEGŁOŚCI	-5,00	-3,39	-2,58 -2,50 -2,24 -1,90			0,00	0,64	1,90 2,12 2,50 2,79		5,00


Pik = 1+025,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.			92,03 92,17	92,22		92,26		92,22	92,17 91,94	
RZĘDNE KONS.			92,02 92,07	91,72		91,76		91,72 92,07	92,02	
RZĘDNE TEREN	91,97	91,98	92,03			92,04 92,04	91,98			91,89
ODLEGŁOŚCI	-5,00	-3,71	-2,78 -2,72 -2,50 -1,90			0,00 0,13	1,26	1,90 2,50 2,85		5,00


Pik = 1+050,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.				91,87	91,92		91,96		91,92	91,88	91,72	
RZĘDNE KONS.				91,73	91,77 91,42		91,46		91,42 91,77	91,73		
RZĘDNE TEREN	91,81	91,83	91,88				91,83 91,83		91,76			91,66
ODLEGŁOŚCI	-5,00	-3,97	-3,15	-2,51	-1,90		-0,07 0,00		1,28	1,90	2,50 2,73	5,00


Pik = 1+075,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.	91,73	91,16	91,16	91,76	91,81		91,84		91,88	91,89	91,60	
RZĘDNE KONS.				91,61	91,66 91,31		91,34		91,38 91,73	91,74		
RZĘDNE TEREN	91,72	91,73	91,76				91,70 91,70		91,66			91,54
ODLEGŁOŚCI	-5,00	-4,65 -4,33	-3,80 -3,53 -3,40	-2,50	-1,90		-0,25 0,00		1,03	1,90	2,50 2,94	5,00


Pik = 1+100,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.	91,77	91,22	91,22	91,82	91,87	91,91	91,94	91,96	91,65
RZĘDNE KONS.				91,67	91,72 91,57	91,41	91,44 91,79	91,81	
RZĘDNE TEREN	91,77	91,78	91,80			91,75 91,75	91,70		91,59
ODLEGŁOŚCI	-5,00	-4,63	-4,02 -3,80 -3,40 -3,15	-2,50	-1,90	-0,07 0,00	1,45 1,90	2,50	2,95 5,00


Pik = 1+125,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.	91,90	91,33	91,33	91,93	91,98	92,02	92,06	92,07	91,82
RZĘDNE KONS.				91,78	91,83 91,48	91,52	91,56 91,91	91,92	
RZĘDNE TEREN	91,89	91,91		91,93		91,90 91,89	91,84		91,77
ODLEGŁOŚCI	-5,00	-4,64	-3,80 -3,58 -3,40	-2,58 -2,50	-1,90	0,00 0,31	1,90 2,05 2,50	2,88	5,00


Pik = 1+150,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.	91,91	91,37	91,37	91,97	92,01	92,05	92,09	92,10	91,82
RZĘDNE KONS.				91,82	91,86 91,51	91,55	91,59 91,94	91,95	
RZĘDNE TEREN	91,90		91,93		91,94	91,91		91,83	91,77
ODLEGŁOŚCI	-5,00 -4,61	-3,80 -3,40 -3,17		-2,50 -2,09 -1,90		0,00	0,75	1,90 2,46 2,50 2,92	5,00


Pik = 1+175,00
Skala 1:100/100



P.P. = 88,00

RZĘDNE PROJ.	9169	9108	9108	9168	9173	9177	9180	9182	9158
RZĘDNE KONS.				9153	9158 9123	9127	9130 9165	9167	
RZĘDNE TEREN	9169			9170	9169	9166	9164	9158	9153
ODLEGŁOŚCI	-5,00 -4,72	-3,80 -3,40		-2,62 -2,50	-1,90 -1,63	0,00	1,21	1,90 2,50 2,66 2,86	5,00


Pik = 1+200,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	91,34	90,78	90,78	91,38	91,43	91,47	91,51	91,52	91,38
RZĘDNE KONS.				91,23	91,28	90,97	91,01	91,36	91,37
RZĘDNE TEREN	91,34				91,35	91,31	91,28		91,39
ODLEGŁOŚCI	-5,00	-4,64	-3,80	-3,40	-2,50	-2,03	-1,90	-1,28	0,00


Pik = 1+225,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	91,22	90,69	90,69	91,29	91,34	91,38	91,42	91,43	91,20
RZĘDNE KONS.				91,14	91,19	90,88	90,92	91,27	91,28
RZĘDNE TEREN	91,22				91,24	91,22	91,21	91,18	91,22
ODLEGŁOŚCI	-5,00	-4,59	-3,80	-3,40	-2,50	-1,90	-1,32	-0,59	0,00


Pik = 1+250,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	91,13	90,63	90,63	91,23	91,28	91,31	91,35	91,36	91,13
RZĘDNE KONS.				91,08	91,13	90,81	90,85	91,20	91,21
RZĘDNE TEREN	91,13					91,16		91,14	91,11
ODLEGŁOŚCI	-5,00	-4,56	-3,80	-3,40	-2,50	-1,90	-0,94	-0,13	0,00


Pik = 1+275,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	91,09	90,56	90,56	91,16	91,21	91,25	91,29	91,30	91,08
RZĘDNE KONS.				91,01	91,06	90,75	90,79	91,14	91,15
RZĘDNE TEREN	91,09					91,10		91,11	91,11
ODLEGŁOŚCI	-5,00	-4,59	-3,80	-3,40	-2,50	-1,90	-0,62	0,00	0,36


Pik = 1+300,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	91,05	90,50	90,50	91,10	91,15	91,18	91,22	91,23	91,10										
RZĘDNE KONS.				90,95	91,00	90,65	90,68	90,72	91,07	91,08									
RZĘDNE TEREN	91,04						91,12	91,12						91,10			91,02	91,00	
ODLEGŁOŚCI	-5,00	-4,62	-3,80	-3,40	-2,50	-1,90	-0,28	0,00	0,55	1,90	2,50	2,70	3,22	4,19	5,00				


Pik = 1+325,00
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	90,96	90,43	90,43	91,03	91,08	91,12	91,16	91,17	90,95										
RZĘDNE KONS.				90,88	90,93	90,58	90,62	90,66	91,01	91,02									
RZĘDNE TEREN	90,96			90,99			91,02	91,02					90,94			90,90	90,89		
ODLEGŁOŚCI	-5,00	-4,60	-3,80	-3,40	-2,50	-2,25	-1,90	-0,22	0,00	0,53	1,90	2,50	2,83	3,25	4,20	5,00			


Pik = 1+356,20
Skala 1:100/100



P.P. = 87,00

RZĘDNE PROJ.	90,86	90,39	90,39	90,99	91,04	91,08	91,11	91,13	90,91						
RZĘDNE KONS.				90,84	90,89	90,58	90,61	90,96	90,98						
RZĘDNE TEREN	90,85					90,92				90,91	90,87	90,85			
ODLEGŁOŚCI	-5,00	-4,50	-3,80	-3,40	-2,50	-1,90	-0,19	0,00	0,71	1,90	2,50	2,82	3,40	4,36	5,00

Pik = 1+359,20
Skala 1:100/100




P.P. = 87,00

RZĘDNE PROJ.		90,90	90,99	91,04	91,09	91,05	91,00	90,94				
RZĘDNE KONS.		90,84	90,89	90,54	90,59	90,55	90,90	90,85				
RZĘDNE TEREN	90,87				90,95	90,96			90,93	90,88	90,87	
ODLEGŁOŚCI	-5,00	-3,39	-3,25	-2,65	0,00	0,71	1,90	2,50	3,52	4,47	5,00	

Pik = 1+375,00
Skala 1:100/100

P.P. = 87,00



Pik = 1+391,02
Skala 1:100/100

P.P. = 88,00

