

Architectural drawing showing a curved concrete structure, likely a foundation or retaining wall, with reinforcement details. The structure is composed of concrete blocks (ŚCIANA Z BŁOCKÓW BETONOWYCH) and a central beam (BELKA B-1).

Reinforcement details include:

- ③ $\varnothing 10$ co 25cm (Stirrups)
- ⑦ $\varnothing 10$ co 15cm (Longitudinal bars)
- ⑧ $\varnothing 10$ co 15cm (Longitudinal bars)
- ⑩ $\varnothing 10$ L=160cm - 4szt (Longitudinal bars)

Dimensions and labels:

- Labels: 1, 2, 3, 7, 8, 9, 10
- Dimensions: 10, 40, 10, 230, 10, 10, 25, 10, 180, 10, 25, 10, 100, 83.06, 100, 200
- Labels: ŚCIANA Z BŁOCKÓW BETONOWYCH, BELKA B-1

NR	PRZEKRÓJ		DŁUGOŚĆ m	ILOŚĆ szt.	DŁ. ŁĄCZNA m		
	A-0 Ø	34GS Ø			A-0 Ø6	34GS Ø10	Ø16
1	10	15,60	16		249,60		
2	10	13,80	16		220,80		
3	10	2,90	110		319,00		
4	10	188,70	4		754,80		
5	10	2,40	48		115,20		
6	10	4,60	24		110,40		
7	10	3,96	20		79,20		
8	10	4,66	20		93,20		
9	10	3,35	40		134,00		
10	10	1,60	16		25,60		
11	16	2,50	12				30,00
12	6	0,84	48	40,32			
13	10	1,10	112		123,20		
RAZEM			m	40,32	2225,00		30,00
MASA 1m			kg	0,23	0,62		1,58
MASA wg Ø			kg	9,27	1379,50		47,40
MASA OGÓŁEM			kg		1436,17		

Biuro Projektów Inżynierskich Sp. z o.o. 12-100 Szczecino ul. B. Chrobrego 1 tel. 503-153-643	Rozbudowa, przebudowa i częściowa rozbiórka budynku stacji uzdatniania wody w Szymanach oraz budowa 3 zbiorników do magazynowania wody		Nr rys. K-6
	Przedmiot rysunku: Fundament pod zbiorniki		skala: 1:25
	Inwestor: Gmina Szczecino, 12-100 Szczecino, Łomżyńska 3		data: 27.02.2023
	Stanowisko	Imię i nazwisko	numer uprawnień
Projektant	mgr inż. Adam Wardecki	WAM/0188/ZHOK/18	
Sprawdzający	mgr inż. Kamil Kirwiewski	WAM/0163/POOK/18	

