

Temat: Warzymice, rejon ul. Turkusowej - Wrzosowej

Obliczenie wytrzymałości na ścinanie T_{max}
dla warstwy geotechnicznej III

Wartość normowa T_{max} **109,964**

Współczynnik materiałowy 1- 0,056346422

Wartość obliczeniowa T_{max} **98,968**

Nr otworu	Głębokość badania	Wartość T_{max}	$T_{max} - T_{max(n)}$	$(T_{max} - T_{max(n)})^2$
1	4,0	105	-4,96428571	24,64413265
1	4,5	112	2,03571429	4,14413265
1	2,5	116	6,03571429	36,42984694
6	3,0	105	-4,96428571	24,64413265
6	3,5	105	-4,96428571	24,64413265
7	4,0	105	-4,96428571	24,64413265
7	3,5	112	2,03571429	4,14413265
12	4,0	99	-10,96428571	120,21556122
15	0,5	99	-10,96428571	120,21556122
15	1,0	105	-4,96428571	24,64413265
15	1,5	105	-4,96428571	24,64413265
15	2,0	105	-4,96428571	24,64413265
15	2,5	112	2,03571429	4,14413265
15	3,0	112	2,03571429	4,14413265
15	3,5	116	6,03571429	36,42984694
15	4,0	112	2,03571429	4,14413265
15	4,5	112	2,03571429	4,14413265
15	5,0	116	6,03571429	36,42984694
15	5,5	116	6,03571429	36,42984694
15	6,0	119	9,03571429	81,64413265
15	6,5	119	9,03571429	81,64413265
15	7,0	119	9,03571429	81,64413265
18	1,0	99	-10,96428571	120,21556122
18	1,5	105	-4,96428571	24,64413265
18	2,0	105	-4,96428571	24,64413265
19	1,1	112	2,03571429	4,14413265
19	1,5	116	6,03571429	36,42984694
19	2,0	116	6,03571429	36,42984694
Razem		3079		1074,96428571
Ilość badań	28			