


















































































































Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									<div>MKT</div>	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				1 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Szczegół "o1"	46	<div><div>335</div></div>	-	12	335.0	-	4	13.4	11.9	Σ= 17.7
	70	<div><div>230</div></div>	-	12	230.0	-	2	4.6	4.1	
	164	<div><div>110</div></div>	-	8	110.0	-	4	4.4	1.7	
Szczegół "o2"	46	<div><div>335</div></div>	-	12	335.0	-	4	13.4	11.9	Σ= 16.0
	87	<div><div>161</div><div>19</div></div>	-	12	180.0	-	2	3.6	3.2	
	164	<div><div>110</div></div>	-	8	110.0	-	2	2.2	0.9	
Szczegół "p1"	81	<div><div>190</div></div>	-	12	190.0	-	4	7.6	6.7	Σ= 9.2
	118	<div><div>121</div><div>19</div></div>	-	12	140.0	-	2	2.8	2.5	
Szczegół "p2"	103	<div><div>139</div><div>11</div></div>	-	12	150.0	-	4	6.0	5.3	Σ= 5.3
Szczegół "p3"	109	<div><div>145</div></div>	-	12	145.0	-	4	5.8	5.1	Σ= 9.8
	126	<div><div>119</div><div>11</div></div>	-	12	130.0	-	4	5.2	4.6	
Szczegół "p4"	75	<div><div>210</div></div>	-	12	210.0	-	4	8.4	7.5	Σ= 23.8
	101	<div><div>155</div></div>	-	12	155.0	-	2	3.1	2.8	
	124	<div><div>60</div><div>14</div></div>	-	12	134.0	-	8	10.7	9.5	
	133	<div><div>79</div><div>11</div></div>	-	12	90.0	-	4	3.6	3.2	
	164	<div><div>110</div></div>	-	8	110.0	-	2	2.2	0.9	
Szczegół "p5" szt. 4	79	<div><div>200</div></div>	-	12	200.0	4	16	32.0	28.4	Σ= 51.1
	99	<div><div>160</div></div>	-	12	160.0	4	16	25.6	22.7	
MSZ-PW-K08-ark.2_spec <div><div></div>Adelante Solutions © 2014 - 2022</div>										























Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				2 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.		na S el.	L
1	2	3	4	5	6	7	8	9	10	11
Szczegół "p6"	3		-	16	330.0	-	4	13.2	20.8	Σ= 66.9
	47		-	12	330.0	-	2	6.6	5.9	
	51		-	12	290.0	-	2	5.8	5.1	
	92		-	12	169.0	-	12	20.3	18.0	
	100		-	12	158.0	-	2	3.2	2.8	
	101		-	12	155.0	-	2	3.1	2.8	
	124		-	12	134.0	-	8	10.7	9.5	
	128		-	12	109.0	-	2	2.2	1.9	
Szczegół "p7"	82		-	12	184.0	-	2	3.7	3.3	Σ= 19.6
	89		-	12	178.0	-	2	3.6	3.2	
	119		-	12	139.0	-	2	2.8	2.5	
	122		-	12	135.0	-	2	2.7	2.4	
	129		-	12	105.0	-	8	8.4	7.5	
	164		-	8	110.0	-	2	2.2	0.9	
Szczegół "p8"	98		-	12	160.0	-	4	6.4	5.7	Σ= 8.9
	121		-	12	135.0	-	2	2.7	2.4	
	164		-	8	110.0	-	2	2.2	0.9	
Szczegół "p9"	79		-	12	200.0	-	4	8.0	7.1	Σ= 13.0
	115		-	12	142.0	-	4	5.7	5.0	
	164		-	8	110.0	-	2	2.2	0.9	
poz.+1 Ściana U0.Sc.01	26		-	12	504.0	-	3	15.1	13.4	Σ= 31.3
	41		-	12	370.0	-	3	11.1	9.9	
	50		-	12	300.0	-	3	9.0	8.0	
MSZ-PW-K08-ark.2_spec										
Adelante Solutions © 2014 - 2022										

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				3 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.+1 Ściana U0.Sc.01	139		-	10	504.0	-	6	30.2	18.6	Σ= 83.3
	147		-	10	273.0	-	25	68.3	42.1	
	148		-	10	255.0	-	4	10.2	6.3	
	150		-	10	239.0	-	4	9.6	5.9	
	155		-	10	169.0	-	5	8.5	5.2	
	158		-	10	139.0	-	6	8.3	5.1	
poz.+1 Ściana U1.Sc.02	134		-	10	728.0	-	16	116.5	71.8	Σ= 407.4
	137		-	10	628.0	-	22	138.2	85.2	
	144		-	10	388.0	-	84	325.9	200.9	
	153		-	10	176.0	-	10	17.6	10.9	
	157		-	10	144.0	-	19	27.4	16.9	
	159		-	10	134.0	-	19	25.5	15.7	
	162		-	10	89.0	-	11	9.8	6.0	
poz.+1 Ściana U1.Sc.03	135		-	10	691.0	-	38	262.6	161.9	Σ= 405.0
	144		-	10	388.0	-	88	341.4	210.5	
	157		-	10	144.0	-	19	27.4	16.9	
	159		-	10	134.0	-	19	25.5	15.7	
poz.+1 Ściana U1.Sc.04	136		-	10	660.0	-	38	250.8	154.6	Σ= 418.2
	143		-	10	440.0	-	84	369.6	227.9	
	154		-	10	169.0	-	3	5.1	3.1	
	158		-	10	139.0	-	38	52.8	32.6	
MSZ-PW-K08-ark.2_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				4 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.+1 Ściana U1.Sc.12	143		-	10	440.0	-	46	202.4	124.8	Σ= 208.4
	145		-	10	357.0	-	38	135.7	83.6	
poz.+2 Ściana U0.Sc.01	26		-	12	504.0	-	3	15.1	13.4	Σ= 144.7
	41		-	12	370.0	-	3	11.1	9.9	
	50		-	12	300.0	-	3	9.0	8.0	
	139		-	10	504.0	-	14	70.6	43.5	
	146		-	10	303.0	-	31	93.9	57.9	
	158		-	10	139.0	-	14	19.5	12.0	
poz.+2 Ściana U1.Sc.04	136		-	10	660.0	-	36	237.6	146.5	Σ= 542.6
	138		-	10	532.5	-	84	447.3	275.8	
	142		-	10	465.5	-	18	83.8	51.7	
	151		-	10	238.0	-	14	33.3	20.5	
	152		-	10	187.0	-	1	1.9	1.2	
	158		-	10	139.0	-	54	75.1	46.3	
	161		-	10	119.0	-	1	1.2	0.7	
poz.+2 Ściana U1.Sc.12	140		-	10	479.5	-	46	220.6	136.0	Σ= 239.6
	145		-	10	357.0	-	40	142.8	88.0	
	149		-	10	239.5	-	10	24.0	14.8	
	160		-	10	131.0	-	1	1.3	0.8	
poz.0 Ściana U0.Sc.01	26		-	12	504.0	-	13	65.5	58.2	Σ= 76.0
	41		-	12	370.0	-	3	11.1	9.9	
	50		-	12	300.0	-	3	9.0	8.0	
MSZ-PW-K08-ark.2_spec									 Adelante Solutions © 2014 - 2022	

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT		
Treść rys.: Zbrojenie ścian oznaczonych											
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				5 / 12		
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]	
			A-0	A-IIIIN		I	na 1 el.				na S el.
1	2	3	4	5	6	7	8	9	10	11	
poz.0 Ściana U0.Sc.01	53		-	12	283.0	-	31	87.7	77.9	93.0 Σ=	
	119		-	12	139.0	-	11	15.3	13.6		
	166		4.5	-	28.0	-	43	12.0	1.5		
poz.0 Ściana U1.Sc.01	13		-	12	792.0	-	40	316.8	281.3	723.6 Σ=	
	27		-	12	500.0	-	2	10.0	8.9		
	36		-	12	419.0	-	92	385.5	342.2		
	45		-	12	343.0	-	10	34.3	30.5		
	91		-	12	177.0	-	5	8.9	7.9		
	111		-	12	144.0	-	20	28.8	25.6		
	124		-	12	134.0	-	20	26.8	23.8		
	167		4.5	-	23.0	-	123	28.3	3.5		
poz.0 Ściana U1.Sc.02	15		-	12	728.0	-	18	131.0	116.3	669.2 Σ=	
	32		-	12	475.0	-	70	332.5	295.2		
	36		-	12	419.0	-	10	41.9	37.2		
	37		-	12	400.0	-	24	96.0	85.2		
	62		-	12	250.0	-	14	35.0	31.1		
	67		-	12	239.0	-	24	57.4	50.9		
	104		-	12	150.0	-	2	3.0	2.7		
	110		-	12	144.0	-	20	28.8	25.6		
	124		-	12	134.0	-	21	28.1	25.0		
poz.0 Ściana U1.Sc.03	18		-	12	691.0	-	40	276.4	245.4	642.1 Σ=	
	32		-	12	475.0	-	88	418.0	371.1		
	110		-	12	144.0	-	20	28.8	25.6		
MSZ-PW-K08-ark.2_spec											 Adelante Solutions © 2014 - 2022

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				6 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.0 Ściana U1.Sc.03	124		-	12	134.0	-	20	26.8	23.8	Σ= 23.8
poz.0 Ściana U1.Sc.04	20		-	12	660.0	-	42	277.2	246.1	Σ= 670.6
	24		-	12	555.0	-	4	22.2	19.7	
	32		-	12	475.0	-	78	370.5	328.9	
	43		-	12	366.0	-	8	29.3	26.0	
	119		-	12	139.0	-	39	54.2	48.1	
	164		-	8	110.0	-	4	4.4	1.7	
poz.0 Ściana U1.Sc.12	32		-	12	475.0	-	46	218.5	194.0	Σ= 320.8
	44		-	12	357.0	-	40	142.8	126.8	
poz.-1 Ściana U1.Sc.01	13		-	12	792.0	-	16	126.7	112.5	Σ= 467.4
	14		-	12	732.0	-	8	58.6	52.0	
	49		-	12	310.0	-	94	291.4	258.7	
	76		-	12	210.0	-	6	12.6	11.2	
	111		-	12	144.0	-	12	17.3	15.3	
	124		-	12	134.0	-	12	16.1	14.3	
	132		-	12	95.0	-	4	3.8	3.4	
poz.-1 Ściana U1.Sc.02	15		-	12	728.0	-	16	116.5	103.4	Σ= 160.6
	33		-	12	470.0	-	2	9.4	8.3	
	40		-	12	375.0	-	8	30.0	26.6	
	48		-	12	312.0	-	8	25.0	22.2	
MSZ-PW-K08-ark.2_spec									 Adelante Solutions © 2014 - 2022	

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				7 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.-1 Ściana U1.Sc.02	49		-	12	310.0	-	74	229.4	203.7	Σ= 276.3
	60		-	12	258.0	-	14	36.1	32.1	
	93		-	12	168.0	-	4	6.7	6.0	
	110		-	12	144.0	-	12	17.3	15.3	
	124		-	12	134.0	-	12	16.1	14.3	
	167		4.5	-	23.0	-	174	40.0	5.0	
poz.-1 Ściana U1.Sc.03	18		-	12	691.0	-	8	55.3	49.1	Σ= 383.1
	29		-	12	482.0	-	8	38.6	34.2	
	30		-	12	480.0	-	8	38.4	34.1	
	32		-	12	475.0	-	2	9.5	8.4	
	49		-	12	310.0	-	66	204.6	181.6	
	85		-	12	182.0	-	8	14.6	12.9	
	102		-	12	153.0	-	20	30.6	27.2	
	110		-	12	144.0	-	8	11.5	10.2	
	117		-	12	141.0	-	2	2.8	2.5	
	124		-	12	134.0	-	12	16.1	14.3	
	130	Kształt wg rysunku	-	12	102.0	-	4	4.1	3.6	
	167		4.5	-	23.0	-	171	39.3	4.9	
poz.-1 Ściana U1.Sc.04	6		-	16	210.0	-	2	4.2	6.6	Σ= 358.6
	20		-	12	660.0	-	16	105.6	93.8	
	28		-	12	495.0	-	10	49.5	43.9	
	49		-	12	310.0	-	64	198.4	176.1	
	74		-	12	215.0	-	20	43.0	38.2	

MSZ-PW-K08-ark.2_spec

Adelante Solutions © 2014 - 2022

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				8 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.-1 Ściana U1.Sc.04	119		-	12	139.0	-	25	34.8	30.9	Σ= 39.7
	166		4.5	-	28.0	-	252	70.6	8.8	
poz.-1 Ściana U1.Sc.05	52		-	12	283.0	-	36	101.9	90.5	Σ= 169.2
	59		-	12	261.0	-	28	73.1	64.9	
	156		-	10	155.0	-	14	21.7	13.4	
	166		4.5	-	28.0	-	14	3.9	0.5	
poz.-1 Ściana U1.Sc.06	59		-	12	261.0	-	6	15.7	13.9	Σ= 135.7
	63		-	12	246.0	-	16	39.4	34.9	
	64		-	12	244.0	-	16	39.0	34.7	
	65		-	12	243.0	-	24	58.3	51.8	
	166		4.5	-	28.0	-	11	3.1	0.4	
poz.-1 Ściana U1.Sc.07	25		-	12	530.0	-	18	95.4	84.7	Σ= 390.6
	35		-	12	430.0	-	18	77.4	68.7	
	54		-	12	271.0	-	9	24.4	21.7	
	55		-	12	271.0	-	9	24.4	21.7	
	61		-	12	252.0	-	8	20.2	17.9	
	65		-	12	243.0	-	56	136.1	120.8	
	68		-	12	237.0	-	6	14.2	12.6	
	72		-	12	222.0	-	6	13.3	11.8	
	78		-	12	207.0	-	6	12.4	11.0	
	80		-	12	192.0	-	6	11.5	10.2	
	90		-	12	177.0	-	6	10.6	9.4	

MSZ-PW-K08-ark.2_spec


Adelante Solutions © 2014 - 2022





Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				9 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.-1 Ściana U1.Sc.07	94		-	12	166.0	-	5	8.3	7.4	Σ= 45.6
	95		-	12	166.0	-	5	8.3	7.4	
	97		-	12	162.0	-	6	9.7	8.6	
	108		-	12	148.0	-	16	23.7	21.0	
	166		4.5	-	28.0	-	25	7.0	0.9	
	167		4.5	-	23.0	-	11	2.5	0.3	
poz.-1 Ściana U1.Sc.08	19		-	12	684.0	-	22	150.5	133.6	Σ= 331.5
	22		-	12	615.0	-	2	12.3	10.9	
	42		-	12	370.0	-	2	7.4	6.6	
	84		-	12	182.5	-	90	164.3	145.8	
	113		-	12	143.0	-	14	20.0	17.8	
	114		-	12	143.0	-	11	15.7	14.0	
	127		-	12	115.0	-	2	2.3	2.0	
	167		4.5	-	23.0	-	29	6.7	0.8	
poz.-1 Ściana U1.Sc.09	17		-	12	705.0	-	18	126.9	112.7	Σ= 412.9
	23		-	12	605.0	-	18	108.9	96.7	
	65		-	12	243.0	-	84	204.1	181.2	
	107		-	12	148.0	-	16	23.7	21.0	
	166		4.5	-	28.0	-	38	10.6	1.3	
poz.-1 Ściana U1.Sc.10	10		-	12	1113.0	-	8	89.0	79.1	Σ= 248.6
	11		-	12	1013.0	-	8	81.0	71.9	
	12		-	12	913.0	-	1	9.1	8.1	
	16		-	12	720.0	-	14	100.8	89.5	
MSZ-PW-K08-ark.2_spec									Adelante Solutions © 2014 - 2022	

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				10 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.-1 Ściana U1.Sc.10	31		-	12	476.0	-	9	42.8	38.0	Σ= 793.4
	34		-	12	450.0	-	28	126.0	111.9	
	38		-	12	385.0	-	2	7.7	6.8	
	39		-	12	376.0	-	9	33.8	30.0	
	65		-	12	243.0	-	92	223.6	198.5	
	69		-	12	231.0	-	42	97.0	86.1	
	71		-	12	226.0	-	62	140.1	124.4	
	77		-	12	208.0	-	24	49.9	44.3	
	86		-	12	180.0	-	29	52.2	46.3	
	88		-	12	179.0	-	29	51.9	46.1	
	106		-	12	148.0	-	14	20.7	18.4	
	112		-	12	143.0	-	16	22.9	20.3	
	123		-	12	135.0	-	2	2.7	2.4	
	125		-	12	133.0	-	14	18.6	16.5	
	165		4.5	-	37.0	-	20	7.4	0.9	
166		4.5	-	28.0	-	38	10.6	1.3		
167		4.5	-	23.0	-	34	7.8	1.0		
poz.-1 Ściana U1.Sc.11	1		-	16	1200.0	-	4	48.0	75.8	Σ= 716.8
	2		-	16	1145.0	-	6	68.7	108.4	
	7		-	16	189.0	-	2	3.8	6.0	
	8		-	16	179.0	-	8	14.3	22.6	
	9		-	12	1200.0	-	14	168.0	149.2	
	58		-	12	263.0	-	152	399.8	354.9	

MSZ-PW-K08-ark.2_spec

Adelante Solutions © 2014 - 2022

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie									MKT	
Treść rys.: Zbrojenie ścian oznaczonych										
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2				11 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
poz.-1 Ściana U1.Sc.11	83		-	12	183.0	-	6	11.0	9.7	Σ= 73.4
	105		-	12	149.0	-	7	10.4	9.3	
	119		-	12	139.0	-	7	9.7	8.6	
	131	Kształt wg rysunku	-	12	98.0	-	3	2.9	2.6	
	141		-	10	469.0	-	14	65.7	40.5	
	166		4.5	-	28.0	-	75	21.0	2.6	
poz.-1 Ściana U1.Sc.12	21		-	12	648.0	-	12	77.8	69.0	Σ= 301.4
	44		-	12	357.0	-	12	42.8	38.0	
	49		-	12	310.0	-	46	142.6	126.6	
	120		-	12	139.0	-	40	55.6	49.4	
	124		-	12	134.0	-	12	16.1	14.3	
	167		4.5	-	23.0	-	143	32.9	4.1	
poz.-1 Ściana U1.Sc.13	66		-	12	242.0	-	12	29.0	25.8	Σ= 56.0
	116		-	12	141.0	-	24	33.8	30.0	
	166		4.5	-	28.0	-	6	1.7	0.2	
poz.-1 Ściana U1.Sc.14	56		-	12	270.0	-	11	29.7	26.4	Σ= 108.0
	57		-	12	269.0	-	11	29.6	26.3	
	73		-	12	218.0	-	10	21.8	19.4	
	96		-	12	163.0	-	10	16.3	14.5	
	103		-	12	150.0	-	16	24.0	21.3	
	167		4.5	-	23.0	-	9	2.1	0.3	
MSZ-PW-K08-ark.2_spec						 Adelante Solutions © 2014 - 2022				

Obiekt: Centrum Aktywności Lokalnej w Mszczonowie										MKT	
Treść rys.: Zbrojenie ścian oznaczonych											
2022-08-31		SPECYFIKACJA DO RYSUNKU NR:			MSZ-PW-K08-ark.2					12 / 12	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	F	F	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]	
			A-0	A-IIIIN		I	na 1 el.				na S el.
1	2	3	4	5	6	7	8	9	10	11	
Słup "SI-1.1" szt. 7	4		-	16	290.0	4	28	81.2	128.2	Σ= 185.4	
	163		-	8	122.0	17	119	145.2	57.3		
Słup "SI-1.2"	5		-	16	270.0	-	4	10.8	17.0	Σ= 24.7	
	163		-	8	122.0	-	16	19.5	7.7		