



ZESTAWIENIE STAL ZBROJENIOWEJ									
POZ.	NR PRCJA	ø [mm]	DŁUGOŚĆ [m]	PRĘTOWN. x POZ.	IŁOŚĆ RAZEM	Dł. ŁĄCZNA [m]			
						A-I	A-III	ø12	ø16
Tłpienie 1.0.4 – 1 szt.									
Tłz.	1	12	5,134	8	1	8			41.07
	2	6	2.013	28	1	28	56.36		
	3	6	1.772	28	1	28	49.62		
Tłpienie 1.0.5 – 4 szt.									
Tłz.	1	16	5,460	4	4	16			87.36
	2	6	0.853	28	4	112	95.54		
Tłpienie 1.0.6 – 4 szt.									
Tłz.	1	16	5,198	4	4	16			83.17
	2	6	0.853	28	4	112	95.54		
Tłpienie 1.0.7 – 1 szt.									
Tłz.	1	12	4,838	4	1	4			19.35
	2	6	0.853	27	1	27	23.03		
DŁUGOŚĆ RAZEM [m]									
						320.08	60.42	170.53	
MASA JEDNOSTKOWA [kg/m]									
						0.222	0.888	1.578	
MASA [kg]									
						53.66	269.09		
MASA CAŁKOWITA [kg]									
						393.81			

**BETON:** K1, Ekspozycja KCl  
C25/30 W6, słupy, izoplemie partuu  
C25/30 słupy, schody, białki

**STAL, ZBRÓJENIOWA:**  
A-IIIINB030SP - węzła główne i szeregowa  
A-III(S335-K)-części szeregowa

**OTULENIE ZBRÓJENIA:**  
2,5cm-słupy, schody  
3cm-izoplemie, słupy, białki

[illegible]