

Współrzędne linii trasowania narastająco co 10m

Nazwa linii trasowania: Obrzeże wewnętrzne

Opis: Krawędź obrzeża od strony bieżni - wg rys. 4

Zakres pikiety: początek: 0+000,00, koniec: 0+397,17

Przyrost pikiety: 10,00m

Pikieta	Wsp. północna	Wsp. wschodnia
0+000,00	5 790 414,22m	6 507 136,24m
0+010,00	5 790 404,72m	6 507 139,24m
0+020,00	5 790 396,38m	6 507 144,71m
0+030,00	5 790 389,85m	6 507 152,24m
0+040,00	5 790 385,61m	6 507 161,26m
0+050,00	5 790 383,97m	6 507 171,10m
0+060,00	5 790 385,07m	6 507 181,01m
0+070,00	5 790 388,82m	6 507 190,24m
0+080,00	5 790 394,94m	6 507 198,11m
0+090,00	5 790 402,97m	6 507 204,02m
0+100,00	5 790 412,30m	6 507 207,53m
0+110,00	5 790 422,23m	6 507 208,38m
0+120,00	5 790 432,12m	6 507 206,94m
0+130,00	5 790 441,98m	6 507 205,27m
0+140,00	5 790 451,84m	6 507 203,59m
0+150,00	5 790 461,70m	6 507 201,92m
0+160,00	5 790 471,56m	6 507 200,24m
0+170,00	5 790 481,41m	6 507 198,57m
0+180,00	5 790 491,27m	6 507 196,89m
0+190,00	5 790 501,13m	6 507 195,22m
0+200,00	5 790 510,99m	6 507 193,51m
0+210,00	5 790 520,37m	6 507 190,14m
0+220,00	5 790 528,48m	6 507 184,35m
0+230,00	5 790 534,72m	6 507 176,58m
0+240,00	5 790 538,61m	6 507 167,40m
0+250,00	5 790 539,86m	6 507 157,51m
0+260,00	5 790 538,37m	6 507 147,65m
0+270,00	5 790 534,26m	6 507 138,57m
0+280,00	5 790 527,84m	6 507 130,94m
0+290,00	5 790 519,60m	6 507 125,34m
0+300,00	5 790 510,14m	6 507 122,20m
0+310,00	5 790 500,18m	6 507 121,74m
0+320,00	5 790 490,30m	6 507 123,31m
0+330,00	5 790 480,44m	6 507 124,99m
0+340,00	5 790 470,59m	6 507 126,66m
0+350,00	5 790 460,73m	6 507 128,34m
0+360,00	5 790 450,87m	6 507 130,01m
0+370,00	5 790 441,01m	6 507 131,69m
0+380,00	5 790 431,15m	6 507 133,37m
0+390,00	5 790 421,29m	6 507 135,04m
0+397,17	5 790 414,22m	6 507 136,24m

Nazwa linii trasowania: Obrzeże zewnętrzne

Opis: Krawędź obrzeża od strony bieżni - wg rys. 4

Zakres pikiety: początek: 0+000,00, koniec: 0+447,34

Przyrost pikiety: 10,00

Pikieta	Wsp. północna	Wsp. wschodnia
0+000,00	5 790 391,26m	6 507 132,46m
0+010,00	5 790 391,81m	6 507 141,94m
0+020,00	5 790 385,44m	6 507 149,61m
0+030,00	5 790 381,09m	6 507 158,59m
0+040,00	5 790 379,00m	6 507 168,34m
0+050,00	5 790 379,30m	6 507 178,31m
0+060,00	5 790 381,98m	6 507 187,92m
0+070,00	5 790 386,87m	6 507 196,62m
0+080,00	5 790 393,69m	6 507 203,89m
0+090,00	5 790 402,06m	6 507 209,33m
0+100,00	5 790 411,48m	6 507 212,61m
0+110,00	5 790 421,41m	6 507 213,54m
0+120,00	5 790 431,32m	6 507 212,28m
0+130,00	5 790 441,18m	6 507 210,61m
0+140,00	5 790 451,04m	6 507 208,93m
0+150,00	5 790 460,90m	6 507 207,26m
0+160,00	5 790 470,76m	6 507 205,58m
0+170,00	5 790 480,62m	6 507 203,91m
0+180,00	5 790 490,47m	6 507 202,23m
0+190,00	5 790 500,33m	6 507 200,56m
0+200,00	5 790 510,19m	6 507 198,88m
0+210,00	5 790 519,77m	6 507 196,10m
0+220,00	5 790 528,41m	6 507 191,11m
0+230,00	5 790 535,61m	6 507 184,21m
0+240,00	5 790 540,95m	6 507 175,78m
0+250,00	5 790 544,13m	6 507 166,33m
0+260,00	5 790 544,96m	6 507 156,39m
0+270,00	5 790 543,39m	6 507 146,53m
0+280,00	5 790 539,51m	6 507 137,34m
0+290,00	5 790 533,55m	6 507 129,34m
0+300,00	5 790 525,86m	6 507 123,00m
0+310,00	5 790 523,93m	6 507 113,30m
0+320,00	5 790 516,80m	6 507 111,13m
0+330,00	5 790 506,94m	6 507 112,81m
0+340,00	5 790 497,08m	6 507 114,48m
0+350,00	5 790 487,22m	6 507 116,16m
0+360,00	5 790 477,37m	6 507 117,83m
0+370,00	5 790 467,51m	6 507 119,51m
0+380,00	5 790 457,65m	6 507 121,18m
0+390,00	5 790 447,79m	6 507 122,86m
0+400,00	5 790 437,93m	6 507 124,53m
0+410,00	5 790 428,07m	6 507 126,21m
0+420,00	5 790 418,21m	6 507 127,88m
0+430,00	5 790 408,36m	6 507 129,56m

0+440,00	5 790 398,50m	6 507 131,23m
0+447,34	5 790 391,26m	6 507 132,46m

Nazwa linii trasowania: Oś

Opis: Oś podłużna docelowego boiska trawiastego

Zakres pikiety: początek: 0+000,00, koniec: 0+167,51

Przyrost pikiety: 10,00m

Pikieta	Wsp. północna	Wsp. wschodnia
0+000,00	5 790 544,48m	6 507 150,98m
0+010,00	5 790 534,62m	6 507 152,65m
0+020,00	5 790 524,76m	6 507 154,33m
0+030,00	5 790 514,90m	6 507 156,00m
0+040,00	5 790 505,05m	6 507 157,68m
0+050,00	5 790 495,19m	6 507 159,36m
0+060,00	5 790 485,33m	6 507 161,03m
0+070,00	5 790 475,47m	6 507 162,71m
0+080,00	5 790 465,61m	6 507 164,38m
0+090,00	5 790 455,75m	6 507 166,06m
0+100,00	5 790 445,89m	6 507 167,73m
0+110,00	5 790 436,03m	6 507 169,41m
0+120,00	5 790 426,18m	6 507 171,08m
0+130,00	5 790 416,32m	6 507 172,76m
0+140,00	5 790 406,46m	6 507 174,43m
0+150,00	5 790 396,60m	6 507 176,11m
0+160,00	5 790 386,74m	6 507 177,78m
0+167,51	5 790 379,34m	6 507 179,04m

Nazwa linii trasowania: Oś nominalna

Opis: Oś nominalna do sprawdzenia długości bieżni = 400m

Zakres pikiety: początek: 0+000,00, koniec: 0+400,00

Przyrost pikiety: 10,00m

Pikieta	Wsp. północna	Wsp. wschodnia
0+000,00	5 790 414,15m	6 507 135,80m
0+010,00	5 790 404,63m	6 507 138,78m
0+020,00	5 790 396,27m	6 507 144,21m
0+030,00	5 790 389,68m	6 507 151,69m
0+040,00	5 790 385,33m	6 507 160,66m
0+050,00	5 790 383,55m	6 507 170,47m
0+060,00	5 790 384,46m	6 507 180,39m
0+070,00	5 790 388,01m	6 507 189,71m
0+080,00	5 790 393,93m	6 507 197,73m
0+090,00	5 790 401,78m	6 507 203,87m
0+100,00	5 790 411,00m	6 507 207,68m

0+110,00	5 790 420,89m	6 507 208,87m
0+120,00	5 790 430,80m	6 507 207,62m
0+130,00	5 790 440,66m	6 507 205,95m
0+140,00	5 790 450,52m	6 507 204,27m
0+150,00	5 790 460,38m	6 507 202,60m
0+160,00	5 790 470,24m	6 507 200,92m
0+170,00	5 790 480,10m	6 507 199,25m
0+180,00	5 790 489,96m	6 507 197,57m
0+190,00	5 790 499,81m	6 507 195,90m
0+200,00	5 790 509,67m	6 507 194,22m
0+210,00	5 790 519,18m	6 507 191,24m
0+220,00	5 790 527,55m	6 507 185,81m
0+230,00	5 790 534,14m	6 507 178,33m
0+240,00	5 790 538,49m	6 507 169,36m
0+250,00	5 790 540,27m	6 507 159,55m
0+260,00	5 790 539,36m	6 507 149,63m
0+270,00	5 790 535,81m	6 507 140,31m
0+280,00	5 790 529,89m	6 507 132,29m
0+290,00	5 790 522,04m	6 507 126,15m
0+300,00	5 790 512,82m	6 507 122,34m
0+310,00	5 790 502,92m	6 507 121,15m
0+320,00	5 790 493,02m	6 507 122,40m
0+330,00	5 790 483,16m	6 507 124,07m
0+340,00	5 790 473,30m	6 507 125,75m
0+350,00	5 790 463,44m	6 507 127,42m
0+360,00	5 790 453,58m	6 507 129,10m
0+370,00	5 790 443,72m	6 507 130,77m
0+380,00	5 790 433,86m	6 507 132,45m
0+390,00	5 790 424,00m	6 507 134,12m
0+400,00	5 790 414,15m	6 507 135,80m