# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

*Last Updated: 24th of March 2023*

Columns

Show 100 entries

Show 250 entries

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|
| Intel Xeon W-1390P @ 3.50GHz | 25,451 | 3,591 | Desktop, Server |
| Intel Xeon W-1350P @ 4.00GHz | 20,032 | 3,557 | Server |
| Intel Xeon W-1370 @ 2.90GHz | 23,908 | 3,538 | Desktop, Server |
| Intel Xeon W-1370P @ 3.60GHz | 24,961 | 3,533 | Desktop, Server |
| Intel Xeon E-2388G @ 3.20GHz | 23,844 | 3,511 | Server |
| Intel Xeon W-1350 @ 3.30GHz | 19,015 | 3,494 | Server |
| Intel Xeon E-2378G @ 2.80GHz | 22,755 | 3,477 | Server |
| Intel Xeon W-1390 @ 2.80GHz | 23,902 | 3,414 | Server |
| Intel Xeon E-2356G @ 3.20GHz | 19,473 | 3,407 | Server |
| AMD Ryzen Threadripper PRO 5965WX | 66,337 | 3,358 | Desktop, Server |
| Intel Xeon W-11955M @ 2.60GHz | 23,013 | 3,349 | Laptop, Server |
| AMD Ryzen Threadripper PRO 5955WX | 49,585 | 3,347 | Desktop, Server |
| Intel Xeon E-2374G @ 3.70GHz | 13,860 | 3,347 | Server |
| AMD Ryzen Threadripper PRO 5945WX | 40,838 | 3,343 | Desktop, Server |
| Intel Xeon E-2386G @ 3.50GHz | 19,339 | 3,318 | Server |
| AMD Ryzen Threadripper PRO 5995WX | 96,318 | 3,314 | Desktop, Server |
| AMD Ryzen Threadripper PRO 5975WX | 76,434 | 3,313 | Desktop, Server |
| Intel Xeon W-11865MRE @ 2.60GHz | 23,702 | 3,310 | Server, Mobile/Embedded |
| Intel Xeon E-2378 @ 2.60GHz | 17,952 | 3,298 | Server |
| Intel Xeon W-11855M @ 3.20GHz | 18,351 | 3,278 | Laptop, Server |
| Intel Xeon E-2334 @ 3.40GHz | 13,189 | 3,244 | Server |
| Intel Xeon E-2324G @ 3.10GHz | 10,603 | 3,223 | Server |
| Intel Xeon E-2336 @ 2.90GHz | 16,673 | 3,209 | Server |
| Intel Xeon W-1290P @ 3.70GHz | 22,730 | 3,192 | Server |

| | CPU Name | CPU Mark - | Thread Mark - | |
|---|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD EPYC 72F3 | 27,252 | 3,070 | Server |
| Intel Xeon W-1270 @ 3.40GHz | 17,906 | 3,028 | Server |
| [Dual CPU] AMD EPYC 72F3 | 49,204 | 3,023 | Server |
| Intel Xeon W-1270E @ 3.40GHz | 18,635 | 2,990 | Server, Mobile/Embedded |
| AMD EPYC 9354P | 79,341 | 2,989 | Server |
| AMD EPYC 7443 | 51,764 | 2,987 | Server |
| [Dual CPU] AMD EPYC 74F3 | 95,545 | 2,983 | Server |
| [Dual CPU] AMD EPYC 7443 | 87,675 | 2,979 | Server |
| Intel Xeon W-1250P @ 4.10GHz | 14,440 | 2,978 | Desktop, Server |
| Intel Xeon W-1290T @ 1.90GHz | 18,409 | 2,974 | Server |
| Intel Xeon W-1250E @ 3.50GHz | 13,888 | 2,960 | Server |
| Intel Xeon E-2278G @ 3.40GHz | 16,964 | 2,958 | Server |
| AMD EPYC 7443P | 57,613 | 2,953 | Server |
| Intel Xeon E-2314 @ 2.80GHz | 8,256 | 2,949 | Server |
| AMD EPYC 74F3 | 60,587 | 2,939 | Server |
| [Dual CPU] AMD EPYC 9654 | 153,543 | 2,934 | Server |
| AMD EPYC 9654 | 126,045 | 2,926 | Server |
| [Dual CPU] AMD EPYC 7343 | 75,422 | 2,920 | Server |
| Intel Xeon E-2288G @ 3.70GHz | 17,418 | 2,913 | Server |
| AMD EPYC 73F3 | 46,085 | 2,878 | Server |
| Intel Xeon E-2234 @ 3.60GHz | 9,903 | 2,871 | Server |
| Intel Xeon E-2276G @ 3.80GHz | 13,803 | 2,856 | Server |
| Intel Xeon W-1250 @ 3.30GHz | 13,799 | 2,847 | Server |
| Intel Xeon E-2236 @ 3.40GHz | 14,214 | 2,841 | Server |
| Intel Xeon E-2286G @ 4.00GHz | 13,647 | 2,835 | Server |
| Intel Xeon W-2265 @ 3.50GHz | 26,052 | 2,829 | Server |
| Intel Xeon E-2246G @ 3.60GHz | 14,050 | 2,825 | Server |
| Intel Xeon E-2226G @ 3.40GHz | 11,073 | 2,821 | Server |
| Intel Xeon W-11865MLE @ 1.50GHz | 15,958 | 2,808 | Server, Mobile/Embedded |
| Intel Xeon W-1290E @ 3.50GHz | 18,786 | 2,806 | Server |
| Intel Xeon W-10885M @ 2.40GHz | 15,923 | 2,797 | Laptop, Server |
| Intel Xeon W-1270TE @ 2.00GHz | 13,553 | 2,796 | Server |
| Intel Xeon W-10855M @ 2.80GHz | 12,936 | 2,786 | Laptop, Server |
| Intel Xeon E-2274G @ 4.00GHz | 9,712 | 2,777 | Server |
| AMD EPYC 75F3 | 68,505 | 2,775 | Server |
| Intel Xeon E-2186G @ 3.80GHz | 13,940 | 2,771 | Server |
| [Dual CPU] AMD EPYC 7543 | 101,710 | 2,767 | Server |
| [Dual CPU] AMD EPYC 7313 | 66,230 | 2,746 | Server |
| Intel Xeon W-2245 @ 3.90GHz | 19,511 | 2,745 | Server |
| AMD EPYC 7713P | 83,439 | 2,742 | Server |
| Intel Xeon E-2176G @ 3.70GHz | 13,631 | 2,741 | Server |
| [Dual CPU] Intel Xeon Gold 6430 | 81,036 | 2,739 | Server |
| AMD EPYC 7543P | 67,081 | 2,738 | Server |
| AMD EPYC 7313P | 42,057 | 2,736 | Server |
| Intel Xeon E-2224G @ 3.50GHz | 7,637 | 2,735 | Server |
| [Dual CPU] AMD EPYC 7513 | 96,107 | 2,731 | Server |
| AMD EPYC 7V13 | 82,878 | 2,729 | Server |
| Intel Xeon W-2255 @ 3.70GHz | 22,228 | 2,724 | Desktop, Server |
| AMD EPYC 7713 | 85,165 | 2,721 | Server |
| Intel Xeon E-2124G @ 3.40GHz | 7,468 | 2,720 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz | 35,164 | 2,705 | Server |
| Intel Xeon Gold 6250 @ 3.90GHz | 20,915 | 2,703 | Server |
| AMD Ryzen Threadripper PRO 3945WX | 33,431 | 2,702 | Desktop, Server |
| Intel Xeon E-2136 @ 3.30GHz | 13,411 | 2,700 | Server |
| AMD EPYC 7643 | 76,455 | 2,695 | Server |
| Intel Xeon W-3275M @ 2.50GHz | 39,979 | 2,694 | Server |
| AMD EPYC 7343 | 44,930 | 2,692 | Server |
| [Dual CPU] AMD EPYC 7643 | 115,676 | 2,689 | Server |
| AMD Ryzen Threadripper PRO 3955WX | 40,283 | 2,689 | Desktop, Server |
| Intel Xeon W-2150B @ 3.00GHz | 20,430 | 2,684 | Server |
| [Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz | 76,542 | 2,681 | Server |
| Intel Xeon W-2235 @ 3.80GHz | 14,363 | 2,680 | Server |
| Intel Xeon E-2144G @ 3.60GHz | 9,322 | 2,679 | Server |
| [Dual CPU] AMD Ryzen Threadripper PRO 3975WX | 98,811 | 2,676 | Desktop, Server |
| Intel Xeon E-2146G @ 3.50GHz | 13,255 | 2,675 | Server |
| Intel Xeon E-2174G @ 3.80GHz | 9,652 | 2,674 | Server |
| [Dual CPU] AMD EPYC 73F3 | 65,909 | 2,671 | Server |
| Intel Xeon W-3335 @ 3.40GHz | 39,317 | 2,671 | Server |
| Intel Xeon W-3265M @ 2.70GHz | 32,025 | 2,669 | Desktop, Server |
| AMD Ryzen Threadripper PRO 3975WX | 62,862 | 2,668 | Desktop, Server |
| Intel Xeon Gold 6244 @ 3.60GHz | 19,500 | 2,664 | Server |
| Intel Xeon W-2295 @ 3.00GHz | 31,102 | 2,662 | Server |
| Intel Xeon W-3235 @ 3.30GHz | 26,063 | 2,660 | Server |
| Intel Xeon E-2126G @ 3.30GHz | 10,747 | 2,652 | Server |
| Intel Xeon W-2225 @ 4.10GHz | 10,685 | 2,651 | Server |
| [Dual CPU] AMD EPYC 7573X | 103,531 | 2,650 | Server |
| Intel Core i5-1140G7 @ 1.10GHz | 9,816 | 2,649 | Server |
| [Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz | 46,814 | 2,642 | Server |
| Intel Xeon E-2278GE @ 3.30GHz | 15,895 | 2,631 | Server |
| Intel Xeon W-3365 @ 2.70GHz | 59,038 | 2,625 | Server |
| Intel Xeon W-3345 @ 3.00GHz | 48,261 | 2,621 | Server |
| Intel Xeon W-3323 @ 3.50GHz | 25,875 | 2,617 | Desktop, Server |
| [Dual CPU] AMD EPYC 75F3 | 99,758 | 2,616 | Server |
| Intel Xeon W-2145 @ 3.70GHz | 18,069 | 2,606 | Server |
| AMD Ryzen Threadripper PRO 3995WX | 83,097 | 2,601 | Desktop, Server |
| Intel Xeon W-2155 @ 3.30GHz | 21,079 | 2,599 | Server |
| Intel Xeon W-3245M @ 3.20GHz | 27,503 | 2,596 | Server |
| [Dual CPU] AMD EPYC 7J13 | 119,134 | 2,594 | Server |
| Intel Xeon Gold 6334 @ 3.60GHz | 22,160 | 2,592 | Server |
| AMD EPYC 7453 | 50,209 | 2,581 | Server |
| Intel Xeon E3-1285 v6 @ 4.10GHz | 8,536 | 2,579 | Server |
| AMD EPYC 7763 | 85,944 | 2,576 | Server |
| Intel Xeon W-3265 @ 2.70GHz | 30,105 | 2,572 | Server |
| Intel Xeon E-2134 @ 3.50GHz | 8,960 | 2,571 | Server |
| [Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz | 33,310 | 2,568 | Server |
| Intel Xeon W-2125 @ 4.00GHz | 9,985 | 2,566 | Server |
| Intel Xeon W-2135 @ 3.70GHz | 14,196 | 2,566 | Server |
| AMD EPYC 7B13 | 77,460 | 2,564 | Server |
| AMD EPYC 7543 | 56,562 | 2,563 | Server |
| [Dual CPU] AMD Ryzen Threadripper PRO 3995WX | 113,693 | 2,559 | Desktop, Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz | 43,365 | 2,550 | Server |
| Intel Xeon W-2140B @ 3.20GHz | 17,293 | 2,548 | Server |
| Intel Xeon W-2191B @ 2.30GHz | 28,815 | 2,543 | Server |
| [Dual CPU] AMD EPYC 7763 | 118,977 | 2,542 | Server |
| [Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz | 34,029 | 2,538 | Server |
| [Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz | 71,846 | 2,534 | Server |
| Intel Xeon W-3245 @ 3.20GHz | 30,045 | 2,530 | Server |
| Intel Xeon Gold 6144 @ 3.50GHz | 18,656 | 2,523 | Server |
| Intel Xeon E-2124 @ 3.30GHz | 6,998 | 2,522 | Server |
| Intel Xeon Gold 6336Y @ 2.40GHz | 45,517 | 2,522 | Server |
| [Dual CPU] AMD EPYC 7T83 | 114,203 | 2,521 | Server |
| AMD EPYC 7773X | 90,731 | 2,513 | Server |
| Intel Xeon E-2224 @ 3.40GHz | 7,304 | 2,513 | Server |
| [Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz | 65,194 | 2,510 | Server |
| [Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz | 32,356 | 2,503 | Server |
| [Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz | 42,867 | 2,500 | Server |
| Intel Xeon Gold 6137 @ 3.90GHz | 19,365 | 2,499 | Server |
| Intel Xeon W-11555MLE @ 1.90GHz | 12,505 | 2,497 | Server |
| Intel Xeon E3-1280 v6 @ 3.90GHz | 8,940 | 2,492 | Server |
| [Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz | 29,154 | 2,490 | Server |
| Intel Xeon Gold 5315Y @ 3.20GHz | 20,724 | 2,488 | Server |
| [Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz | 37,309 | 2,487 | Server |
| Intel Xeon E3-1270 v6 @ 3.80GHz | 8,940 | 2,485 | Server |
| Intel Xeon Gold 6346 @ 3.10GHz | 37,722 | 2,479 | Server |
| Intel Xeon D-1726 @ 2.90GHz | 15,511 | 2,477 | Server |
| [Dual CPU] AMD EPYC 7713 | 112,602 | 2,475 | Server |
| [Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz | 55,297 | 2,472 | Server |
| Intel Xeon W-3223 @ 3.50GHz | 17,373 | 2,468 | Server |
| AMD EPYC 7513 | 59,988 | 2,467 | Server |
| [Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz | 86,346 | 2,465 | Server |
| Intel Xeon W-2175 @ 2.50GHz | 22,962 | 2,461 | Server |
| Intel Xeon Gold 6348 @ 2.60GHz | 52,276 | 2,459 | Server |
| [Dual CPU] AMD EPYC 7K83 | 102,053 | 2,458 | Server |
| Intel Xeon Gold 6246 @ 3.30GHz | 24,446 | 2,450 | Server |
| Intel Xeon Gold 6354 @ 3.00GHz | 41,445 | 2,450 | Server |
| AMD EPYC 7J13 | 85,661 | 2,449 | Server |
| Intel Xeon Gold 6338N @ 2.20GHz | 46,583 | 2,446 | Server |
| Intel Xeon Platinum 8347C @ 2.10GHz | 49,386 | 2,445 | Server |
| AMD EPYC 7F52 | 41,023 | 2,444 | Server |
| AMD EPYC 7F32 | 23,311 | 2,443 | Server |
| [Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz | 55,882 | 2,442 | Server |
| Intel Xeon W-2195 @ 2.30GHz | 28,180 | 2,440 | Server |
| [Dual CPU] AMD Ryzen Threadripper PRO 3955WX | 63,885 | 2,439 | Desktop, Server |
| Intel Xeon Platinum 8375C @ 2.90GHz | 51,836 | 2,439 | Server |
| Intel Xeon E3-1240 v6 @ 3.70GHz | 8,696 | 2,433 | Server |
| Intel Xeon Gold 6312U @ 2.40GHz | 44,275 | 2,432 | Server |
| Intel Xeon Gold 6342 @ 2.80GHz | 47,320 | 2,431 | Server |
| [Dual CPU] AMD EPYC 7F32 | 41,230 | 2,429 | Server |
| Intel Xeon E-2278GEL @ 2.00GHz | 12,024 | 2,428 | Server |
| Intel Xeon E3-1245 v6 @ 3.70GHz | 8,666 | 2,427 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|
| | - | - | |

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon Gold 6242R @ 3.10GHz | 34,963 | 2,424 | Server |
| [Dual CPU] AMD EPYC 7F52 | 65,659 | 2,407 | Server |
| Intel Xeon D-2799 @ 2.40GHz | 33,792 | 2,404 | Server |
| Intel Xeon E3-1585 v5 @ 3.50GHz | 8,408 | 2,402 | Server |
| [Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz | 54,605 | 2,402 | Server |
| [Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz | 28,888 | 2,402 | Server |
| [Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz | 49,872 | 2,401 | Server |
| [Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz | 90,457 | 2,400 | Server |
| Intel Xeon Gold 5220R @ 2.20GHz | 33,370 | 2,399 | Server |
| Intel Xeon Silver 4309Y @ 2.80GHz | 19,227 | 2,398 | Server |
| Intel Xeon E5-1650 v4 @ 3.60GHz | 11,533 | 2,394 | Server |
| Intel Xeon Platinum 8151 @ 3.40GHz | 6,591 | 2,393 | Server |
| Intel Xeon D-1736NT @ 2.70GHz | 17,826 | 2,392 | Server |
| [Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz | 46,473 | 2,392 | Server |
| Intel Xeon E3-1286 v3 @ 3.70GHz | 7,418 | 2,391 | Server |
| [Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz | 31,869 | 2,389 | Server |
| [Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz | 47,395 | 2,389 | Server |
| Intel Xeon Platinum 8275CL @ 3.00GHz | 40,794 | 2,386 | Server |
| Intel Xeon Platinum 8380 @ 2.30GHz | 62,318 | 2,385 | Server |
| [Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz | 91,485 | 2,384 | Server |
| [Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz | 52,386 | 2,382 | Server |
| Intel Xeon Platinum 8358 @ 2.60GHz | 54,416 | 2,382 | Server |
| Intel Xeon Gold 6254 @ 3.10GHz | 29,356 | 2,381 | Server |
| Intel Xeon Silver 4316 @ 2.30GHz | 37,264 | 2,380 | Server |
| Intel Xeon E3-1270L v4 @ 3.00GHz | 7,662 | 2,378 | Server |
| AMD EPYC 7371 | 31,094 | 2,377 | Server |
| [Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz | 66,812 | 2,375 | Server |
| Intel Xeon Platinum 8260 @ 2.40GHz | 29,360 | 2,374 | Server |
| Intel Xeon E5-1630 v4 @ 3.70GHz | 7,644 | 2,372 | Server |
| [Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz | 54,114 | 2,371 | Server |
| AMD EPYC 7413 | 50,223 | 2,365 | Server |
| Intel Xeon Gold 5220 @ 2.20GHz | 24,736 | 2,364 | Server |
| Intel Xeon Gold 6238R @ 2.20GHz | 37,511 | 2,362 | Server |
| Intel Xeon Gold 5317 @ 3.00GHz | 27,402 | 2,358 | Server |
| [Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz | 55,113 | 2,357 | Server |
| Intel Xeon E3-1535M v6 @ 3.10GHz | 8,125 | 2,356 | Laptop, Server |
| Intel Xeon Gold 6326 @ 2.90GHz | 35,328 | 2,356 | Server |
| [Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz | 64,291 | 2,356 | Server |
| [Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz | 54,869 | 2,355 | Server |
| Intel Xeon E3-1275 v5 @ 3.60GHz | 8,461 | 2,354 | Server |
| [Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz | 17,836 | 2,351 | Server |
| [Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz | 61,470 | 2,351 | Server |
| Intel Xeon E3-1285L v4 @ 3.40GHz | 8,074 | 2,350 | Server |
| [Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz | 73,897 | 2,348 | Server |
| [Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz | 63,984 | 2,346 | Server |
| [Dual CPU] AMD EPYC 7453 | 79,338 | 2,345 | Server |
| Intel Xeon Gold 6246R @ 3.40GHz | 30,468 | 2,341 | Server |
| [Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz | 75,783 | 2,341 | Server |
| Intel Xeon E3-1280 v5 @ 3.70GHz | 8,377 | 2,340 | Server |
| Intel Xeon E3-1281 v3 @ 3.70GHz | 7,463 | 2,338 | Server |

| | CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|---|

CPU Benchmarks

| | | | | |
|---|---|---|---|---|
| | AMD Ryzen Threadripper 2970WX | 30,011 | 2,332 | Desktop, Server |
| | [Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz | 54,784 | 2,331 | Server |
| | [Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz | 82,565 | 2,331 | Server |
| | Intel Xeon E5-2689 v4 @ 3.10GHz | 17,040 | 2,329 | Server |
| | Intel Xeon E3-1260L v5 @ 2.90GHz | 8,208 | 2,326 | Server |
| | Intel Xeon Platinum 8260M @ 2.30GHz | 33,970 | 2,315 | Server |
| | [Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz | 49,436 | 2,314 | Server |
| | Intel Xeon E3-1240 v5 @ 3.50GHz | 8,286 | 2,313 | Server |
| | Intel Xeon Gold 6253CL @ 3.10GHz | 28,549 | 2,311 | Server |
| | Intel Xeon E3-1270 v5 @ 3.60GHz | 8,342 | 2,303 | Server |
| | Intel Xeon Gold 6226R @ 2.90GHz | 27,092 | 2,298 | Server |
| | Intel Xeon E3-1285 v4 @ 3.50GHz | 7,712 | 2,297 | Server |
| | [Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz | 83,793 | 2,297 | Server |
| | Intel Xeon Gold 6248R @ 3.00GHz | 38,604 | 2,296 | Server |
| | [Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz | 41,187 | 2,293 | Server |
| | Intel Xeon Gold 6248 @ 2.50GHz | 29,504 | 2,291 | Server |
| | [Dual CPU] AMD EPYC 7473X | 83,530 | 2,290 | Server |
| | Intel Xeon E3-1271 v3 @ 3.60GHz | 7,547 | 2,290 | Server |
| | [Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz | 19,547 | 2,290 | Server |
| | Intel Xeon Silver 4215R @ 3.20GHz | 15,056 | 2,290 | Server |
| | AMD Ryzen Threadripper 2990WX | 32,091 | 2,289 | Desktop, Server |
| | [Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz | 61,751 | 2,289 | Server |
| | Intel Xeon Silver 4310T @ 2.30GHz | 20,973 | 2,288 | Server |
| | Intel Xeon Gold 6146 @ 3.20GHz | 23,417 | 2,287 | Server |
| | Intel Xeon Platinum 8268 @ 2.90GHz | 31,632 | 2,287 | Server |
| | Intel Xeon Gold 5218T @ 2.10GHz | 21,433 | 2,282 | Server |
| | [Dual CPU] AMD EPYC 7773X | 106,234 | 2,280 | Server |
| | Intel Xeon E3-1225 v6 @ 3.30GHz | 6,323 | 2,277 | Server |
| | [Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz | 54,123 | 2,273 | Server |
| | [Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz | 28,424 | 2,270 | Server |
| | Intel Xeon D-1715TER @ 2.40GHz | 9,104 | 2,269 | Server |
| | Intel Xeon Gold 6230 @ 2.10GHz | 26,888 | 2,268 | Server |
| | Intel Xeon E5-1680 v4 @ 3.40GHz | 13,773 | 2,267 | Server |
| | Intel Xeon Gold 6208U @ 2.90GHz | 27,085 | 2,265 | Server |
| | Intel Xeon E3-1280 v3 @ 3.60GHz | 7,356 | 2,263 | Server |
| | Intel Xeon E3-1276 v3 @ 3.60GHz | 7,408 | 2,262 | Server |
| | AMD EPYC 7T83 | 74,892 | 2,259 | Server |
| | Intel Xeon W-2133 @ 3.60GHz | 12,577 | 2,259 | Server |
| | Intel Xeon Gold 6154 @ 3.00GHz | 29,488 | 2,257 | Server |
| | Intel Xeon Gold 5218 @ 2.30GHz | 22,376 | 2,256 | Server |
| | [Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz | 49,891 | 2,255 | Server |
| | Intel Xeon E3-1245 v5 @ 3.50GHz | 8,030 | 2,248 | Server |
| | Intel Xeon Gold 6143 @ 2.80GHz | 24,786 | 2,248 | Server |
| | [Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz | 51,087 | 2,245 | Server |
| | Intel Xeon E5-2698R v4 @ 2.20GHz | 25,605 | 2,243 | Server |
| | [Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz | 23,357 | 2,242 | Server |
| | Intel Xeon E5-2643 v4 @ 3.40GHz | 11,088 | 2,240 | Server |
| | Intel Xeon D-2733NT @ 2.10GHz | 15,799 | 2,239 | Server |
| | Intel Xeon Gold 6128 @ 3.40GHz | 13,605 | 2,238 | Server |
| | Intel Xeon Gold 6134 @ 3.20GHz | 16,651 | 2,237 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz | 46,702 | 2,234 | Server |
| Intel Xeon E5-1620 v4 @ 3.50GHz | 7,399 | 2,233 | Server |
| [Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz | 38,609 | 2,232 | Server |
| Intel Xeon E3-1230 v6 @ 3.50GHz | 8,194 | 2,231 | Server |
| [Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz | 35,440 | 2,229 | Server |
| Intel Xeon W-2170B @ 2.50GHz | 23,964 | 2,227 | Server |
| [Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz | 49,416 | 2,223 | Server |
| Intel Xeon Platinum 8171M @ 2.60GHz | 30,632 | 2,222 | Server |
| Intel Xeon Gold 6230R @ 2.10GHz | 34,145 | 2,220 | Server |
| [Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz | 16,256 | 2,218 | Server |
| [Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz | 66,409 | 2,218 | Server |
| [Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz | 53,398 | 2,217 | Server |
| Intel Xeon Silver 4310 @ 2.10GHz | 23,372 | 2,217 | Server |
| Intel Xeon E3-1246 v3 @ 3.50GHz | 7,287 | 2,214 | Server |
| Intel Xeon E3-1285 v3 @ 3.60GHz | 6,974 | 2,213 | Server |
| Intel Xeon Gold 6136 @ 3.00GHz | 22,217 | 2,212 | Server |
| Intel Xeon E3-1275 v3 @ 3.50GHz | 7,183 | 2,211 | Server |
| [Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz | 24,389 | 2,211 | Server |
| [Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz | 41,925 | 2,211 | Server |
| Intel Xeon Gold 5218R @ 2.10GHz | 25,916 | 2,210 | Server |
| Intel Xeon E3-1505M v6 @ 3.00GHz | 7,305 | 2,209 | Server |
| [Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz | 28,682 | 2,209 | Server |
| Intel Xeon W-2123 @ 3.60GHz | 8,510 | 2,209 | Server |
| Intel Xeon Gold 6314U @ 2.30GHz | 51,014 | 2,208 | Server |
| AMD EPYC 7542 | 56,728 | 2,207 | Server |
| Intel Xeon E3-1286L v3 @ 3.20GHz | 6,450 | 2,207 | Server |
| Intel Xeon Silver 4314 @ 2.40GHz | 29,347 | 2,207 | Server |
| Intel Xeon E3-1270 v3 @ 3.50GHz | 7,322 | 2,204 | Server |
| [Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz | 75,539 | 2,204 | Server |
| Intel Xeon Gold 6210U @ 2.50GHz | 28,915 | 2,203 | Server |
| Intel Xeon E3-1575M v5 @ 3.00GHz | 7,828 | 2,202 | Server |
| [Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz | 40,707 | 2,202 | Server |
| [Dual CPU] AMD EPYC 7413 | 74,417 | 2,201 | Server |
| [Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz | 35,572 | 2,199 | Server |
| Intel Xeon D-1733NT @ 2.00GHz | 14,849 | 2,198 | Server |
| [Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz | 32,627 | 2,197 | Server |
| Intel Xeon Gold 6242 @ 2.80GHz | 26,288 | 2,196 | Server |
| Intel Xeon E5-2637 v4 @ 3.50GHz | 7,339 | 2,193 | Server |
| Intel Xeon E5-2667 v4 @ 3.20GHz | 14,065 | 2,190 | Server |
| [Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz | 41,346 | 2,189 | Server |
| [Dual CPU] AMD EPYC 7502 | 80,226 | 2,188 | Server |
| Intel Xeon Gold 6150 @ 2.70GHz | 25,487 | 2,188 | Server |
| [Dual CPU] AMD EPYC 7452 | 78,639 | 2,186 | Server |
| Intel Xeon E5-1660 v4 @ 3.20GHz | 13,479 | 2,185 | Server |
| Intel Xeon Gold 6148 @ 2.40GHz | 28,982 | 2,183 | Server |
| Intel Xeon D-2796TE @ 2.00GHz | 20,806 | 2,182 | Server |
| [Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz | 32,319 | 2,182 | Server |
| Intel Xeon E5-2696 v4 @ 2.20GHz | 25,056 | 2,181 | Server |
| Intel Xeon E5-2698 v4 @ 2.20GHz | 23,048 | 2,181 | Server |
| [Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz | 68,675 | 2,181 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz | 47,880 | 2,178 | Server |
| Intel Xeon E3-1230 v5 @ 3.40GHz | 7,982 | 2,176 | Server |
| [Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz | 13,720 | 2,173 | Server |
| Intel Xeon Gold 5217 @ 3.00GHz | 15,429 | 2,173 | Server |
| Intel Xeon E3-1241 v3 @ 3.50GHz | 7,126 | 2,172 | Server |
| Intel Xeon E3-1280 V2 @ 3.60GHz | 6,534 | 2,170 | Server |
| [Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz | 34,455 | 2,168 | Server |
| [Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz | 49,956 | 2,166 | Server |
| Intel Xeon E3-1285L v3 @ 3.10GHz | 6,819 | 2,164 | Server |
| [Dual CPU] AMD EPYC 7532 | 82,917 | 2,160 | Server |
| Intel Xeon E3-1240 v3 @ 3.40GHz | 7,078 | 2,159 | Server |
| Intel Xeon Gold 6122 @ 1.80GHz | 23,781 | 2,157 | Server |
| AMD EPYC 7742 | 65,629 | 2,152 | Server |
| [Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz | 39,315 | 2,152 | Server |
| Intel Xeon E3-1275L v3 @ 2.70GHz | 6,074 | 2,151 | Server |
| Intel Xeon E3-1231 v3 @ 3.40GHz | 7,034 | 2,149 | Server |
| Intel Xeon E3-1245 v3 @ 3.40GHz | 7,028 | 2,148 | Server |
| Intel Xeon E3-1515M v5 @ 2.80GHz | 7,938 | 2,148 | Server |
| Intel Xeon E5-2696 v3 @ 2.30GHz | 23,321 | 2,147 | Server |
| [Dual CPU] AMD EPYC 7B12 | 101,796 | 2,144 | Server |
| [Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz | 50,348 | 2,144 | Server |
| [Dual CPU] AMD EPYC 7742 | 99,760 | 2,143 | Server |
| Intel Xeon Platinum 8173M @ 2.00GHz | 31,837 | 2,143 | Server |
| [Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz | 41,448 | 2,140 | Server |
| [Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz | 50,546 | 2,139 | Server |
| Intel Xeon Platinum 8168 @ 2.70GHz | 32,616 | 2,138 | Server |
| Intel Xeon Gold 5122 @ 3.60GHz | 8,786 | 2,137 | Server |
| Intel Xeon Gold 5318Y @ 2.10GHz | 31,695 | 2,136 | Server |
| AMD EPYC 7532 | 54,670 | 2,134 | Server |
| [Dual CPU] AMD EPYC 7K62 | 92,675 | 2,133 | Server |
| [Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz | 49,007 | 2,133 | Server |
| Intel Xeon E3-1275 V2 @ 3.50GHz | 6,602 | 2,132 | Server |
| AMD EPYC 7642 | 61,573 | 2,131 | Server |
| Intel Xeon E3-1545M v5 @ 2.90GHz | 7,976 | 2,131 | Laptop, Server |
| Intel Xeon E5-1650 v3 @ 3.50GHz | 10,444 | 2,129 | Server |
| [Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz | 51,932 | 2,128 | Server |
| Intel Xeon E5-1680 v3 @ 3.20GHz | 13,214 | 2,127 | Server |
| [Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz | 51,654 | 2,123 | Server |
| AMD EPYC 7K62 | 40,487 | 2,121 | Server |
| Intel Xeon E3-1535M v5 @ 2.90GHz | 7,505 | 2,121 | Laptop, Server |
| Intel Xeon E3-1290 V2 @ 3.70GHz | 6,513 | 2,117 | Server |
| Intel Xeon E3-1226 v3 @ 3.30GHz | 5,535 | 2,114 | Server |
| Intel Xeon E5-1630 v3 @ 3.70GHz | 7,419 | 2,114 | Server |
| Intel Xeon E5-1680 v2 @ 3.00GHz | 12,710 | 2,114 | Server |
| [Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz | 33,749 | 2,109 | Server |
| [Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz | 57,780 | 2,109 | Server |
| [Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz | 58,279 | 2,108 | Server |
| [Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz | 44,697 | 2,107 | Server |
| Intel Xeon E5-1660 v2 @ 3.70GHz | 10,374 | 2,105 | Server |
| AMD EPYC 7702P | 62,007 | 2,104 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|
| | - | - | |

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD EPYC 7662 | 73,143 | 2,100 | Server |
| [Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz | 28,991 | 2,100 | Server |
| [Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz | 35,173 | 2,100 | Server |
| [Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz | 43,913 | 2,096 | Server |
| [Dual CPU] AMD EPYC 7252 | 34,833 | 2,093 | Server |
| AMD EPYC 7402 | 47,668 | 2,092 | Server |
| Intel Xeon E3-1225 v5 @ 3.30GHz | 5,939 | 2,092 | Server |
| [Dual CPU] AMD EPYC 7702 | 93,706 | 2,091 | Server |
| AMD EPYC Embedded 7292P | 30,542 | 2,091 | Server |
| Intel Xeon E3-1230 v3 @ 3.30GHz | 6,803 | 2,091 | Server |
| Intel Xeon Platinum 8124M @ 3.00GHz | 27,336 | 2,091 | Server |
| [Dual CPU] AMD EPYC 7662 | 97,178 | 2,089 | Server |
| [Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz | 25,455 | 2,089 | Server |
| Intel Xeon E5-2643 v3 @ 3.40GHz | 10,506 | 2,085 | Server |
| [Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz | 39,894 | 2,083 | Server |
| [Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz | 34,458 | 2,082 | Server |
| [Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz | 37,963 | 2,081 | Server |
| AMD EPYC 7R12 | 48,934 | 2,079 | Server |
| [Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz | 39,435 | 2,079 | Server |
| [Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz | 56,183 | 2,078 | Server |
| Intel Xeon E3-1270 V2 @ 3.50GHz | 6,444 | 2,077 | Server |
| Intel Xeon E3-1265L v3 @ 2.50GHz | 6,179 | 2,075 | Server |
| Intel Xeon E3-1265L v4 @ 2.30GHz | 6,954 | 2,073 | Server |
| Intel Xeon E5-2687W v2 @ 3.40GHz | 12,163 | 2,072 | Server |
| AMD EPYC 7702 | 70,628 | 2,069 | Server |
| Intel Xeon E5-2637 v3 @ 3.50GHz | 7,455 | 2,069 | Server |
| Intel Xeon E5-2687W v4 @ 3.00GHz | 18,070 | 2,063 | Server |
| [Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz | 37,240 | 2,063 | Server |
| [Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz | 17,883 | 2,062 | Server |
| Intel Xeon Silver 4215 @ 2.50GHz | 14,439 | 2,060 | Server |
| Intel Xeon Platinum P-8124 @ 3.00GHz | 22,674 | 2,059 | Server |
| [Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz | 41,400 | 2,054 | Server |
| Intel Xeon Gold 6152 @ 2.10GHz | 22,802 | 2,054 | Server |
| Intel Xeon E3-1245 V2 @ 3.40GHz | 6,375 | 2,052 | Server |
| [Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz | 44,713 | 2,052 | Server |
| [Dual CPU] AMD EPYC 7352 | 66,239 | 2,051 | Server |
| Intel Xeon Gold 6138T @ 2.00GHz | 24,800 | 2,050 | Server |
| [Dual CPU] AMD EPYC 7542 | 73,993 | 2,049 | Server |
| Intel Xeon Gold 6130 @ 2.10GHz | 20,956 | 2,049 | Server |
| [Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz | 13,118 | 2,048 | Server |
| Intel Xeon E5-2690 v4 @ 2.60GHz | 20,001 | 2,048 | Server |
| Intel Xeon Platinum 8176 @ 2.10GHz | 23,179 | 2,048 | Server |
| [Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz | 34,938 | 2,045 | Server |
| Intel Xeon E5-2697A v4 @ 2.60GHz | 21,693 | 2,045 | Server |
| [Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz | 53,252 | 2,045 | Server |
| Intel Xeon E5-1681 v3 @ 2.90GHz | 14,820 | 2,040 | Server |
| Intel Xeon E5-2663 v3 @ 2.80GHz | 11,777 | 2,040 | Server |
| Intel Xeon E3-1240 V2 @ 3.40GHz | 6,344 | 2,038 | Server |
| AMD EPYC 7262 | 20,795 | 2,036 | Server |
| Intel Xeon E3-1220 v5 @ 3.00GHz | 5,732 | 2,034 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz | 54,946 | 2,032 | Server |
| Intel Xeon E5-4627 v4 @ 2.60GHz | 12,969 | 2,030 | Server |
| Intel Xeon E-2254ML @ 1.70GHz | 6,333 | 2,029 | Server |
| AMD EPYC 7252 | 19,616 | 2,028 | Server |
| Intel Xeon E5-1650 v2 @ 3.50GHz | 9,322 | 2,028 | Server |
| Intel Xeon E5-1620 v2 @ 3.70GHz | 6,540 | 2,026 | Server |
| Intel Xeon Gold 6138 @ 2.00GHz | 19,207 | 2,024 | Server |
| [Dual CPU] AMD EPYC 7262 | 34,227 | 2,023 | Server |
| Intel Xeon E3-1505M v5 @ 2.80GHz | 7,032 | 2,022 | Server |
| [Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz | 29,868 | 2,021 | Server |
| [Dual CPU] AMD EPYC 7272 | 44,270 | 2,019 | Server |
| Intel Xeon Gold 6126 @ 2.60GHz | 19,223 | 2,019 | Server |
| Intel Xeon Gold 6278C @ 2.60GHz | 32,835 | 2,019 | Server |
| Intel Xeon E5-1620 v3 @ 3.50GHz | 6,993 | 2,018 | Server |
| [Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz | 48,423 | 2,018 | Server |
| Intel Xeon D-1732TE @ 1.90GHz | 14,254 | 2,015 | Server |
| [Dual CPU] AMD EPYC 7H12 | 97,449 | 2,014 | Server |
| Intel Xeon E5-2618L v4 @ 2.20GHz | 12,816 | 2,013 | Server |
| Intel Xeon Gold 6212U @ 2.40GHz | 27,470 | 2,013 | Server |
| Intel Xeon Platinum 8280 @ 2.70GHz | 37,575 | 2,011 | Server |
| [Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz | 57,307 | 2,010 | Server |
| [Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz | 21,123 | 2,009 | Server |
| [Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz | 21,039 | 2,008 | Server |
| Intel Xeon E5-2697R v4 @ 2.30GHz | 20,843 | 2,007 | Server |
| [Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz | 45,446 | 2,006 | Server |
| Intel Xeon E5-2667 v3 @ 3.20GHz | 12,557 | 2,005 | Server |
| Intel Xeon E5-2667 v2 @ 3.30GHz | 12,231 | 2,004 | Server |
| Intel Xeon E3-1225 v3 @ 3.20GHz | 5,316 | 2,001 | Server |
| Intel Xeon E5-2697 v3 @ 2.60GHz | 18,946 | 2,000 | Server |
| Intel Xeon Platinum 8180 @ 2.50GHz | 35,208 | 1,996 | Server |
| Intel Xeon D-1747NTE @ 2.50GHz | 19,822 | 1,995 | Server |
| Intel Xeon E3-1230 V2 @ 3.30GHz | 6,208 | 1,992 | Server |
| Intel Xeon E5-2679 v4 @ 2.50GHz | 24,131 | 1,992 | Server |
| [Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz | 36,030 | 1,988 | Server |
| [Dual CPU] AMD EPYC 7282 | 51,676 | 1,985 | Server |
| [Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz | 36,769 | 1,984 | Server |
| Intel Xeon Platinum 8160 @ 2.10GHz | 26,485 | 1,984 | Server |
| AMD EPYC 7302 | 32,691 | 1,981 | Server |
| [Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz | 20,538 | 1,981 | Server |
| AMD EPYC 7402P | 42,019 | 1,980 | Server |
| Intel Xeon E3-1220 v3 @ 3.10GHz | 5,198 | 1,980 | Server |
| Intel Xeon E5-2666 v3 @ 2.90GHz | 14,319 | 1,979 | Server |
| Intel Xeon E5-1660 v3 @ 3.00GHz | 12,522 | 1,977 | Server |
| [Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz | 17,023 | 1,976 | Server |
| AMD EPYC 7451 | 20,471 | 1,975 | Server |
| [Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz | 15,898 | 1,972 | Server |
| [Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz | 43,224 | 1,972 | Server |
| [Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz | 11,825 | 1,971 | Server |
| [Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz | 51,998 | 1,970 | Server |
| [Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz | 34,757 | 1,969 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|
| | - | - | |

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz | 41,638 | 1,966 | Server |
| Intel Xeon Silver 4214R @ 2.40GHz | 18,242 | 1,965 | Server |
| Intel Xeon E5-2699 v4 @ 2.20GHz | 24,667 | 1,963 | Server |
| [Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz | 29,039 | 1,961 | Server |
| Intel Xeon E-2104G @ 3.20GHz | 5,944 | 1,960 | Server |
| Intel Xeon E5-2697 v4 @ 2.30GHz | 19,836 | 1,959 | Server |
| [Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz | 34,639 | 1,959 | Server |
| [Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz | 21,671 | 1,958 | Server |
| [Dual CPU] AMD EPYC 7451 | 58,608 | 1,953 | Server |
| [Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz | 22,066 | 1,953 | Server |
| [Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz | 24,295 | 1,951 | Server |
| AMD EPYC 7272 | 25,568 | 1,948 | Server |
| Intel Xeon E5-2673 v2 @ 3.30GHz | 12,128 | 1,947 | Server |
| AMD EPYC 7601 | 42,244 | 1,941 | Server |
| [Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz | 23,732 | 1,940 | Server |
| Intel Xeon E3-1225 V2 @ 3.20GHz | 4,777 | 1,939 | Server |
| [Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz | 31,008 | 1,938 | Server |
| [Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz | 28,939 | 1,938 | Server |
| [Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz | 36,304 | 1,935 | Server |
| AMD EPYC 7571 | 27,445 | 1,934 | Server |
| Intel Xeon E5-2680 v4 @ 2.40GHz | 17,955 | 1,934 | Server |
| AMD EPYC 7352 | 39,999 | 1,932 | Server |
| Intel Xeon Platinum 8259CL @ 2.50GHz | 33,279 | 1,931 | Server |
| [Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz | 21,180 | 1,929 | Server |
| [Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz | 27,327 | 1,928 | Server |
| [Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz | 23,416 | 1,927 | Server |
| [Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz | 20,995 | 1,927 | Server |
| AMD EPYC 7501 | 24,925 | 1,925 | Server |
| [Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz | 12,022 | 1,923 | Server |
| AMD EPYC 7R32 | 64,727 | 1,922 | Server |
| Intel Xeon X5698 @ 4.40GHz | 3,447 | 1,922 | Server |
| [Dual CPU] AMD EPYC 7R32 | 74,520 | 1,918 | Server |
| Intel Xeon E5-1607 v4 @ 3.10GHz | 5,238 | 1,916 | Server |
| Intel Xeon E5-2690 v3 @ 2.60GHz | 16,431 | 1,915 | Server |
| [Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz | 68,643 | 1,913 | Server |
| Intel Xeon E5-2687W v3 @ 3.10GHz | 14,716 | 1,912 | Server |
| Intel Xeon E5-2686 v3 @ 2.00GHz | 18,148 | 1,910 | Server |
| Intel Xeon E5-2695 v4 @ 2.10GHz | 19,656 | 1,909 | Server |
| AMD EPYC 7502P | 49,191 | 1,907 | Server |
| Intel Xeon E3-1240L v5 @ 2.10GHz | 6,173 | 1,906 | Server |
| Intel Xeon E5-2618L v3 @ 2.30GHz | 10,881 | 1,905 | Server |
| Intel Xeon Platinum 8175M @ 2.50GHz | 26,659 | 1,903 | Server |
| [Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz | 26,469 | 1,901 | Server |
| [Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz | 27,635 | 1,897 | Server |
| Intel Xeon W-2104 @ 3.20GHz | 5,726 | 1,896 | Server |
| Intel Xeon E5-2690 v2 @ 3.00GHz | 13,560 | 1,891 | Server |
| Intel Xeon E5-2637 v2 @ 3.50GHz | 6,390 | 1,888 | Server |
| [Dual CPU] AMD EPYC 7302 | 50,029 | 1,885 | Server |
| Intel Xeon E5-2640 v3 @ 2.60GHz | 11,343 | 1,884 | Server |
| Intel Xeon E5-2643 v2 @ 3.50GHz | 9,134 | 1,884 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon E3-1220 V2 @ 3.10GHz | 4,675 | 1,878 | Server |
| Intel Xeon E5-2680R v4 @ 2.40GHz | 16,865 | 1,877 | Server |
| Intel Xeon E5-2698 v3 @ 2.30GHz | 18,836 | 1,877 | Server |
| AMD EPYC 3251 | 13,993 | 1,875 | Server |
| Intel Xeon D-1622 @ 2.60GHz | 6,205 | 1,875 | Server |
| Intel Xeon E3-1205 v6 @ 3.00GHz | 5,682 | 1,875 | Server |
| [Dual CPU] AMD EPYC 7402 | 61,886 | 1,873 | Server |
| Intel Xeon E5-2623 v3 @ 3.00GHz | 6,866 | 1,873 | Server |
| [Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz | 20,202 | 1,873 | Server |
| Intel Xeon E5-2682 v4 @ 2.50GHz | 19,702 | 1,871 | Server |
| AMD EPYC 7551P | 41,150 | 1,864 | Server |
| [Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz | 22,162 | 1,852 | Server |
| [Dual CPU] AMD EPYC 7401 | 55,280 | 1,850 | Server |
| [Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz | 21,407 | 1,850 | Server |
| Intel Xeon Gold 5120T @ 2.20GHz | 18,127 | 1,849 | Server |
| Intel Xeon E3-1505L v6 @ 2.20GHz | 6,088 | 1,848 | Laptop, Server |
| Intel Xeon Gold 5215 @ 2.50GHz | 15,608 | 1,848 | Server |
| Intel Xeon Gold 5120 @ 2.20GHz | 17,686 | 1,847 | Server |
| AMD EPYC 7302P | 32,543 | 1,846 | Server |
| [Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz | 23,570 | 1,846 | Server |
| AMD EPYC 7502 | 49,178 | 1,843 | Server |
| [Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz | 33,569 | 1,842 | Server |
| [Dual CPU] AMD EPYC 7601 | 56,414 | 1,841 | Server |
| Intel Xeon Gold 5115 @ 2.40GHz | 14,649 | 1,841 | Server |
| AMD EPYC 7282 | 29,489 | 1,840 | Server |
| Intel Xeon Gold 6140 @ 2.30GHz | 22,733 | 1,840 | Server |
| [Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz | 34,573 | 1,838 | Server |
| Intel Xeon E3-1290 @ 3.60GHz | 4,988 | 1,833 | Server |
| Intel Pentium Gold G5400T @ 3.10GHz | 3,185 | 1,832 | Server |
| Intel Xeon Silver 4210R @ 2.40GHz | 15,223 | 1,832 | Server |
| [Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz | 22,223 | 1,826 | Server |
| Intel Xeon Gold 5320 @ 2.20GHz | 37,558 | 1,826 | Server |
| Intel Xeon Silver 4214Y @ 2.20GHz | 16,442 | 1,822 | Server |
| AMD EPYC 7351 | 23,566 | 1,821 | Server |
| Intel Xeon Silver 4208 @ 2.10GHz | 11,161 | 1,821 | Server |
| [Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz | 25,863 | 1,820 | Server |
| [Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz | 56,362 | 1,819 | Server |
| [Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz | 24,723 | 1,818 | Server |
| Intel Xeon E5-4655 v3 @ 2.90GHz | 9,377 | 1,817 | Server |
| Intel Xeon Silver 4210 @ 2.20GHz | 13,908 | 1,817 | Server |
| [Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz | 19,634 | 1,816 | Server |
| [Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz | 30,323 | 1,815 | Server |
| [Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz | 23,377 | 1,813 | Server |
| Intel Xeon D-2143IT @ 2.20GHz | 13,107 | 1,812 | Server |
| Intel Xeon E5-2623 v4 @ 2.60GHz | 6,923 | 1,810 | Server |
| [Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz | 22,379 | 1,810 | Server |
| AMD EPYC 7351P | 25,484 | 1,809 | Server |
| Intel Xeon E5-1607 v3 @ 3.10GHz | 4,943 | 1,809 | Server |
| Intel Xeon E5-2660 v3 @ 2.60GHz | 13,098 | 1,808 | Server |
| Intel Xeon Gold 5118 @ 2.30GHz | 16,237 | 1,807 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon E3-1280 @ 3.50GHz | 5,613 | 1,804 | Server |
| Intel Xeon D-2146NT @ 2.30GHz | 11,736 | 1,802 | Server |
| [Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz | 19,755 | 1,800 | Server |
| Intel Xeon E5-2697 v2 @ 2.70GHz | 14,334 | 1,798 | Server |
| Intel Xeon E5-1660 @ 3.30GHz | 8,429 | 1,796 | Server |
| Intel Xeon E5-2640 v4 @ 2.40GHz | 11,739 | 1,795 | Server |
| AMD EPYC 3151 | 7,660 | 1,790 | Server |
| Intel Xeon E5-2680 v2 @ 2.80GHz | 12,640 | 1,790 | Server |
| Intel Xeon E5-2680 v3 @ 2.50GHz | 15,313 | 1,790 | Server |
| [Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz | 25,055 | 1,790 | Server |
| [Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz | 61,958 | 1,790 | Server |
| Intel Xeon E5-2695 v3 @ 2.30GHz | 16,400 | 1,789 | Server |
| [Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz | 42,137 | 1,789 | Server |
| [Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz | 21,339 | 1,787 | Server |
| Intel Xeon E5-4627 v2 @ 3.30GHz | 9,320 | 1,786 | Server |
| [Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz | 54,621 | 1,786 | Server |
| [Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz | 41,082 | 1,785 | Server |
| Intel Xeon E3-1220 v6 @ 3.00GHz | 5,711 | 1,781 | Server |
| Intel Xeon Silver 4116T @ 2.10GHz | 15,187 | 1,781 | Server |
| [Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz | 24,396 | 1,780 | Server |
| Intel Xeon D-2123IT @ 2.20GHz | 6,841 | 1,775 | Server |
| Intel Xeon E5-2630 v3 @ 2.40GHz | 10,424 | 1,774 | Server |
| Intel Xeon E5-1620 @ 3.60GHz | 5,854 | 1,772 | Server |
| Intel Xeon E3-1270 @ 3.40GHz | 5,415 | 1,768 | Server |
| [Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz | 28,165 | 1,768 | Server |
| Intel Xeon E5-2686 v4 @ 2.30GHz | 19,782 | 1,766 | Server |
| Intel Xeon E5-2630 v4 @ 2.20GHz | 11,702 | 1,765 | Server |
| Intel Xeon E3-1240L v3 @ 2.00GHz | 5,481 | 1,764 | Server |
| [Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz | 31,070 | 1,764 | Server |
| [Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz | 12,317 | 1,763 | Server |
| [Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz | 31,603 | 1,762 | Server |
| Intel Xeon E3-1235L v5 @ 2.00GHz | 5,013 | 1,761 | Server |
| AMD EPYC 7D12 | 35,853 | 1,760 | Server |
| Intel Pentium D1508 @ 2.20GHz | 3,240 | 1,760 | Server |
| Intel Xeon E3-1275 @ 3.40GHz | 5,463 | 1,760 | Server |
| [Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz | 17,585 | 1,760 | Server |
| [Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz | 24,614 | 1,759 | Server |
| Intel Xeon E5-4667 v4 @ 2.20GHz | 20,319 | 1,757 | Server |
| Intel Xeon E5-1603 v4 @ 2.80GHz | 4,812 | 1,754 | Server |
| Intel Xeon E5-2628 v3 @ 2.50GHz | 8,447 | 1,754 | Server |
| Intel Xeon D-2166NT @ 2.00GHz | 15,105 | 1,751 | Server |
| [Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz | 32,180 | 1,751 | Server |
| Intel Xeon E5-2678 v3 @ 2.50GHz | 14,682 | 1,749 | Server |
| Intel Xeon E5-4627 v3 @ 2.60GHz | 11,344 | 1,749 | Server |
| [Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz | 51,359 | 1,749 | Server |
| [Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz | 27,797 | 1,748 | Server |
| [Dual CPU] AMD EPYC 7351 | 25,431 | 1,747 | Server |
| Intel Xeon W-2102 @ 2.90GHz | 5,118 | 1,745 | Server |
| AMD EPYC 7551 | 22,005 | 1,736 | Server |
| Intel Xeon E5-1650 @ 3.20GHz | 8,100 | 1,736 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon E5-2673 v3 @ 2.40GHz | 14,132 | 1,732 | Server |
| Intel Xeon E5-2676 v4 @ 2.40GHz | 18,978 | 1,730 | Server |
| Intel Xeon D-1521 @ 2.40GHz | 5,897 | 1,728 | Server |
| Intel Xeon D-2183IT @ 2.20GHz | 18,385 | 1,728 | Server |
| [Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz | 15,955 | 1,728 | Server |
| Intel Xeon E5-2685 v3 @ 2.60GHz | 12,944 | 1,726 | Server |
| Intel Xeon E3-1240 @ 3.30GHz | 5,387 | 1,725 | Server |
| [Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz | 19,528 | 1,724 | Server |
| [Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz | 61,340 | 1,724 | Server |
| [Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz | 28,140 | 1,723 | Server |
| [Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz | 20,294 | 1,722 | Server |
| Intel Xeon E5-2650 v4 @ 2.20GHz | 14,068 | 1,721 | Server |
| Intel Xeon E3-1245 @ 3.30GHz | 5,332 | 1,720 | Server |
| Intel Xeon E5-2683 v4 @ 2.10GHz | 17,537 | 1,719 | Server |
| [Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz | 22,641 | 1,718 | Server |
| [Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz | 21,875 | 1,718 | Server |
| [Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz | 17,022 | 1,715 | Server |
| Intel Xeon E7-8891 v3 @ 2.80GHz | 21,615 | 1,715 | Server |
| [Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz | 22,847 | 1,714 | Server |
| Intel Xeon D-2141I @ 2.20GHz | 12,117 | 1,713 | Server |
| Intel Xeon E5-2658 v3 @ 2.20GHz | 13,487 | 1,711 | Server |
| [Dual CPU] Intel Xeon X5690 @ 3.47GHz | 12,884 | 1,709 | Server |
| [Dual CPU] AMD EPYC 7551 | 54,736 | 1,707 | Server |
| Intel Xeon E5-2696 v2 @ 2.50GHz | 14,331 | 1,705 | Server |
| [Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz | 21,327 | 1,705 | Server |
| Intel Xeon E5-2660 v4 @ 2.00GHz | 15,974 | 1,704 | Server |
| Intel Xeon D-1541 @ 2.10GHz | 10,154 | 1,700 | Server |
| Intel Xeon Silver 4112 @ 2.60GHz | 6,379 | 1,700 | Server |
| AMD EPYC 7401P | 28,282 | 1,698 | Server |
| Intel Xeon Gold 6130T @ 2.10GHz | 21,804 | 1,698 | Server |
| Intel Xeon E5-2670 v3 @ 2.30GHz | 13,796 | 1,693 | Server |
| Intel Xeon Silver 4209T @ 2.20GHz | 11,080 | 1,693 | Server |
| Intel Xeon Gold 6238 @ 2.10GHz | 27,617 | 1,691 | Server |
| [Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz | 13,255 | 1,690 | Server |
| AMD EPYC 7452 | 41,871 | 1,689 | Server |
| [Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz | 17,445 | 1,689 | Server |
| Intel Xeon E5-2620 v3 @ 2.40GHz | 7,854 | 1,688 | Server |
| Intel Xeon E5-2658A v3 @ 2.20GHz | 14,879 | 1,688 | Server |
| [Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz | 23,713 | 1,684 | Server |
| Intel Xeon E5-2650 v2 @ 2.60GHz | 9,992 | 1,683 | Server |
| Intel Xeon D-2712T @ 1.90GHz | 7,166 | 1,682 | Server |
| Intel Xeon E5-1410 v2 @ 2.80GHz | 5,436 | 1,681 | Server |
| Intel Xeon E3-1268L v3 @ 2.30GHz | 5,475 | 1,678 | Server |
| [Dual CPU] Intel Xeon E5-2690 @ 2.90GHz | 16,793 | 1,676 | Server |
| [Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz | 22,460 | 1,675 | Server |
| Intel Xeon E5-2649 v3 @ 2.30GHz | 12,399 | 1,674 | Server |
| Intel Xeon Silver 4116 @ 2.10GHz | 15,052 | 1,672 | Server |
| AMD EPYC 7251 | 14,935 | 1,671 | Server |
| Intel Xeon E5-2687W @ 3.10GHz | 9,949 | 1,670 | Server |
| Intel Xeon E5-2676 v3 @ 2.40GHz | 13,964 | 1,667 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz | 17,100 | 1,663 | Server |
| Intel Xeon E5-2690 @ 2.90GHz | 9,790 | 1,659 | Server |
| [Dual CPU] Intel Xeon E5-2637 @ 3.00GHz | 5,855 | 1,656 | Server |
| Intel Xeon E3-1230 @ 3.20GHz | 5,100 | 1,655 | Server |
| [Dual CPU] AMD EPYC 7301 | 34,148 | 1,654 | Server |
| Intel Xeon E3-1268L v5 @ 2.40GHz | 6,079 | 1,654 | Laptop, Server |
| [Dual CPU] Intel Xeon X5687 @ 3.60GHz | 9,342 | 1,651 | Server |
| Intel Xeon E5-2670 v2 @ 2.50GHz | 11,497 | 1,648 | Server |
| [Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz | 24,050 | 1,648 | Server |
| Intel Xeon D-1548 @ 2.00GHz | 9,075 | 1,647 | Server |
| Intel Xeon E5-2630L v4 @ 1.80GHz | 10,484 | 1,647 | Server |
| [Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz | 25,440 | 1,643 | Server |
| Intel Xeon E5-2695 v2 @ 2.40GHz | 13,201 | 1,641 | Server |
| Intel Xeon E5-1607 v2 @ 3.00GHz | 4,254 | 1,640 | Server |
| [Dual CPU] Intel Xeon E5-4617 @ 2.90GHz | 11,387 | 1,640 | Server |
| Intel Xeon E5-2650 v3 @ 2.30GHz | 11,880 | 1,638 | Server |
| Intel Xeon E5-2683 v3 @ 2.00GHz | 14,596 | 1,638 | Server |
| Intel Xeon E5-2698B v3 @ 2.00GHz | 16,633 | 1,638 | Server |
| AMD EPYC 7281 | 21,981 | 1,636 | Server |
| Intel Xeon E5-2643 @ 3.30GHz | 5,500 | 1,636 | Server |
| [Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz | 51,476 | 1,634 | Server |
| Intel Xeon X5687 @ 3.60GHz | 5,288 | 1,629 | Server |
| Intel Xeon E5-2620 v4 @ 2.10GHz | 9,213 | 1,628 | Server |
| [Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz | 22,830 | 1,628 | Server |
| [Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz | 41,126 | 1,628 | Server |
| [Dual CPU] Intel Xeon X5677 @ 3.47GHz | 8,878 | 1,627 | Server |
| [Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz | 31,474 | 1,626 | Server |
| Intel Xeon E5-1603 v3 @ 2.80GHz | 4,483 | 1,625 | Server |
| Intel Xeon E3-1230L v3 @ 1.80GHz | 5,268 | 1,623 | Server |
| Intel Xeon E5-4620 v2 @ 2.60GHz | 9,540 | 1,620 | Server |
| [Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz | 40,064 | 1,620 | Server |
| Intel Xeon E3-1235 @ 3.20GHz | 5,030 | 1,618 | Server |
| Intel Xeon X5690 @ 3.47GHz | 6,967 | 1,617 | Server |
| [Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz | 19,532 | 1,616 | Server |
| [Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz | 24,291 | 1,616 | Server |
| [Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz | 20,118 | 1,614 | Server |
| Intel Xeon W3690 @ 3.47GHz | 7,234 | 1,614 | Server |
| Intel Xeon E7-8880 v3 @ 2.30GHz | 18,244 | 1,612 | Server |
| [Dual CPU] Intel Xeon W5590 @ 3.33GHz | 6,640 | 1,612 | Server |
| [Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz | 39,311 | 1,610 | Server |
| [Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz | 15,352 | 1,608 | Server |
| Intel Xeon D-1540 @ 2.00GHz | 10,040 | 1,607 | Server |
| [Dual CPU] Intel Xeon E5-2689 @ 2.60GHz | 16,158 | 1,606 | Server |
| Intel Xeon E5-2450 v2 @ 2.50GHz | 9,060 | 1,605 | Server |
| Intel Xeon E-2276ME @ 2.80GHz | 8,167 | 1,604 | Server, Mobile/Embedded |
| Intel Xeon X5677 @ 3.47GHz | 4,972 | 1,601 | Server |
| [Dual CPU] Intel Xeon E5-2667 @ 2.90GHz | 12,832 | 1,600 | Server |
| [Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz | 32,805 | 1,598 | Server |
| [Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz | 14,652 | 1,591 | Server |
| Intel Xeon E3-1505L v5 @ 2.00GHz | 5,301 | 1,590 | Laptop, Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz | 53,402 | 1,584 | Server |
| [Dual CPU] Intel Xeon E5-2643 @ 3.30GHz | 9,748 | 1,583 | Server |
| Intel Xeon E5-2658 v4 @ 2.30GHz | 14,434 | 1,583 | Server |
| Intel Xeon E5-2689 @ 2.60GHz | 9,740 | 1,580 | Server |
| Intel Xeon E5-2470 v2 @ 2.40GHz | 10,449 | 1,579 | Server |
| [Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz | 50,719 | 1,578 | Server |
| [Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz | 13,610 | 1,576 | Server |
| [Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz | 21,856 | 1,576 | Server |
| [Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz | 24,421 | 1,575 | Server |
| Intel Xeon E5-2630 v2 @ 2.60GHz | 7,473 | 1,574 | Server |
| [Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz | 50,157 | 1,574 | Server |
| Intel Xeon Silver 4110 @ 2.10GHz | 9,990 | 1,574 | Server |
| [Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz | 22,559 | 1,573 | Server |
| Intel Xeon E3-1225 @ 3.10GHz | 3,826 | 1,572 | Server |
| Intel Xeon E5-2667 @ 2.90GHz | 7,477 | 1,571 | Server |
| Intel Xeon E5-2692 v2 @ 2.20GHz | 12,119 | 1,571 | Server |
| Intel Xeon W5590 @ 3.33GHz | 3,239 | 1,571 | Server |
| Intel Xeon X5672 @ 3.20GHz | 4,982 | 1,571 | Server |
| Intel Xeon E5-2699C v4 @ 2.20GHz | 21,493 | 1,569 | Server |
| [Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz | 15,978 | 1,567 | Server |
| [Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz | 22,243 | 1,567 | Server |
| Intel Xeon E5-2680 @ 2.70GHz | 9,408 | 1,565 | Server |
| [Dual CPU] Intel Xeon E5-2680 @ 2.70GHz | 15,886 | 1,563 | Server |
| Intel Xeon W3680 @ 3.33GHz | 6,922 | 1,563 | Server |
| Intel Xeon E3-1220 @ 3.10GHz | 3,877 | 1,558 | Server |
| Intel Xeon E5-4660 v3 @ 2.10GHz | 14,256 | 1,558 | Server |
| Intel Xeon W3580 @ 3.33GHz | 3,573 | 1,557 | Server |
| [Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz | 29,181 | 1,556 | Server |
| [Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz | 16,841 | 1,554 | Server |
| [Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz | 36,908 | 1,554 | Server |
| Intel Xeon E5-4617 @ 2.90GHz | 6,298 | 1,552 | Server |
| AMD EPYC 7232P | 17,017 | 1,549 | Server |
| [Dual CPU] Intel Xeon X5679 @ 3.20GHz | 9,431 | 1,549 | Server |
| Intel Xeon X5679 @ 3.20GHz | 7,095 | 1,547 | Server |
| Intel Xeon E5-2660 v2 @ 2.20GHz | 10,656 | 1,544 | Server |
| [Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz | 34,499 | 1,542 | Server |
| [Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz | 18,357 | 1,535 | Server |
| Intel Xeon E5-2630L v3 @ 1.80GHz | 8,869 | 1,531 | Server |
| Intel Xeon Gold 5117 @ 2.00GHz | 15,816 | 1,531 | Server |
| [Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz | 12,267 | 1,530 | Server |
| [Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz | 18,250 | 1,529 | Server |
| [Dual CPU] AMD EPYC 7552 | 72,235 | 1,527 | Server |
| Intel Xeon E5-2637 @ 3.00GHz | 2,978 | 1,526 | Server |
| Intel Xeon X5680 @ 3.33GHz | 6,796 | 1,523 | Server |
| [Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz | 20,233 | 1,522 | Server |
| [Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz | 26,863 | 1,516 | Server |
| Intel Xeon E5-4640 v3 @ 1.90GHz | 10,372 | 1,514 | Server |
| [Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz | 18,048 | 1,511 | Server |
| Intel Xeon W5580 @ 3.20GHz | 3,386 | 1,503 | Server |
| [Dual CPU] Intel Xeon X5675 @ 3.07GHz | 11,605 | 1,503 | Server |

| | CPU Name | CPU Mark - | Thread Mark - | |
|---|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon E5-4650 v2 @ 2.40GHz | 11,064 | 1,501 | Server |
| AMD EPYC 3201 | 8,545 | 1,500 | Server |
| AMD Opteron X3421 APU | 3,375 | 1,497 | Server |
| [Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz | 32,379 | 1,495 | Server |
| [Quad CPU] Intel Xeon E5-4650 @ 2.70GHz | 24,381 | 1,492 | Server |
| Intel Xeon W3565 @ 3.20GHz | 3,356 | 1,491 | Server |
| Intel Xeon W3670 @ 3.20GHz | 6,420 | 1,491 | Server |
| [Dual CPU] Intel Xeon X5672 @ 3.20GHz | 8,709 | 1,491 | Server |
| [Dual CPU] Intel Xeon E5-4650 @ 2.70GHz | 14,309 | 1,489 | Server |
| [Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz | 18,345 | 1,487 | Server |
| Intel Atom C5125 | 8,631 | 1,486 | Server |
| Intel Xeon E5-4620 v3 @ 2.00GHz | 10,525 | 1,486 | Server |
| Intel Xeon Gold 6262V @ 1.90GHz | 3,155 | 1,486 | Server |
| Intel Xeon X5270 @ 3.50GHz | 1,524 | 1,485 | Server |
| Intel Xeon E5-2628L v3 @ 2.00GHz | 9,949 | 1,483 | Server |
| Intel Xeon D-1581 @ 1.80GHz | 13,282 | 1,482 | Server |
| [Dual CPU] Intel Xeon W5580 @ 3.20GHz | 6,279 | 1,482 | Server |
| Intel Xeon X5675 @ 3.07GHz | 6,395 | 1,482 | Server |
| Intel Xeon E5-2658 v2 @ 2.40GHz | 10,556 | 1,478 | Server |
| Intel Xeon E5-4657L v2 @ 2.40GHz | 11,353 | 1,477 | Server |
| Intel Xeon E5-4650 @ 2.70GHz | 8,630 | 1,476 | Server |
| Intel Xeon E5-2670 @ 2.60GHz | 8,943 | 1,475 | Server |
| [Quad CPU] Intel Xeon E5-4610 @ 2.40GHz | 23,354 | 1,474 | Server |
| Intel Xeon E5-4669 v3 @ 2.10GHz | 17,430 | 1,474 | Server |
| Intel Xeon X5667 @ 3.07GHz | 4,579 | 1,468 | Server |
| [Dual CPU] AMD Opteron 6328 | 9,926 | 1,467 | Server |
| [Dual CPU] Intel Xeon X5492 @ 3.40GHz | 5,469 | 1,467 | Server |
| Intel Xeon Silver 4108 @ 1.80GHz | 8,736 | 1,466 | Server |
| Intel Xeon X5492 @ 3.40GHz | 2,912 | 1,464 | Server |
| Intel Xeon E5-4667 v3 @ 2.00GHz | 15,397 | 1,461 | Server |
| Intel Xeon W3570 @ 3.20GHz | 3,185 | 1,458 | Server |
| Intel Xeon E5-1410 @ 2.80GHz | 4,701 | 1,456 | Server |
| Intel Xeon Platinum 8167M @ 2.00GHz | 25,396 | 1,455 | Server |
| Intel Xeon X5470 @ 3.33GHz | 2,757 | 1,455 | Server |
| Intel Xeon E5-2470 @ 2.30GHz | 8,296 | 1,452 | Server |
| Intel Xeon E3-1220L V2 @ 2.30GHz | 2,452 | 1,451 | Server |
| [Dual CPU] Intel Xeon X5470 @ 3.33GHz | 5,129 | 1,451 | Server |
| [Dual CPU] Intel Xeon X5570 @ 2.93GHz | 6,204 | 1,449 | Server |
| Intel Xeon Silver 4109T @ 2.00GHz | 10,348 | 1,445 | Server |
| [Dual CPU] Intel Xeon X5667 @ 3.07GHz | 8,412 | 1,440 | Server |
| Intel Xeon E5-1607 @ 3.00GHz | 3,725 | 1,437 | Server |
| Intel Xeon D-1602 @ 2.50GHz | 2,459 | 1,435 | Server |
| Intel Xeon E5-2648L v4 @ 1.80GHz | 11,547 | 1,435 | Server |
| Intel Xeon D-1531 @ 2.20GHz | 7,483 | 1,434 | Server |
| Intel Xeon E5-2628L v4 @ 1.90GHz | 11,079 | 1,433 | Server |
| Intel Xeon E3-1260L @ 2.40GHz | 4,013 | 1,431 | Server |
| [Dual CPU] Intel Xeon E5-2470 @ 2.30GHz | 14,771 | 1,431 | Server |
| Intel Xeon Gold 6133 @ 2.50GHz | 1,172 | 1,429 | Server |
| AMD Opteron X3418 APU | 3,043 | 1,427 | Server |
| Intel Xeon E5-2629 v3 @ 2.40GHz | 9,139 | 1,426 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD Opteron 6328 | 5,306 | 1,419 | Server |
| Intel Xeon E5-2630L v2 @ 2.40GHz | 6,701 | 1,418 | Server |
| Intel Xeon E5-2665 @ 2.40GHz | 8,424 | 1,416 | Server |
| [Dual CPU] Intel Xeon X5670 @ 2.93GHz | 11,020 | 1,416 | Server |
| AMD Opteron 4332 HE | 3,906 | 1,413 | Server |
| Intel Xeon X5272 @ 3.40GHz | 1,451 | 1,411 | Server |
| Intel Xeon W3550 @ 3.07GHz | 3,215 | 1,410 | Server |
| [Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz | 8,506 | 1,409 | Server |
| Intel Xeon X3470 @ 2.93GHz | 3,221 | 1,407 | Server |
| Intel Xeon X3480 @ 3.07GHz | 3,255 | 1,406 | Server |
| Intel Xeon X5260 @ 3.33GHz | 1,238 | 1,406 | Server |
| Intel Xeon E5-4610 @ 2.40GHz | 6,460 | 1,401 | Server |
| Intel Xeon E5-2650L v3 @ 1.80GHz | 11,803 | 1,400 | Server |
| Intel Xeon E5-2660 @ 2.20GHz | 8,152 | 1,400 | Server |
| Intel Xeon X5482 @ 3.20GHz | 2,755 | 1,400 | Server |
| Intel Xeon X5670 @ 2.93GHz | 6,106 | 1,399 | Server |
| [Dual CPU] Intel Xeon X5647 @ 2.93GHz | 8,020 | 1,397 | Server |
| [Dual CPU] Intel Xeon X5482 @ 3.20GHz | 5,154 | 1,396 | Server |
| Intel Xeon E5-4650L @ 2.60GHz | 8,472 | 1,393 | Server |
| Intel Xeon X5570 @ 2.93GHz | 3,246 | 1,393 | Server |
| [Quad CPU] Intel Xeon E5-4640 @ 2.40GHz | 21,374 | 1,392 | Server |
| Intel Pentium 1403 v2 @ 2.60GHz | 2,284 | 1,391 | Server |
| [Dual CPU] Intel Xeon E5-2665 @ 2.40GHz | 14,647 | 1,390 | Server |
| [Dual CPU] Intel Xeon X5560 @ 2.80GHz | 5,774 | 1,389 | Server |
| Intel Xeon E5-2650L v4 @ 1.70GHz | 11,436 | 1,385 | Server |
| Intel Xeon E5-4650 v3 @ 2.10GHz | 10,838 | 1,384 | Server |
| Intel Xeon X5560 @ 2.80GHz | 3,124 | 1,384 | Server |
| Intel Xeon @ 2.20GHz | 1,324 | 1,383 | Server |
| [Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz | 6,816 | 1,382 | Server |
| Intel Xeon D-1528 @ 1.90GHz | 6,396 | 1,381 | Laptop, Server |
| Intel Xeon E5-2420 v2 @ 2.20GHz | 6,330 | 1,381 | Server |
| Intel Xeon D-1527 @ 2.20GHz | 4,710 | 1,380 | Server |
| Intel Xeon X5660 @ 2.80GHz | 6,074 | 1,379 | Server |
| [Quad CPU] Intel Xeon E5-4607 v2 @ 2.60GHz | 7,557 | 1,378 | Server |
| [Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz | 12,366 | 1,374 | Server |
| [Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz | 19,028 | 1,373 | Server |
| Intel Xeon X5647 @ 2.93GHz | 4,431 | 1,372 | Server |
| Intel Xeon E3120 @ 3.16GHz | 1,408 | 1,370 | Server |
| [Dual CPU] AMD Opteron 4284 | 8,560 | 1,369 | Server |
| Intel Xeon E5-4669 v4 @ 2.20GHz | 11,523 | 1,366 | Server |
| AMD EPYC 7301 | 14,991 | 1,363 | Server |
| Intel Xeon E5-4607 v2 @ 2.60GHz | 6,986 | 1,363 | Server |
| AMD Opteron 3350 HE | 2,825 | 1,362 | Server |
| Intel Xeon X5460 @ 3.16GHz | 2,566 | 1,361 | Server |
| Intel Xeon E5-2609 v2 @ 2.50GHz | 3,500 | 1,356 | Server |
| [Dual CPU] Intel Xeon X5460 @ 3.16GHz | 4,989 | 1,354 | Server |
| [Dual CPU] Intel Xeon E5-2660 @ 2.20GHz | 14,123 | 1,352 | Server |
| [Dual CPU] Intel Xeon X5660 @ 2.80GHz | 10,466 | 1,352 | Server |
| [Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz | 11,738 | 1,348 | Server |
| Intel Xeon E5-2640 @ 2.50GHz | 6,293 | 1,348 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD Opteron 6386 SE | 8,320 | 1,340 | Server |
| [Dual CPU] Intel Xeon E5-4640 @ 2.40GHz | 12,375 | 1,338 | Server |
| Intel Xeon W3530 @ 2.80GHz | 3,041 | 1,338 | Server |
| Intel Xeon E5-1603 @ 2.80GHz | 3,462 | 1,336 | Server |
| Intel Xeon X3380 @ 3.16GHz | 2,308 | 1,335 | Server |
| [Quad CPU] AMD Opteron 6380 | 14,622 | 1,334 | Server |
| Intel Xeon E3110 @ 3.00GHz | 1,242 | 1,331 | Server |
| [Dual CPU] Intel Xeon E5472 @ 3.00GHz | 4,765 | 1,326 | Server |
| [Dual CPU] Intel Xeon X5472 @ 3.00GHz | 4,905 | 1,325 | Server |
| Intel Xeon D-1518 @ 2.20GHz | 4,830 | 1,319 | Server |
| Intel Xeon D-1577 @ 1.30GHz | 11,645 | 1,319 | Server |
| Intel Xeon E5-4648 v3 @ 1.70GHz | 9,061 | 1,317 | Server |
| [Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz | 25,966 | 1,316 | Server |
| [Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz | 13,818 | 1,313 | Server |
| Intel Xeon E5240 @ 3.00GHz | 1,448 | 1,312 | Server |
| [Dual CPU] AMD Opteron 4386 | 9,359 | 1,311 | Server |
| Intel Xeon W3540 @ 2.93GHz | 3,031 | 1,311 | Server |
| Intel Xeon E5-2620 v2 @ 2.10GHz | 6,269 | 1,306 | Server |
| [Dual CPU] Intel Xeon X5650 @ 2.67GHz | 10,164 | 1,304 | Server |
| Intel Xeon E5-2430L v2 @ 2.40GHz | 6,332 | 1,303 | Server |
| AMD Opteron 6348 | 8,030 | 1,302 | Server |
| Intel Xeon X5650 @ 2.67GHz | 5,705 | 1,301 | Server |
| Intel Xeon E3-1265L @ 2.40GHz | 3,411 | 1,300 | Server |
| Intel Xeon L5240 @ 3.00GHz | 1,337 | 1,299 | Server |
| [Dual CPU] AMD Opteron 6348 | 13,072 | 1,293 | Server |
| Intel Xeon E5-2440 @ 2.40GHz | 6,051 | 1,293 | Server |
| Intel Xeon E5-2648L v3 @ 1.80GHz | 9,847 | 1,292 | Server |
| [Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz | 21,548 | 1,291 | Server |
| Intel Xeon E5450 @ 3.00GHz | 2,493 | 1,291 | Server |
| [Dual CPU] Intel Xeon X5550 @ 2.67GHz | 5,619 | 1,288 | Server |
| [Dual CPU] Intel Xeon X5450 @ 3.00GHz | 4,699 | 1,287 | Server |
| [Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz | 16,028 | 1,286 | Server |
| [Dual CPU] Intel Xeon E5450 @ 3.00GHz | 4,616 | 1,285 | Server |
| [Dual CPU] AMD Opteron 6386 SE | 12,165 | 1,284 | Server |
| Intel Xeon E3113 @ 3.00GHz | 1,429 | 1,282 | Server |
| Intel Xeon L3110 @ 3.00GHz | 1,338 | 1,279 | Server |
| [Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz | 6,414 | 1,275 | Server |
| Intel Xeon X5450 @ 3.00GHz | 2,437 | 1,275 | Server |
| Intel Xeon E5-2630 @ 2.30GHz | 6,117 | 1,272 | Server |
| [Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz | 18,861 | 1,272 | Server |
| Intel Xeon X5550 @ 2.67GHz | 2,974 | 1,272 | Server |
| Intel Xeon E5-2640 v2 @ 2.00GHz | 7,820 | 1,270 | Server |
| AMD Opteron 4334 | 3,949 | 1,269 | Server |
| [Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz | 10,802 | 1,269 | Server |
| [Dual CPU] Intel Xeon E5-2630 @ 2.30GHz | 10,579 | 1,256 | Server |
| Intel Xeon W3520 @ 2.67GHz | 2,830 | 1,255 | Server |
| [Quad CPU] AMD Opteron 6328 | 10,076 | 1,252 | Server |
| AMD Opteron X3216 APU | 1,447 | 1,251 | Server |
| [Dual CPU] Intel Xeon E5640 @ 2.67GHz | 7,497 | 1,250 | Server |
| [Dual CPU] Intel Xeon E5-2650 @ 2.00GHz | 12,979 | 1,244 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon X3363 @ 2.83GHz | 2,307 | 1,241 | Server |
| Intel Xeon X3370 @ 3.00GHz | 2,417 | 1,240 | Server |
| [Dual CPU] Intel Xeon E5-2430 @ 2.20GHz | 9,418 | 1,239 | Server |
| Intel Xeon E5-4620 @ 2.20GHz | 6,830 | 1,239 | Server |
| [Dual CPU] Intel Xeon E5-2450 @ 2.10GHz | 10,408 | 1,238 | Server |
| AMD Opteron 2393 SE | 1,317 | 1,237 | Server |
| [Dual CPU] Intel Xeon E5462 @ 2.80GHz | 4,500 | 1,237 | Server |
| Intel Xeon X3360 @ 2.83GHz | 2,369 | 1,237 | Server |
| [Dual CPU] AMD Opteron 6220 | 7,951 | 1,235 | Server |
| Intel Xeon E5-2448L v2 @ 1.80GHz | 6,774 | 1,235 | Server |
| Intel Xeon X3460 @ 2.80GHz | 2,898 | 1,235 | Server |
| Intel Xeon E5-4640 @ 2.40GHz | 7,012 | 1,233 | Server |
| Intel Xeon E5-2650 @ 2.00GHz | 7,417 | 1,232 | Server |
| Intel Xeon E5440 @ 2.83GHz | 2,351 | 1,232 | Server |
| AMD Opteron 6344 | 6,069 | 1,231 | Server |
| [Dual CPU] Intel Xeon E5649 @ 2.53GHz | 9,557 | 1,228 | Server |
| Intel Xeon E5649 @ 2.53GHz | 5,229 | 1,224 | Server |
| Intel Xeon X5365 @ 3.00GHz | 2,331 | 1,223 | Server |
| Intel Xeon E-2276ML @ 2.00GHz | 6,353 | 1,222 | Server |
| Intel Xeon X5472 @ 3.00GHz | 2,197 | 1,220 | Server |
| [Dual CPU] Intel Xeon X5365 @ 3.00GHz | 4,302 | 1,214 | Server |
| Intel Xeon X3450 @ 2.67GHz | 2,799 | 1,213 | Server |
| Intel Xeon E5472 @ 3.00GHz | 2,286 | 1,211 | Server |
| Intel Xeon E5-2608L v3 @ 2.00GHz | 6,415 | 1,210 | Server |
| Intel Xeon E5-2675 v3 @ 1.80GHz | 11,960 | 1,209 | Server |
| Intel Xeon L3360 @ 2.83GHz | 2,306 | 1,207 | Server |
| [Dual CPU] AMD Opteron 8439 SE | 6,340 | 1,204 | Server |
| AMD Opteron 6220 | 4,753 | 1,203 | Server |
| [Dual CPU] Intel Xeon E5-2440 @ 2.40GHz | 10,902 | 1,200 | Server |
| Intel Xeon E5540 @ 2.53GHz | 2,738 | 1,200 | Server |
| Intel Xeon E5-2450 @ 2.10GHz | 7,530 | 1,197 | Server |
| Intel Xeon E5-2648L v2 @ 1.90GHz | 8,828 | 1,194 | Server |
| [Dual CPU] Intel Xeon E5-2430L @ 2.00GHz | 9,635 | 1,192 | Server |
| [Quad CPU] Intel Xeon X7350 @ 2.93GHz | 7,836 | 1,186 | Server |
| AMD Opteron 4284 | 4,665 | 1,181 | Server |
| [Dual CPU] Intel Xeon 5160 @ 3.00GHz | 2,259 | 1,181 | Server |
| Intel Xeon E5630 @ 2.53GHz | 3,730 | 1,180 | Server |
| Intel Xeon D-1539 @ 1.60GHz | 7,175 | 1,179 | Server |
| [Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz | 13,412 | 1,177 | Server |
| Intel Xeon X3353 @ 2.66GHz | 2,229 | 1,173 | Server |
| Intel Xeon L5530 @ 2.40GHz | 2,522 | 1,169 | Server |
| [Dual CPU] AMD Opteron 6366 HE | 10,265 | 1,167 | Server |
| Intel Xeon L3426 @ 1.87GHz | 2,590 | 1,167 | Server |
| AMD Opteron 6376 | 5,572 | 1,165 | Server |
| [Dual CPU] Intel Xeon E5-2609 @ 2.40GHz | 5,869 | 1,165 | Server |
| [Dual CPU] Intel Xeon E5430 @ 2.66GHz | 4,327 | 1,164 | Server |
| Intel Xeon E5645 @ 2.40GHz | 5,016 | 1,164 | Server |
| Intel Xeon L5609 @ 1.87GHz | 3,298 | 1,160 | Server |
| [Dual CPU] Intel Xeon E5645 @ 2.40GHz | 9,101 | 1,159 | Server |
| [Dual CPU] Intel Xeon E5630 @ 2.53GHz | 6,823 | 1,158 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD Opteron 6238 | 5,625 | 1,157 | Server |
| Intel Xeon D-1567 @ 2.10GHz | 10,447 | 1,156 | Server |
| Intel Xeon E5-2658 @ 2.10GHz | 6,073 | 1,156 | Server |
| Intel Xeon E5430 @ 2.66GHz | 2,210 | 1,156 | Server |
| Intel Xeon X3350 @ 2.66GHz | 2,151 | 1,156 | Server |
| Intel Xeon X3440 @ 2.53GHz | 2,730 | 1,155 | Server |
| [Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz | 10,797 | 1,154 | Server |
| Intel Xeon L5430 @ 2.66GHz | 2,260 | 1,154 | Server |
| [Dual CPU] Intel Xeon L5640 @ 2.27GHz | 8,413 | 1,154 | Server |
| Intel Xeon E5-2430 @ 2.20GHz | 5,596 | 1,152 | Server |
| [Dual CPU] Intel Xeon E5530 @ 2.40GHz | 5,152 | 1,151 | Server |
| Intel Xeon L5640 @ 2.27GHz | 4,692 | 1,151 | Server |
| AMD Opteron 4130 | 2,347 | 1,149 | Server |
| Intel Xeon E5530 @ 2.40GHz | 2,624 | 1,148 | Server |
| Intel Xeon X3330 @ 2.66GHz | 2,069 | 1,147 | Server |
| [Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz | 15,084 | 1,144 | Server |
| AMD Opteron 4280 | 4,504 | 1,141 | Server |
| [Quad CPU] AMD Opteron 6376 | 19,717 | 1,138 | Server |
| Intel Xeon 5160 @ 3.00GHz | 963 | 1,134 | Server |
| [Dual CPU] AMD Opteron 6380 | 12,061 | 1,133 | Server |
| [Dual CPU] Intel Xeon L5430 @ 2.66GHz | 4,269 | 1,131 | Server |
| Intel Xeon E5462 @ 2.80GHz | 2,067 | 1,130 | Server |
| AMD Opteron 6281 | 7,279 | 1,129 | Server |
| AMD Opteron 1222 | 1,089 | 1,128 | Server |
| AMD Opteron 6378 | 5,889 | 1,127 | Server |
| Intel Xeon E5-2651 v2 @ 1.80GHz | 9,211 | 1,126 | Server |
| [Dual CPU] Intel Xeon E5-2620 @ 2.00GHz | 9,627 | 1,125 | Server |
| Intel Xeon 3085 @ 3.00GHz | 1,070 | 1,124 | Server |
| [Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz | 24,434 | 1,124 | Server |
| [Dual CPU] AMD Opteron 2435 | 5,260 | 1,122 | Server |
| [Dual CPU] Intel Xeon E5540 @ 2.53GHz | 4,787 | 1,120 | Server |
| Intel Xeon E5-2630L @ 2.00GHz | 5,305 | 1,119 | Server |
| Intel Xeon Bronze 3204 @ 1.90GHz | 4,843 | 1,112 | Server |
| Intel Xeon E5-2620 @ 2.00GHz | 5,287 | 1,110 | Server |
| [Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz | 8,536 | 1,109 | Server |
| [Quad CPU] Intel Xeon E5-2420 @ 1.90GHz | 3,065 | 1,108 | Server |
| [Dual CPU] AMD Opteron 2387 | 4,105 | 1,107 | Server |
| AMD Opteron 3380 | 4,134 | 1,107 | Server |
| Intel Xeon E5-2628L v2 @ 1.90GHz | 7,181 | 1,106 | Server |
| Intel Xeon W3505 @ 2.53GHz | 1,153 | 1,105 | Server |
| Intel Xeon D-1537 @ 1.70GHz | 7,176 | 1,104 | Server |
| AMD Opteron 1389 | 2,079 | 1,102 | Server |
| Intel Xeon L5639 @ 2.13GHz | 4,419 | 1,102 | Server |
| AMD Opteron 3365 | 4,005 | 1,101 | Server |
| Intel Xeon E5-2609 @ 2.40GHz | 2,794 | 1,101 | Server |
| Intel Xeon L5420 @ 2.50GHz | 2,076 | 1,101 | Server |
| [Dual CPU] Intel Xeon L5420 @ 2.50GHz | 4,221 | 1,100 | Server |
| Intel Xeon E5-2420 @ 1.90GHz | 5,082 | 1,099 | Server |
| Intel Xeon E5-2609 v3 @ 1.90GHz | 4,423 | 1,097 | Server |
| Intel Xeon X3320 @ 2.50GHz | 1,986 | 1,097 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| [Dual CPU] Intel Xeon E5-2658 @ 2.10GHz | 10,053 | 1,096 | Server |
| [Dual CPU] Intel Xeon E5520 @ 2.27GHz | 4,520 | 1,096 | Server |
| Intel Xeon E5-2608L v4 @ 1.60GHz | 7,447 | 1,092 | Server |
| [Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz | 20,367 | 1,092 | Server |
| AMD Opteron 6287 SE | 6,925 | 1,091 | Server |
| AMD Opteron 6380 | 6,738 | 1,091 | Server |
| [Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz | 14,482 | 1,091 | Server |
| Intel Xeon X3230 @ 2.66GHz | 2,052 | 1,091 | Server |
| [Quad CPU] Intel Xeon X7560 @ 2.27GHz | 15,329 | 1,090 | Server |
| [Dual CPU] Intel Xeon E5420 @ 2.50GHz | 4,026 | 1,088 | Server |
| [Dual CPU] AMD Opteron 4130 | 4,200 | 1,086 | Server |
| AMD Opteron 6212 | 4,007 | 1,085 | Server |
| [Dual CPU] AMD Opteron 2222 | 2,123 | 1,084 | Server |
| Intel Xeon E5620 @ 2.40GHz | 3,503 | 1,084 | Server |
| [Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz | 15,611 | 1,082 | Server |
| Intel Xeon E5-2418L v2 @ 2.00GHz | 5,380 | 1,078 | Server |
| [Dual CPU] Intel Xeon E5620 @ 2.40GHz | 6,443 | 1,078 | Server |
| AMD Opteron 1220 | 1,036 | 1,077 | Server |
| [Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz | 7,927 | 1,075 | Server |
| AMD Opteron 2384 | 2,074 | 1,074 | Server |
| [Dual CPU] Intel Xeon 5150 @ 2.66GHz | 1,997 | 1,072 | Server |
| Intel Xeon E5-2407 v2 @ 2.40GHz | 3,504 | 1,068 | Server |
| [Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz | 10,061 | 1,068 | Server |
| Intel Xeon E5520 @ 2.27GHz | 2,517 | 1,067 | Server |
| [Dual CPU] Intel Xeon X7550 @ 2.00GHz | 7,873 | 1,067 | Server |
| [Dual CPU] Intel Xeon E5-2630L @ 2.00GHz | 9,622 | 1,066 | Server |
| [Quad CPU] AMD Opteron 6378 | 13,236 | 1,065 | Server |
| [Dual CPU] Intel Xeon X5355 @ 2.66GHz | 3,854 | 1,065 | Server |
| Intel Xeon E5-2650L @ 1.80GHz | 6,005 | 1,063 | Server |
| [Dual CPU] AMD Opteron 6272 | 9,328 | 1,061 | Server |
| AMD Opteron 4274 HE | 5,776 | 1,060 | Server |
| Intel Xeon X5355 @ 2.66GHz | 1,979 | 1,060 | Server |
| [Dual CPU] AMD Opteron 6136 | 7,964 | 1,059 | Server |
| Intel Xeon X3323 @ 2.50GHz | 1,837 | 1,059 | Server |
| Intel Xeon E5420 @ 2.50GHz | 2,005 | 1,058 | Server |
| [Quad CPU] AMD Opteron 8378 | 7,788 | 1,056 | Server |
| [Quad CPU] Intel Xeon E7- 4870 @ 2.40GHz | 23,639 | 1,056 | Server |
| [Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz | 8,050 | 1,050 | Server |
| [Dual CPU] Intel Xeon E5-2650L @ 1.80GHz | 11,364 | 1,050 | Server |
| [Dual CPU] AMD Opteron 6376 | 10,978 | 1,049 | Server |
| [Dual CPU] AMD Opteron 290 | 1,430 | 1,046 | Server |
| Intel Xeon E5-2603 v4 @ 1.70GHz | 4,695 | 1,046 | Server |
| Intel Xeon L5630 @ 2.13GHz | 2,985 | 1,045 | Server |
| [Dual CPU] Intel Xeon E5-2407 @ 2.20GHz | 5,420 | 1,039 | Server |
| Intel Xeon E5-2699A v4 @ 2.40GHz | 14,917 | 1,037 | Server |
| AMD Opteron 3280 | 3,723 | 1,036 | Server |
| AMD Opteron 1385 | 1,898 | 1,035 | Server |
| [Dual CPU] Intel Xeon E5-2450L @ 1.80GHz | 11,287 | 1,035 | Server |
| [Dual CPU] Intel Xeon L5520 @ 2.27GHz | 4,830 | 1,035 | Server |
| Intel Xeon L5410 @ 2.33GHz | 1,921 | 1,029 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|
| | - | - | |

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon X3430 @ 2.40GHz | 2,311 | 1,025 | Server |
| Intel Xeon 3070 @ 2.66GHz | 1,025 | 1,024 | Server |
| Intel Xeon 5150 @ 2.66GHz | 924 | 1,023 | Server |
| Intel Xeon E5410 @ 2.33GHz | 1,990 | 1,023 | Server |
| [Dual CPU] AMD Opteron 6276 | 9,856 | 1,019 | Server |
| [Dual CPU] AMD Opteron 6378 | 12,352 | 1,018 | Server |
| [Quad CPU] Intel Xeon E7450 @ 2.40GHz | 9,932 | 1,018 | Server |
| Intel Xeon W3503 @ 2.40GHz | 1,065 | 1,018 | Server |
| Intel Xeon Bronze 3106 @ 1.70GHz | 5,769 | 1,017 | Server |
| Intel Xeon E5-2609 v4 @ 1.70GHz | 5,385 | 1,014 | Server |
| [Dual CPU] AMD Opteron 2220 | 1,533 | 1,013 | Server |
| [Dual CPU] Intel Xeon E5410 @ 2.33GHz | 3,827 | 1,013 | Server |
| AMD Opteron 4386 | 4,378 | 1,012 | Server |
| [Quad CPU] Intel Xeon E7-4830 @ 2.13GHz | 19,981 | 1,012 | Server |
| AMD Opteron 1381 | 1,797 | 1,011 | Server |
| Intel Xeon Bronze 3104 @ 1.70GHz | 4,576 | 1,011 | Server |
| [Dual CPU] Intel Xeon E5507 @ 2.27GHz | 4,010 | 1,010 | Server |
| [Dual CPU] Intel Xeon L5639 @ 2.13GHz | 5,768 | 1,010 | Server |
| [Dual CPU] Intel Xeon E5607 @ 2.27GHz | 4,969 | 1,009 | Server |
| [Dual CPU] Intel Xeon L5410 @ 2.33GHz | 3,974 | 1,009 | Server |
| [Quad CPU] AMD Opteron 6278 | 13,733 | 1,007 | Server |
| AMD Opteron 6276 | 6,245 | 1,005 | Server |
| Intel Xeon E5-2430L @ 2.00GHz | 5,273 | 1,005 | Server |
| AMD Opteron 3250 HE | 2,061 | 1,003 | Server |
| AMD Opteron 6366 HE | 5,613 | 1,003 | Server |
| Intel Xeon E5-2450L @ 1.80GHz | 5,880 | 1,002 | Server |
| Intel Xeon E5607 @ 2.27GHz | 2,686 | 1,002 | Server |
| Intel Xeon L5520 @ 2.27GHz | 2,274 | 1,001 | Server |
| [Dual CPU] Intel Xeon E5-2420 @ 1.90GHz | 9,336 | 999 | Server |
| Intel Xeon E5507 @ 2.27GHz | 1,928 | 997 | Server |
| [Dual CPU] Intel Xeon E5-4603 @ 2.00GHz | 6,690 | 995 | Server |
| Intel Xeon E5-2403 v2 @ 1.80GHz | 2,873 | 991 | Server |
| [Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz | 5,017 | 991 | Server |
| Intel Pentium 1403 @ 2.60GHz | 1,851 | 990 | Server |
| [Dual CPU] AMD Opteron 285 | 1,441 | 989 | Server |
| [Quad CPU] Intel Xeon E7540 @ 2.00GHz | 10,376 | 986 | Server |
| Intel Xeon E5-2418L @ 2.00GHz | 3,518 | 977 | Server |
| Intel Xeon E5-2603 v2 @ 1.80GHz | 2,751 | 977 | Server |
| [Dual CPU] AMD Opteron 6274 | 10,313 | 974 | Server |
| [Dual CPU] Intel Xeon E5-4620 @ 2.20GHz | 11,474 | 974 | Server |
| [Quad CPU] AMD Opteron 6276 | 10,763 | 969 | Server |
| [Dual CPU] Intel Xeon L5506 @ 2.13GHz | 4,019 | 967 | Server |
| [Dual CPU] AMD Opteron 2218 | 1,994 | 964 | Server |
| [Dual CPU] AMD Opteron 6176 SE | 7,818 | 963 | Server |
| Intel Xeon X3220 @ 2.40GHz | 1,937 | 963 | Server |
| AMD Opteron 1218 | 910 | 962 | Server |
| Intel Xeon E5-2440 v2 @ 1.90GHz | 6,927 | 962 | Server |
| [Quad CPU] Intel Xeon E7340 @ 2.40GHz | 6,544 | 960 | Server |
| AMD Opteron 4365 EE | 3,485 | 958 | Server |
| Intel Xeon 3060 @ 2.40GHz | 983 | 957 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD Opteron 6282 SE | 6,385 | 953 | Server |
| Intel Xeon E5-4603 @ 2.00GHz | 3,391 | 953 | Server |
| [Dual CPU] Intel Xeon E5345 @ 2.33GHz | 3,463 | 947 | Server |
| [Dual CPU] Intel Xeon L5638 @ 2.00GHz | 7,217 | 944 | Server |
| Intel Xeon E5-2650L v2 @ 1.70GHz | 7,450 | 943 | Server |
| Intel Xeon E5506 @ 2.13GHz | 1,967 | 943 | Server |
| Intel Xeon E5606 @ 2.13GHz | 2,365 | 942 | Server |
| [Dual CPU] Intel Xeon E5506 @ 2.13GHz | 3,763 | 941 | Server |
| AMD Opteron 1218 HE | 979 | 940 | Server |
| Intel Xeon E5-2407 @ 2.20GHz | 2,658 | 940 | Server |
| [Quad CPU] AMD Opteron 6174 | 12,607 | 939 | Server |
| [Dual CPU] Intel Xeon L5630 @ 2.13GHz | 4,925 | 938 | Server |
| AMD Opteron 2378 | 1,864 | 936 | Server |
| Intel Xeon L5408 @ 2.13GHz | 1,769 | 936 | Server |
| [Quad CPU] Intel Xeon E7330 @ 2.40GHz | 6,792 | 933 | Server |
| Intel Xeon E5-2603 v3 @ 1.60GHz | 3,774 | 932 | Server |
| Intel Xeon E5-2648L @ 1.80GHz | 4,235 | 931 | Server |
| [Quad CPU] Intel Xeon E7- 4850 @ 2.00GHz | 21,385 | 931 | Server |
| [Quad CPU] AMD Opteron 8356 | 5,397 | 929 | Server |
| [Dual CPU] Intel Xeon X7460 @ 2.66GHz | 4,803 | 922 | Server |
| AMD Opteron 1356 | 1,703 | 918 | Server |
| [Dual CPU] Intel Xeon 5140 @ 2.33GHz | 1,752 | 916 | Server |
| [Dual CPU] AMD Opteron 2374 HE | 3,667 | 915 | Server |
| [Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz | 6,626 | 909 | Server |
| [Dual CPU] AMD Opteron 2427 | 4,499 | 906 | Server |
| AMD Opteron 3260 HE | 2,283 | 900 | Server |
| Dual-Core AMD Opteron 1220 SE | 748 | 900 | Server |
| [Dual CPU] AMD Opteron 2354 | 3,242 | 899 | Server |
| [Dual CPU] Intel Xeon E5-2428L @ 1.80GHz | 8,500 | 899 | Server |
| [Dual CPU] Intel Xeon E5-2648L @ 1.80GHz | 9,940 | 899 | Server |
| [Dual CPU] AMD Opteron 6134 | 6,053 | 898 | Server |
| [Dual CPU] AMD Opteron 2356 | 3,009 | 894 | Server |
| [Dual CPU] AMD Opteron 6234 | 8,644 | 887 | Server |
| [Quad CPU] Intel Xeon E7530 @ 1.87GHz | 7,231 | 887 | Server |
| AMD Opteron 185 | 695 | 884 | Server |
| [Dual CPU] AMD Opteron 6128 HE | 6,339 | 883 | Server |
| [Dual CPU] Intel Xeon E5606 @ 2.13GHz | 4,258 | 882 | Server |
| Intel Xeon E5405 @ 2.00GHz | 1,702 | 877 | Server |
| [Dual CPU] Intel Xeon E5405 @ 2.00GHz | 3,313 | 876 | Server |
| AMD Opteron 180 | 746 | 874 | Server |
| [Dual CPU] Intel Xeon E5-2603 @ 1.80GHz | 4,433 | 873 | Server |
| Intel Xeon 5140 @ 2.33GHz | 857 | 870 | Server |
| Intel Atom C3758 @ 2.20GHz | 4,750 | 868 | Server |
| Intel Xeon 5148 @ 2.33GHz | 912 | 868 | Server |
| Intel Xeon E5-2603 @ 1.80GHz | 2,362 | 868 | Server |
| [Dual CPU] Intel Xeon E5504 @ 2.00GHz | 3,292 | 868 | Server |
| [Dual CPU] AMD Opteron 6128 | 6,307 | 866 | Server |
| AMD Opteron 1354 | 1,620 | 864 | Server |
| Intel Xeon L5638 @ 2.00GHz | 3,707 | 862 | Server |
| AMD Opteron 1352 | 1,547 | 857 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| AMD Opteron 2356 | 1,733 | 849 | Server |
| AMD Opteron 6274 | 5,286 | 849 | Server |
| AMD Opteron 1216 HE | 727 | 847 | Server |
| [Dual CPU] AMD Opteron 2373 EE | 3,415 | 847 | Server |
| Intel Xeon E5503 @ 2.00GHz | 804 | 845 | Server |
| AMD Opteron 3320 EE | 1,918 | 838 | Server |
| Intel Xeon 5133 @ 2.20GHz | 887 | 838 | Server |
| Intel Xeon 3065 @ 2.33GHz | 867 | 836 | Server |
| Intel Xeon D-1587 @ 1.70GHz | 9,223 | 835 | Server |
| AMD Opteron X2170 APU | 1,911 | 832 | Server |
| AMD Opteron 1214 | 696 | 830 | Server |
| Intel Xeon L5335 @ 2.00GHz | 1,678 | 827 | Server |
| [Dual CPU] Intel Xeon E5502 @ 1.87GHz | 1,853 | 825 | Server |
| Intel Xeon E5504 @ 2.00GHz | 1,519 | 825 | Server |
| AMD Opteron 6128 HE | 2,932 | 823 | Server |
| [Dual CPU] Intel Xeon 5130 @ 2.00GHz | 1,581 | 819 | Server |
| Intel Xeon E5335 @ 2.00GHz | 1,549 | 817 | Server |
| Intel Xeon X3210 @ 2.13GHz | 1,293 | 816 | Server |
| AMD Opteron 2373 EE | 1,635 | 814 | Server |
| AMD Opteron 1214 HE | 806 | 811 | Server |
| [Quad CPU] Intel Xeon E7320 @ 2.13GHz | 5,286 | 811 | Server |
| AMD Opteron 1216 | 781 | 810 | Server |
| Intel Xeon E5502 @ 1.87GHz | 837 | 799 | Server |
| Intel Xeon 5130 @ 2.00GHz | 795 | 796 | Server |
| Intel Xeon E5205 @ 1.86GHz | 838 | 788 | Server |
| Intel Atom C3338 @ 1.50GHz | 915 | 786 | Server, Mobile/Embedded |
| Intel Xeon E3-1220L v3 @ 1.10GHz | 1,407 | 777 | Server |
| [Dual CPU] Intel Xeon 3.73GHz | 1,511 | 776 | Server |
| Intel Xeon E7320 @ 2.13GHz | 1,469 | 776 | Server |
| AMD Opteron 175 | 682 | 773 | Server |
| [Dual CPU] Intel Xeon 5120 @ 1.86GHz | 1,486 | 770 | Server |
| Intel Xeon E5320 @ 1.86GHz | 1,469 | 770 | Server |
| [Dual CPU] Intel Xeon E5320 @ 1.86GHz | 2,822 | 766 | Server |
| AMD Opteron 6272 | 5,240 | 753 | Server |
| Intel Xeon 5120 @ 1.86GHz | 763 | 748 | Server |
| Intel Xeon E5-2403 @ 1.80GHz | 2,280 | 746 | Server |
| Intel Xeon 3.73GHz | 901 | 734 | Server |
| [Dual CPU] Intel Xeon E5503 @ 2.00GHz | 1,707 | 734 | Server |
| [Dual CPU] Intel Xeon X7560 @ 2.27GHz | 8,110 | 734 | Server |
| AMD Opteron 1212 HE | 771 | 731 | Server |
| AMD Opteron 1212 | 593 | 729 | Server |
| Intel Atom C3538 @ 2.10GHz | 1,960 | 723 | Server |
| [Dual CPU] Intel Xeon 3.40GHz | 843 | 723 | Server |
| [Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz | 6,223 | 721 | Server |
| Intel Xeon D-1557 @ 1.50GHz | 7,118 | 718 | Server |
| AMD Opteron 170 | 648 | 715 | Server |
| Intel Xeon E5603 @ 1.60GHz | 1,935 | 712 | Server |
| [Dual CPU] Intel Xeon E5603 @ 1.60GHz | 3,548 | 710 | Server |
| Intel Xeon 3.20GHz | 478 | 696 | Server |
| Intel Atom C2750 @ 2.40GHz | 2,778 | 674 | Server |

| CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|

CPU Benchmarks

| | | | |
|---|---|---|---|
| Intel Xeon L5310 @ 1.60GHz | 1,385 | 662 | Server |
| [Dual CPU] Intel Xeon 5110 @ 1.60GHz | 1,289 | 659 | Server |
| Intel Atom C3858 @ 2.00GHz | 4,707 | 652 | Server |
| Intel Xeon L3406 @ 2.27GHz | 928 | 647 | Server |
| Intel Xeon 3.60GHz | 403 | 643 | Server |
| [Dual CPU] Intel Xeon E5310 @ 1.60GHz | 2,629 | 641 | Server |
| Intel Xeon E5310 @ 1.60GHz | 1,306 | 640 | Server |
| AMD Opteron 165 | 531 | 638 | Server |
| AMD Opteron 4184 | 2,872 | 630 | Server |
| Intel Xeon 3040 @ 1.86GHz | 790 | 621 | Server |
| AMD Opteron 2222 | 1,198 | 618 | Server |
| Intel Xeon 3.00GHz | 425 | 607 | Server |
| Intel Xeon 5110 @ 1.60GHz | 600 | 606 | Server |
| Intel Xeon L7455 @ 2.13GHz | 2,494 | 601 | Server |
| [Dual CPU] Intel Xeon 3.06GHz | 533 | 600 | Server |
| Intel Xeon 3.80GHz | 393 | 594 | Server |
| AMD Opteron 2435 | 3,061 | 593 | Server |
| AMD Opteron 8439 SE | 2,479 | 590 | Server |
| AMD Opteron 270 | 736 | 587 | Server |
| AMD Opteron 254 | 451 | 578 | Server |
| AMD Opteron 2431 | 2,936 | 570 | Server |
| AMD Opteron 290 | 952 | 570 | Server |
| AMD Opteron 6172 | 2,615 | 564 | Server |
| Intel Xeon E7- 2830 @ 2.13GHz | 2,027 | 559 | Server |
| Intel Atom C2550 @ 2.40GHz | 1,422 | 554 | Server |
| AMD Opteron 2220 | 1,106 | 553 | Server |
| AMD Opteron 6136 | 3,381 | 549 | Server |
| AMD Opteron 6234 | 4,072 | 547 | Server |
| AMD Opteron 154 | 457 | 534 | Server |
| AMD Opteron 2220 SE | 909 | 519 | Server |
| Intel Xeon 3.40GHz | 375 | 519 | Server |
| [Dual CPU] AMD Opteron 6282 SE | 7,130 | 517 | Server |
| Intel Atom C3958 @ 2.00GHz | 4,281 | 514 | Server |
| AMD Opteron 285 | 956 | 509 | Server |
| AMD Opteron 6176 SE | 3,564 | 507 | Server |
| Intel Atom C2350 @ 1.74GHz | 523 | 492 | Server |
| AMD Opteron 2218 | 1,036 | 491 | Server |
| AMD Opteron 6174 | 3,697 | 488 | Server |
| AMD Opteron 152 | 428 | 487 | Server |
| AMD Opteron 4170 HE | 2,382 | 476 | Server |
| AMD Opteron 150 | 393 | 471 | Server |
| AMD Opteron 6128 | 2,826 | 447 | Server |
| AMD Opteron 275 | 839 | 445 | Server |
| AMD Opteron 148 | 392 | 443 | Server |
| AMD Opteron 280 | 765 | 430 | Server |
| Intel Xeon D-1520 @ 2.20GHz | 3,324 | 419 | Server |
| AMD Opteron 146 | 346 | 400 | Server |
| AMD Opteron 6164 HE | 3,478 | 399 | Server |
| AMD Opteron 2419 EE | 1,902 | 396 | Server |
| Intel Xeon X6550 @ 2.00GHz | 1,936 | 390 | Server |

| | CPU Name | CPU Mark | Thread Mark | |
|---|---|---|---|---|
| | | - | - | |

## CPU Benchmarks

| | | | | |
|---|---|---|---|---|
| | Intel Xeon 2.80GHz | 260 | 384 | Server |
| | AMD Opteron 4162 EE | 2,058 | 382 | Server |
| | Intel Xeon MV 3.20GHz | 582 | 378 | Server |
| | AMD Opteron 144 | 316 | 376 | Server |
| | Intel XEON 2.20GHz | 164 | 351 | Server |
| | Intel Atom C2750 @ 2.41GHz | 2,174 | 291 | Server |
| | Intel Atom S1260 @ 2.00GHz | 540 | 289 | Server |
| | Intel Xeon L5320 @ 1.86GHz | 1,118 | 281 | Server |
| | Intel Xeon 2.00GHz | 152 | 259 | Server |
| | [Quad CPU] AMD Opteron 885 | 2,696 | NA | Server |
| | [Quad CPU] Intel Xeon E5-4617 @ 2.90GHz | 16,902 | NA | Server |
| | [Dual CPU] Intel Xeon X5260 @ 3.33GHz | 2,389 | NA | Server |

Showing 1 to 1,338 of 1,338 entries (filtered from 4,582 total entries)

Previous **1** Next

**Notes:**

[1] Price is obtained from our affiliates. '*' after the price denotes the last seen price for products that are no longer available.
[2] CPU Value is calculated by taking CPU Mark / Price.
[3] Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
[4] Power Performance is calculated by taking CPU Mark / TDP.
[5] Test Date is the date of our first benchmark submission.



**Copyright © 2023 PassMark® Software**