

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length(mm)	Weight(kg)
A3		3	RHS80*80*5			5.74
	P126	1	RHS80*80*5	S355JR	216	2.54
	P56	1	BL3*74	S355J	74	0.13
	P65	1	BL10*230	S355J	170	3.07
A5		12	BL12*60			5.42
	P29	1	BL12*60	S355JR	150	0.85
	P29	1	BL12*60	S355JR	150	0.85
	P30	4	D16	S355JR	500	0.75
	P31	4	D12	S235JR	124	0.10
	P32	2	D12	S235JR	151	0.12
	P33	2	D12	S235JR	54	0.04
A6		1	HEB180			238.38
	P2	1	HEB180	S355J	3962	203.09
	P4	1	BL10*180	S355J	171	2.41
	P7	3	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	3	BL10*86	S355J	152	1.00
	P51	3	BL10*220	S355J	170	2.94
	P54	1	BL10*221	S235JR	165	1.89
	P55	1	BL8*80	S235JR	131	0.55
	P60	4	L40*4	S355JR	400	0.97
	P63	1	L40*4	S355JR	95	0.23
	P91	1	BL10*150	S355J	198	1.74
	P92	1	BL10*149	S355J	197	1.73
A7		1	HEA180			234.27
	P3	1	HEA180	S355J	4895	174.08
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	2	BL10*80	S355J	150	0.92
	P11	4	BL10*80	S355J	151	0.93
	P13	3	BL10*250	S355J	161	3.16
	P28	1	HEA180	S355J	225	8.02
	P35	1	BL10*250	S235JR	161	3.16
	P45	1	BL15*376	S235JR	280	10.53
	P60	5	L40*4	S355JR	400	0.97
	P61	1	L40*4	S355JR	151	0.37
	P108	1	BL10*132	S355J	184	1.58
	P110	2	BL10*134	S355J	185	1.59
	P112	1	BL10*130	S355J	183	1.55
	P128	3	BL10*86	S355J	151	1.00
A8		1	HEB180			244.67
	P1	1	HEB180	S355J	4250	217.86
	P8	1	BL15*180	S355J	361	7.65
	P9	1	BL12*85	S355J	120	0.89
	P10	1	BL12*85	S355J	119	0.89
	P17	1	BL20*240	S355J	220	8.29
	P51	1	BL10*220	S355J	170	2.94
	P60	1	L40*4	S355JR	400	0.97
	P62	2	L40*4	S355JR	300	0.73
	P103	1	BL10*157	S355J	205	1.82
	P104	1	BL10*166	S355J	215	1.92
A13		1	D16			8.73
	P107	1	D16	S355JR	2319	3.50
	P76	2	BL10*80	S355J	215	1.23

ASSEMBLY PART LIST FOR CONTRACT No: Remiza OSP
OBJECT:

Page: 2
Date: 05.07.2022

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length(mm)	Weight(kg)
	P79	1	PD42*13	S355JR	170	0.82
	P113	1	D16	S355JR	1301	1.96
A14		1	D16			8.71
	P111	1	D16	S355JR	2314	3.49
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P115	1	D16	S355JR	1296	1.95
A15		2	D16			8.73
	P109	1	D16	S355JR	2324	3.50
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P114	1	D16	S355JR	1302	1.96
A16		2	D16			8.73
	P109	1	D16	S355JR	2324	3.50
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P114	1	D16	S355JR	1302	1.96
A17		9	RHS80*80*5			50.26
	P47	1	RHS80*80*5	S355JR	3778	44.49
	P49	2	BL10*220	S355J	150	2.59
	P52	2	BL8*65	S235JR	80	0.30
A18		3	RHS80*80*5			44.77
	P48	1	RHS80*80*5	S355JR	3780	44.51
	P56	2	BL3*74	S355J	74	0.13
A19		3	RHS140*80*6			82.16
	P14	1	RHS140*80*6	S355J	3600	70.05
	P44	2	BL15*210	S235JR	250	6.05
A20		9	RHS140*80*6			80.34
	P12	1	RHS140*80*6	S355J	3778	74.02
	P13	2	BL10*250	S355J	161	3.16
A21		2	RHS80*80*5			48.98
	P47	1	RHS80*80*5	S355JR	3778	44.49
	P102	2	BL10*220	S355J	130	2.25
A22		2	D16			9.26
	P100	1	D16	S355JR	2581	3.89
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P105	1	D16	S355JR	1394	2.10
A23		2	D16			9.04
	P101	1	D16	S355JR	2480	3.74
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P106	1	D16	S355JR	1349	2.03
A24		1	D16			8.91
	P90	1	D16	S355JR	2228	3.36
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P95	1	D16	S355JR	1518	2.29

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length (mm)	Weight (kg)
A25		1	D16			8.89
	P89	1	D16	S355JR	2219	3.34
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P96	1	D16	S355JR	1512	2.28
A27		1	HEB180			247.61
	P16	1	HEB180	S355J	3962	203.09
	P4	1	BL10*180	S355J	171	2.41
	P7	2	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	6	BL10*86	S355J	152	1.00
	P51	6	BL10*220	S355J	170	2.94
	P54	2	BL10*221	S235JR	165	1.89
	P55	2	BL8*80	S235JR	131	0.55
	P91	1	BL10*150	S355J	198	1.74
	P92	1	BL10*149	S355J	197	1.73
A28		1	HEA180			255.30
	P3	1	HEA180	S355J	4895	174.08
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	2	BL10*80	S355J	150	0.92
	P11	4	BL10*80	S355J	151	0.93
	P13	6	BL10*250	S355J	161	3.16
	P28	1	HEA180	S355J	225	8.02
	P35	2	BL10*250	S235JR	161	3.16
	P36	1	HEA180	S355J	225	8.02
	P43	1	BL15*376	S235JR	380	13.10
	P108	1	BL10*132	S355J	184	1.58
	P110	2	BL10*134	S355J	185	1.59
	P112	1	BL10*130	S355J	183	1.55
	P128	6	BL10*86	S355J	151	1.00
A29		1	HEB180			242.25
	P15	1	HEB180	S355J	4250	217.86
	P8	1	BL15*180	S355J	361	7.65
	P9	1	BL12*85	S355J	120	0.89
	P10	1	BL12*85	S355J	119	0.89
	P17	1	BL20*240	S355J	220	8.29
	P51	1	BL10*220	S355J	170	2.94
	P103	1	BL10*157	S355J	205	1.82
	P104	1	BL10*166	S355J	215	1.92
A31		2	HEB180			244.14
	P16	1	HEB180	S355J	3962	203.09
	P4	1	BL10*180	S355J	171	2.41
	P7	2	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	6	BL10*86	S355J	152	1.00
	P51	6	BL10*220	S355J	170	2.94
	P54	2	BL10*221	S235JR	165	1.89
A32		1	HEA180			255.30
	P3	1	HEA180	S355J	4895	174.08
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	2	BL10*80	S355J	150	0.92

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length(mm)	Weight(kg)
	P11	4	BL10*80	S355J	151	0.93
	P13	6	BL10*250	S355J	161	3.16
	P28	1	HEA180	S355J	225	8.02
	P35	2	BL10*250	S235JR	161	3.16
	P36	1	HEA180	S355J	225	8.02
	P43	1	BL15*376	S235JR	380	13.10
	P108	1	BL10*132	S355J	184	1.58
	P110	2	BL10*134	S355J	185	1.59
	P112	1	BL10*130	S355J	183	1.55
	P128	6	BL10*86	S355J	151	1.00
A33		1	HEB180			242.25
	P15	1	HEB180	S355J	4250	217.86
	P8	1	BL15*180	S355J	361	7.65
	P9	1	BL12*85	S355J	120	0.89
	P10	1	BL12*85	S355J	119	0.89
	P17	1	BL20*240	S355J	220	8.29
	P51	1	BL10*220	S355J	170	2.94
	P103	1	BL10*157	S355J	205	1.82
	P104	1	BL10*166	S355J	215	1.92
A34		1	D16			8.71
	P111	1	D16	S355JR	2314	3.49
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P115	1	D16	S355JR	1296	1.95
A35		1	D16			8.73
	P107	1	D16	S355JR	2319	3.50
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P113	1	D16	S355JR	1301	1.96
A36		1	HEA180			255.30
	P3	1	HEA180	S355J	4895	174.08
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	2	BL10*80	S355J	150	0.92
	P11	4	BL10*80	S355J	151	0.93
	P13	6	BL10*250	S355J	161	3.16
	P28	1	HEA180	S355J	225	8.02
	P35	2	BL10*250	S235JR	161	3.16
	P36	1	HEA180	S355J	225	8.02
	P43	1	BL15*376	S235JR	380	13.10
	P108	1	BL10*132	S355J	184	1.58
	P110	2	BL10*134	S355J	185	1.59
	P112	1	BL10*130	S355J	183	1.55
	P128	6	BL10*86	S355J	151	1.00
A37		1	HEB180			242.25
	P15	1	HEB180	S355J	4250	217.86
	P8	1	BL15*180	S355J	361	7.65
	P9	1	BL12*85	S355J	120	0.89
	P10	1	BL12*85	S355J	119	0.89
	P17	1	BL20*240	S355J	220	8.29
	P51	1	BL10*220	S355J	170	2.94
	P103	1	BL10*157	S355J	205	1.82
	P104	1	BL10*166	S355J	215	1.92
A41		1	HEB180			247.91

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length (mm)	Weight (kg)
	P16	1	HEB180	S355J	3962	203.09
	P4	1	BL10*180	S355J	171	2.41
	P7	2	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	6	BL10*86	S355J	152	1.00
	P51	6	BL10*220	S355J	170	2.94
	P54	2	BL10*221	S235JR	165	1.89
	P55	2	BL8*80	S235JR	131	0.55
	P135	1	BL10*164	S355J	213	1.90
	P136	1	BL10*163	S355J	211	1.88
A42		1	HEA180			247.74
	P19	1	HEA180	S355J	4749	168.86
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	4	BL10*80	S355J	150	0.92
	P13	6	BL10*250	S355J	161	3.16
	P23	1	BL12*180	S355J	340	5.77
	P24	1	BL12*157	S355J	293	2.60
	P40	1	BL15*376	S235JR	380	13.11
	P43	1	BL15*376	S235JR	380	13.10
	P128	6	BL10*86	S355J	151	1.00
	P144	1	BL10*144	S355J	193	1.68
	P145	2	BL10*145	S355J	194	1.69
	P146	1	BL10*141	S355J	191	1.65
A43		1	HEB180			268.77
	P18	1	HEB180	S355J	4454	228.31
	P4	1	BL10*180	S355J	171	2.41
	P7	3	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	3	BL10*86	S355J	152	1.00
	P51	6	BL10*220	S355J	170	2.94
	P54	1	BL10*221	S235JR	165	1.89
	P55	1	BL8*80	S235JR	131	0.55
	P136	1	BL10*163	S355J	211	1.88
	P142	1	BL10*176	S355J	231	2.05
A51		4	RHS80*80*5			36.60
	P53	1	RHS80*80*5	S355JR	2618	30.83
	P49	2	BL10*220	S355J	150	2.59
	P52	2	BL8*65	S235JR	80	0.30
A52		2	RHS80*80*5			31.11
	P57	1	RHS80*80*5	S355JR	2620	30.85
	P56	2	BL3*74	S355J	74	0.13
A53		1	RHS140*80*6			59.43
	P46	1	RHS140*80*6	S355J	2440	47.33
	P44	2	BL15*210	S235JR	250	6.05
A54		3	RHS140*80*6			57.62
	P38	1	RHS140*80*6	S355J	2618	51.30
	P13	2	BL10*250	S355J	161	3.16
A55		1	RHS140*80*6			62.50
	P37	1	RHS140*80*6	S355J	2730	53.24
	P35	1	BL10*250	S235JR	160	3.14
	P41	1	BL15*212	S235JR	250	6.13

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length(mm)	Weight(kg)
A56		2	RHS80*80*5			36.30
	P53	1	RHS80*80*5	S355JR	2618	30.83
	P49	2	BL10*220	S355J	150	2.59
	P52	1	BL8*65	S235JR	80	0.30
A60		1	HEB180			238.69
	P2	1	HEB180	S355J	3962	203.09
	P4	1	BL10*180	S355J	171	2.41
	P7	3	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	3	BL10*86	S355J	152	1.00
	P51	3	BL10*220	S355J	170	2.94
	P54	1	BL10*221	S235JR	165	1.89
	P55	1	BL8*80	S235JR	131	0.55
	P60	4	L40*4	S355JR	400	0.97
	P63	1	L40*4	S355JR	95	0.23
	P135	1	BL10*164	S355J	213	1.90
	P136	1	BL10*163	S355J	211	1.88
A61		1	HEA180			234.61
	P19	1	HEA180	S355J	4749	168.86
	P5	1	BL12*180	S355J	372	6.31
	P6	1	BL12*143	S355J	321	2.60
	P7	4	BL10*80	S355J	150	0.92
	P13	3	BL10*250	S355J	161	3.16
	P23	1	BL12*180	S355J	340	5.77
	P24	1	BL12*157	S355J	293	2.60
	P42	1	BL15*376	S235JR	280	10.53
	P45	1	BL15*376	S235JR	280	10.54
	P60	4	L40*4	S355JR	400	0.97
	P67	2	L40*4	S355JR	130	0.31
	P128	3	BL10*86	S355J	151	1.00
	P144	1	BL10*144	S355J	193	1.68
	P145	2	BL10*145	S355J	194	1.69
	P146	1	BL10*141	S355J	191	1.65
A62		1	HEB180			264.06
	P25	1	HEB180	S355J	4454	228.31
	P4	1	BL10*180	S355J	171	2.41
	P7	3	BL10*80	S355J	150	0.92
	P17	1	BL20*240	S355J	220	8.29
	P50	3	BL10*86	S355J	152	1.00
	P51	3	BL10*220	S355J	170	2.94
	P54	1	BL10*221	S235JR	165	1.89
	P55	1	BL8*80	S235JR	131	0.55
	P60	4	L40*4	S355JR	400	0.97
	P63	1	L40*4	S355JR	95	0.23
	P136	1	BL10*163	S355J	211	1.88
	P142	1	BL10*176	S355J	231	2.05
A65		1	RHS140*80*6			264.74
	P58	1	RHS140*80*6	S355J	3385	66.32
	P58	1	RHS140*80*6	S355J	3385	66.32
	P64	2	BL15*152	S355J	147	2.63
	P65	4	BL10*230	S355J	170	3.07
	P66	1	RHS140*80*6	S355J	274	5.37
	P127	5	FL100*8	S355J	200	1.26
	P129	1	RHS140*80*6	S355J	4718	92.44
	P130	1	RHS140*80*6	S355J	534	10.46

ASSEMBLY PART LIST FOR CONTRACT No: Remiza OSP
OBJECT:

Page: 7
Date: 05.07.2022

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length(mm)	Weight(kg)
A66		3	RHS80*80*5			40.60
	P132	1	RHS80*80*5	S355JR	2958	34.83
	P49	2	BL10*220	S355J	150	2.59
	P52	2	BL8*65	S235JR	80	0.30
A67		1	RHS80*80*5			35.11
	P133	1	RHS80*80*5	S355JR	2960	34.85
	P56	2	BL3*74	S355J	74	0.13
A68		3	RHS140*80*6			64.28
	P131	1	RHS140*80*6	S355J	2958	57.96
	P13	2	BL10*250	S355J	161	3.16
A69		3	RHS80*80*5			9.03
	P125	1	RHS80*80*5	S355JR	536	6.31
	P49	1	BL10*220	S355J	150	2.59
	P56	1	BL3*74	S355J	74	0.13
A70		2	D16			7.24
	P80	1	D16	S355JR	1560	2.35
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P138	1	D16	S355JR	1075	1.62
A71		1	D16			7.27
	P82	1	D16	S355JR	1571	2.37
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P137	1	D16	S355JR	1083	1.63
A72		1	RHS140*80*6			66.09
	P139	1	RHS140*80*6	S355J	2780	53.99
	P44	2	BL15*210	S235JR	250	6.05
A73		1	D16			7.59
	P141	1	D16	S355JR	1873	2.82
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P143	1	D16	S355JR	992	1.50
A74		1	D16			7.03
	P149	1	D16	S355JR	1673	2.52
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P140	1	D16	S355JR	819	1.23
A75		1	D16			7.01
	P147	1	D16	S355JR	1658	2.50
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P116	1	D16	S355JR	826	1.25
A76		1	D16			6.99
	P150	1	D16	S355JR	1480	2.23
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P118	1	D16	S355JR	990	1.49
A77		1	D16			7.03

ASSEMBLY PART LIST FOR CONTRACT No: Remiza OSP
OBJECT:

Page: 8
Date: 05.07.2022

Assembly_Rev.	Part_Rev.	No.	Profile	Grade	Length (mm)	Weight (kg)
	P148	1	D16	S355JR	1491	2.25
	P76	2	BL10*80	S355J	215	1.23
	P79	1	PD42*13	S355JR	170	0.82
	P117	1	D16	S355JR	1001	1.51

A78		3	RHS140*80*6			74.84
	P34	1	RHS140*80*6	S355J	3499	68.56
	P35	2	BL10*250	S235JR	160	3.14

A79		1	RHS140*80*6			59.58
	P39	1	RHS140*80*6	S355J	2440	47.33
	P41	2	BL15*212	S235JR	250	6.13

Total:						7933.46

Addition for welds 1.8%: 142.8
The total mass of the structure: 8076.3
